

LUTEC China Head Office
CN8, Far-East Industry Park,
Yuyao, Zhejiang, China
+86-574-62760832
info@lutec.net

LUTEC Europe Regional Office
Herentalsebaan 425
2160 Wommelgem, Belgium
+32 3 284 51 62
info@lutec-europe.com

LUTEC in Germany
Austria - Switzerland
ECO-LIGHT Leuchten GmbH
+49-228-9691090
sales@eco-light.biz

LUTEC in France
Prof & Wholesale channel
LUTEC France S.A.S
+33-04-75602598
commande@lutec-france.fr

DIY & Specialist channel
COREP SAS
+33-05-56 49 96 00
contact@corep.com

LUTEC in Iberia
Prof & Specialist channel Spain
Silumin S.L.
+34 93 892 40 51
silumin@silumin.es

Prof & Specialist channel Portugal
Duarte Neves LDA
+351 219 668 100
info@duarteneves.pt

DIY & Garden channel
Spain & Portugal
LUTEC Lighting Iberia S.L.
+34 93 500 12 21
administracion@luteciberia.com

LUTEC in Hungary-Slovenia-Croatia
Czech-Slovakia
LUTEC Lighting Kft
+36 30 897 8494
Info@lutec.hu

LUTEC in Poland
DELIGHTING Polska
+48 61 4367 481
kontakt@delighting.pl

LUTEC in Belgium - The Netherlands
WEBBRANDS Benelux
+32 3 369 26 16
info@webbrands.eu

LUTEC in Italy
Lightec Srl.
+39 031 3551342
info@lightecsrl.com

LUTEC in Greece - Cyprus
Samba - Eliezer
+30 2104820946
info@samba-eliezer.gr

LUTEC in United Kingdom - Ireland
LUTEC UK Ltd
+44 (0) 1992 760870
sales@lutecuk.com

LUTEC in Denmark
LUTEC Scandinavia A/S
+45 31 63 16 11
Sales@lutec-scandinavia.com

LUTEC in Ukraine
Eurotrade
+38 044 496 74 83
anton@eurotrade.net.ua

LUTEC in Russia
Oasis Light
+7 499 5501529
agata-v@rambler.ru

LUTEC in Middle East
StarsLine Lighting
+971 4 354 9550
info@starsline.net

LUTEC in United States - Canada
LUTEC USA LLC
+(704) 980 4135
shelley.greenberg@lutec.net

LUTEC in Australia - New Zealand
Evolt Pty Ltd
+61 2 9502 1161
sales@evolt.com.au

LUTEC in South Korea
Belko Co., Ltd
+82 2 465 0603
belko@belko.co.kr

LUTEC in Chile
Manufacturas Eléctricas ByP Ltda.
+56 228 769 400
online@byp.cl

China Central Warehouse in
Yuyao

European Central Warehouse
Bornem- Belgium

www.lutec.com



OUTDOOR LIGHTING

2020



CONNECTED BY LIGHTING

20

OUTDOOR LIGHTING



Hello,
nice to meet you
we are

LUTEC
CONNECTED BY LIGHTING

one LUTEC, one **lighting** world

We think that outdoor lighting is one field with different needs and approaches. Our main challenge, using our experience, is to propose creative solutions to enlighten your outdoor living space.

As LUTEC, we have made this open choice to embrace this field of activity most completely.

Architectural, with wall and ceiling decorative lamps, specific light effects, functional with directional or recessed lights, the garden, the paths and terraces... Entering in the solar lighting is more than trendy, the solar energy being an active part of our future.

Begun recently, the activity related to safety and comfort has gained importance. New connected camera ranges are developed. The world of colour and programming to manage all your lights now enters our collections.

One world, different faces, different segments developed with the same concern of quality and efficiency.

discover what's new

make your outdoor life smarter

LUTEC introduces a range of Outdoor luminaires with the integrated TUYA connected light module. Combining high quality weatherproof aluminium fixtures with endless possibilities to control the powerful LED light.

Always connected

Thanks to the Bluetooth mesh technology, with sender-receiver module inside every lighting device, there will be no problems to reach all your connected luminaires. Also the ones in a more remote position.

Correlated Colour Temperature


The lighting module offers you a complete scale of CCT tuneable whites. In this way you can create a cosy warm white light or dynamic cold white light setting in your garden.

Convenient, Comfortable & Personal

Thanks to the “groups” function and “automation scenario’s” function in the TUYA app, you can create & program the perfect outdoor atmosphere for every occasion.



FULL CONTROL



EASY CONNECTION




BLUETOOTH MESH TECHNOLOGY

DIMMING



TUNEABLE WHITES




Powered By

tuya

Intelligence
Inside

a light for
every mood



Give it your own twist

LUTEC offers a number of new outdoor LED wall & bollard lights, for consumers, who want to create versatile light effects around their homes in a playful though convenient way.

Red Dot Award Winner 2019 Product Design

"Truly a great achievement and a testimony to the good design of the CUBA, tuneable up & down Outdoor LED light"

Create your own lighting designs


Next to the CYRA model in round shape with similar characteristics, LUTEC has extended this well appreciated range with a number of one head wall & bollard versions. Compact solutions, providing the same superb lighting effects and product flexibility.

"Total Eclipse of The Heart"

You can turn around the two half moon shape diffusors of the new ECLIPS model over an angle of 90 degrees. In this way creating a combination of an Up & Down light, a Wall Washer or a Frontal light effect.



reddot award 2019
winner



there's a new tradition

Next to the retrofit-series CATE & KELSEY, LUTEC introduces this year the new FLAIR tradition series.

Cottage flair around your house

The FLAIR lantern-family offers you a complete range Wall & Bollard lights for all your garden & terrace applications. A special double-head lantern and portable table lantern will give you plenty of choices to make your favourite ambiance light settings.

Vintage flair LED filament bulbs

You can apply the newest decorative filament LED bulbs in the FLAIR models. These lamps are now available in all forms & shades. The connected & tuneable models will facilitate the full control of the lights at your personal desire. A warm amber glow turns your garden into a cosy & charming environment.



P 209



P 211



P 211



P 209



P 207



CAMERA LIGHT
connected security concept

Always connected with your home

As market initiator LUTEC is proud to present the 2nd generation of the connected camera range.

Improved camera & connectivity

This brand new range has been developed based on learning and consumer insights over the last 3 years and by applying the gains and innovations of the fast evolving connected technology.

Keep an eye at your front door

This has resulted in a limited range of compact and very convenient camera lighting fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.

CLOUD
STORAGE



VOICE
CONTROL



let the sun pop-up!

POPPY



LUTEC has a variety of different concepts covering the complete solar energy field.

A lighted flower

New in the portable offer is the POPPY Solar floor stand, the all in one lighting solution to enjoy your summer nights.

Party all night long

Designed for private gardens and for professional use on the terrace of your favourite restaurant or summer bar.



outdoor lighting



connected light



architectural



tradition

our **7** activity segments



security



solar



worklight



functional

CONNECTED LIGHT is now already the future for all your lighting applications in the garden and around your home.

LUTEC offers two different solutions. A range of Outdoor luminaires with the integrated WiZ connected light module, operating on WiFi technology and featuring dimming, whites and colours. Allows you to take full control of your lights anytime and anywhere.

Adopting the Bluetooth mesh technology, the new TUYA connected ranges, are also suitable for distant installations in your garden. CCT control from Warm White to Cool White with a simple move on your smartphone. Convenient and creating the desired tuneable light.

make your
outdoor life
smarter

wall



KIRA
5288901118 / P21



DAKOTA
5288601118 / P23



QUBO
5193003118 / P25




SPICA
5271002118 / P27



FARELL
5194804001 / P31




GEMINI
5189111118 / P33



EXPLORER
6609204118 / P35

wall & ceiling




ORIGO
6335142118 / P29

spike



DAKOTA
7288602118 / P23



EXPLORER
6609205118 / P35

bollard



KIRA
7288901118 / P21



DAKOTA
7288601118 / P23



QUBO
7193002118 / P25



SPICA
7271004118 / P27



kira

wall & bollard

The KIRA outdoor LED wall & bollard light featuring a bended and frameless diffusor, distributes a homogenous & tuneable white light to illuminate walls, pathways and other open spaces around your home. The integrated TUYA Bluetooth connected module gives you all freedom to control your lights from the palm of your hand.




5288901118

CLASS I
IP54
LED 18W
1200 Lumen
Die Cast Aluminium

A+

2700K-6500K





7288901118

CLASS I
IP54
LED 18W
1200 Lumen
Die Cast Aluminium

A+

2700K-6500K





dakota

wall & bollard & spike

Robust LED outdoor wall & bollard light, its conical shape directing the tuneable white spotlight towards all the desired spots in your garden and around your home. The integrated TUYA Bluetooth connected module gives you all freedom to control your lights with the TUYA App on your smart devices. Comes also in a portable spike version with wire & plug.





5288601118

CLASS I
IP54
LED 12W
800 Lumen
Die Cast Aluminium

A+

2700K-6500K




7288601118

CLASS I
IP54
LED 12W
800 Lumen
Die Cast Aluminium

A+

2700K-6500K




7288602118

CLASS I
IP54
LED 12W
800 Lumen
Die Cast Aluminium

A+

2700K-6500K





► Also available in non connected version



qubo


wall & bollard

Wall & bollard light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting around your house, your garden or driveway. The integrated WiZ connected light module gives you full control anywhere and anytime.




5193003118

CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminium
A+



7193002118

CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminium
A+





spica

wall & bollard

Contemporary designed wall & bollard light with a distinctive shaped diffuser gives your garden an elegant look.


Comes with an integrated WiZ connected light module resulting in endless possibilities to control the powerful LED light.



5271002118

CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminium


A*



7271004118

CLASS I
IP65
LED 16W
1000 Lumen
Die Cast Aluminium

A*





► Also available in non connected version



origo

wall & ceiling



The specific positioning of the opal polycarbonate diffuser creates a very nice circular glow on your external walls or ceilings. Now also available in LED integrated version, with an improved homogeneous light without any shadows. The integrated WiZ connected light module gives you full control anywhere and anytime.



6335142118


CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminum

A+





► Also available in **WIZ** connected version



Farell

wall


Robust yet elegant stainless steel wall light with integrated WIZ connected light module. The big diffuser surface features a homogeneous light in every desirable light color or intensity.



5194804001

CLASS II
IP44
LED 14W
900 Lumen
Stainless Steel

A+





► Also available in non connected version



gemini

wall


This medium size version of the famous GEMINI range is very convenient for an installation on larger external walls or entrances. Thanks to the light output of 900 lumen the light beam will cover a big part of the surface in two directions. Comes with the integrated WiZ connected light module, which gives you full freedom & convenience to control your lights.



5189111118


CLASS I
IP54
LED 18W
900 Lumen
Die Cast Aluminium

A+





► Also available in non connected version



explorer


wall & spike

Elegant and compact spotlight on a spike, orientable horizontally and vertically, featuring a warm white LED light beam. The separate spot-cap can be used to direct the light beam to avoid any glare. Comes with WiZ connected light module.




6609204118

CLASS I
IP54
LED 7W
430 Lumen
Die Cast Aluminium
A+



6609205118

CLASS I
IP54
LED 7W
430 Lumen
Die Cast Aluminium
A+



ARCHITECTURAL applies to all lighting installations for homes, terraces and gardens covering a contemporary and modern design. LED's have drastically influenced the creation of new lighting products. Need for efficiency but also for harmonious integration when using one or several products : wall, bollards, ceiling and bulkhead designs. The offer is responding to architectural variety, location and living contexts. A good match can be found in between the luminaire and the architectural elements, in form, colour or material.

light up
your garden
in style

wall



CUBA
5193801118 / P45



NEW
CUBA
5193803118 / P47



NEW
EKLIPS
5199001118 / P49



CYRA
5198101118 / P51



CYRA
5198102118 / P51



NEW
CYRA
5198104118 / P53



MINI LEDSPOT
5614401118 / P55



MINI LEDSPOT
5614402118 / P55



MINI LEDSPOT
5614404118 / P55



TRUMPET
5626001118 / P59



TRUMPET
5626002118 / P61



TRUMPET
5626101125 / P61



EXPLORER
6609202118 / P63



NEW
PANO
5289001118 / P65



ANDA
5252101118 / P67



MERIDIAN
5616302118 / P69



MERIDIAN
5616304118 / P69



MERIDIAN
5616301118 / P69



CONE
5187601118 / P73



SPRIL
5225302118 / P75



SPRIL
5225102118 / P75



GHOST
5188003118 / P77



GHOST
5188003112 / P77



WHISPER
5198701001 / P79



ALICE
5194301118 / P81



ALICE
5194302118 / P81



APOLLO
5188801118 / P83



NEW
QUBO
5195401118 / P85



QUBO
5193001118 / P87



QUBO
5193002118 / P87



NEW
CRUZ
5199201118 / P89



TELIN
5197002125 / P91



ARMOR
5616602118 / P93



FLAT
5005103001 / P95



FACE
5033001001 / P97



FACE
5033002001 / P97



EVEN
5189401112 / P99



SECO
5189901118 / P101



ADALYN
5193602118 / P103



TANGO
5192901118 / P105



BATI
5188601125 / P107



BATI
5188602125 / P107



FACCIA
5192801118 / P113




FACCIA
5192802118 / P113



TONA
5189601118 / P115



TONA
5189602118 / P115



ZERTA
5189501118 / P117



BOX CUBE
5184301118 / P119



BOX CUBE
5184601118 / P119



CLIP
5185301118 / P121



CITY
5183601118 / P123



NEW
URBAN
5196501118 / P125



LOTUS
5193201118 / P127



EYES
5186002118 / P129



EYES
5186004118 / P129



EYES
5186004112 / P129



EYES
5186803118 / P129



RADIUS
5186502118 / P131




SANDWY
5188201118 / P133



PILO
5186902118 / P135



EVANS
5186202118 / P137



EVANS
5186304118 / P137



SPLIT
5187901000 / P139



NEW
HILL
5195801001 / P141



GEMINI
5189102118 / P143



GEMINI
5189102032 / P143



GEMINI
5189103118 / P143



GEMINI
5189113118 / P143



GEMINI
5189101118 / P145



GEMINI
5189112118 / P145



GEMINI
5189114118 / P147



GEMINI
5189104118 / P147




GEMINI
5189002118 / P149



GEMINI
5189001118 / P149



MAYA
5198302001 / P151



MAYA
5198401001 / P151



CRYSTAL
5521201001 / P153



CRYSTAL
5521601001 / P153



VIRGO
5008101001 / P155



LUCA
5510805001 / P157



LEO
5192701118 / P159



LEO
5192701335 / P159



PATH
5605701112 / P161



PATH
5605702112 / P161



FOCUS
5604011118 / P163



FOCUS
5604011112 / P163



FOCUS
5604101118 / P163



FOCUS
5604101112 / P163



FOCUS
5605013118 / P167



FOCUS
5605103118 / P167



NEW
BULLO
6383001118 / P169



NEW
BULLO
6383001445 / P169



HELENA
6402101118 / P185



HELENA
5191601118 / P185



HELENA
5191602118 / P185



BONN
6330401118 / P187



BONN
6330402001 / P187

wall
&
ceiling




FOCUS
6304201118 / P165



FOCUS
6304201112 / P165



NEW
ROLA
6382201118 / P171




UBLO
6348102112 / P173



UBLO
6349102112 / P173



UBLO
6350102112 / P173



UBLO
6348101112 / P175



UBLO
6349101112 / P175



UBLO
6350101112 / P175



ORIGO
6335141118 / P177



ORIGO
6335101118 / P177



TITAN
6336101118 / P179



TITAN
6336201118 / P179



TITAN
6336301118 / P179



SEINE
6338101118 / P181



SEINE
6338201118 / P181



SEINE
6338201112 / P181



SEINE
6338301118 / P181



SEINE
6334102118 / P183



SEINE
6334202118 / P183

spike



EXPLORER
6609201118 / P63

bollard



CUBA
7193801118 / P45



NEW
CUBA
7193802118 / P47



NEW
CYRA
7198101118 / P53



MINI LEDSPOT
7214603118 / P57



MINI LEDSPOT
7214604118 / P57



TRUMPET
7226101118 / P59



NEW
PANO
7289001118 / P65



ANDA
7225201118 / P67



MERIDIAN
7216412118 / P71



MERIDIAN
7216401118 / P71



CONE
7187611118 / P73



SPRIL
7225222118 / P75



QUBO
7193001118 / P87



NEW
CRUZ
7199201118 / P89



ARMOR
7216702118 / P93



FLAT
7005201001 / P95



BATI
7188601125 / P109



BATI
7188602125 / P109



MADRID
7271001118 / P111



MADRID
7271002118 / P111



VIRGO
7008201001 / P155




FOCUS
7204803118 / P165



NEW
MAINS
9702201012 / P189



NEW
MAINS
9702202012 / P189



reddot design award
winner 2019



cuba

wall & bollard

Modern & versatile wall light suitable for vertical and horizontal mounting. The 2 light heads can be rotated over 350°, resulting in up – down or side light effects. Comes also in a 75cm bollard version.




5193801118

CLASS I
IP54
LED 23W
1000 Lumen
Die Cast Aluminium

A+

3000K





7193801118

CLASS I
IP54
LED 23W
1000 Lumen
Die Cast Aluminium

A+

3000K





cuba

wall & bollard

CUBA, design award winning LED light, now available in a one head wall & bollard version. Resulting in a compact solution providing the same superb lighting effects and orientation flexibility.




5193803118

CLASS I
IP54
LED 12W
600 Lumen
Die Cast Aluminium

A⁺

3000K






7193802118

CLASS I
IP54
LED 12W
600 Lumen
Die Cast Aluminium

A⁺

3000K






eklips

wall

Multi purpose LED Outdoor wall light with two half-moon shape diffusers. You can turn these two lightheads over an angle of 90°, creating a combination of an Up & Down light, a wallwasher or a frontal light effect.




5199001118

CLASS I
IP54
LED 13W
1000 Lumen
Aluminium+Synthetics

A+

3000K





cyra

wall



Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.



5198101118

CLASS I
IP54
LED 15W
1000 Lumen
Die Cast Aluminium



A+



5198102118

CLASS I
IP54
LED 15W
1000 Lumen
Die Cast Aluminium

A+





cyra

wall & bollard


Tubular outdoor LED light with a combination of anthracite grey aluminium body and opal white diffuser. The moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or frontal diffuse lightbeam. Now also available in a compact one head version as a wall or bollard light.



5198104118

CLASS I
IP54
LED 8W
500 Lumen
Die Cast Aluminium



A+
3000K



7198101118

CLASS I
IP54
LED 8W
500 Lumen
Die Cast Aluminium

A+
3000K





mini ledspot




wall

One or two light head versions. The light heads can rotate 320° and will give you a perfect solution as a spotlight or wall washer. It will create the desired ambiance.






5614401118

CLASS I
IP65
LED 9W
605 Lumen
Die Cast Aluminium




5614402118

CLASS I
IP65
LED 18W
1210 Lumen
Die Cast Aluminium



5614404118

CLASS I
IP54
LED 9W
605 Lumen
Die Cast Aluminium





mini ledspot


bollard

This bollard is the perfect companion to light the pathways & terraces in your garden. The multidirectional heads will always direct the LED light to the desired spot.




7214603118

CLASS I
IP65
LED 9W
605 Lumen
Die Cast Aluminium



7214604118

CLASS I
IP65
LED 18W
1210 Lumen
Die Cast Aluminium





trumpet



wall & bollard

Accentuate your outdoor places with this minimalistic yet powerful LED wall light with moveable spotlight. The 85cm bollard version makes the family complete.




5626001118

CLASS I
IP54
LED 11W
840 Lumen
Die Cast Aluminium



7226101118

CLASS I
IP54
LED 11W
850 Lumen
Die Cast Aluminium






trumpet


wall

Accentuate your outdoor places with this powerful LED wall light with moveable spotlight. Large execution featuring a super powerful light beam of 1700 lumen. Now also available in small version with a light output of 600 lumen




5626002118

CLASS I
IP54
LED 16W
1700 Lumen
Die Cast Aluminium



5626101125

CLASS I
IP54
LED 8W
600 Lumen
Die Cast Aluminium





► Also available in **WIZ** connected version



explorer

wall & spike


Elegant and compact spotlight orientable horizontally and vertically, featuring a warm white LED light beam. The separate spot-cap can be used to direct the light beam to avoid ant glare. Available in wall version and spike version with wire and plug.



6609202118

CLASS I
IP54
LED 5.3W
380 Lumen
Die Cast Aluminium

A+







6609201118

CLASS I
IP54
LED 5.3W
380 Lumen
Die Cast Aluminium

A+

3000K





pano

wall & bollard

An elegant LED Outdoor wall & Bollard light with a ultra flat , frameless diffuser. Comes with an integrated adjustable colour switch. You can tune the light colour from warm white to cool white in a very convenient way.




5289001118

CLASS I
IP54
LED 16W
1200 Lumen
Die Cast Aluminium

A+

3000K-5000K




7289001118

CLASS I
IP54
LED 16W
1200 Lumen
Die Cast Aluminium

A+

3000K-5000K






anda

wall & bollard


Wall light with a 1000 lumen light output, can be mounted at a certain height to illuminate a large area. The elegant but robust bollard will integrate well in your garden. The powerful light output will give a strong light but not dazzle people passing by.



5252101118

CLASS I
IP54
LED 18W
1040 Lumen
Die Cast Aluminium

A+




90°

7225201118

CLASS I
IP65
LED 18W
1040 Lumen
Die Cast Aluminium

A+



90°



meridian

wall


Elegant combination of anthracite grey aluminium body and opal white polycarbonate diffuser. Small sized wall light gives a strong diffused light and a design statement in your garden. Now also available with an adjustable motion sensor, perfectly integrated in the luminaire base. Also available in medium size featuring a strong light output of 1300 lumen.



5616302118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium



A+



5616304118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium


A+



5616301118

CLASS I
IP65
LED 22W
1300 Lumen
Die Cast Aluminium

A+





meridian

bollard


Bollard at a perfect height which gives your pathway, terrace and garden the desired atmosphere at night without any glare. Available in small & medium size.



7216412118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium



A+



7216401118

CLASS I
IP65
LED 22W
1300 Lumen
Die Cast Aluminium

A+





cone

wall & bollard


Straightforward design yet solid in function offering a powerful light output. Easy to install bollard ideal along your driveway or pathway.



5187601118

CLASS I
IP54
LED 12W
780 Lumen
Die Cast Aluminium


A+



7187611118

CLASS I
IP54
LED 12W
780 Lumen
Die Cast Aluminium

A+






spril

wall & bollard



Wall lantern giving a very wide beam of homogenous light without any glare. The circular wall washer version creates a magical light effect. This series of bollards will make a style statement in your garden, combined with great functionality.



5225302118

CLASS II
IP54
LED 8.4W
310 Lumen
Die Cast Aluminium



A+



5225102118

CLASS I
IP54
LED 8.4W
310 Lumen
Die Cast Aluminium



A+



7225222118

CLASS I
IP54
LED 8.4W
310 Lumen
Die Cast Aluminium

A+





ghost

wall

Very sleek oval design which discretely gives an indirect light, resulting in a distinctive beam pattern.




51880031118

51880031112

CLASS I
IP54
LED 7W
360 Lumen
Die Cast Aluminium

A*

4000K





whisper

wall

Modern round shaped wall light with retrofit solution.
The synthetic housing makes it suitable for all types of
smart connected bulbs working on different
technologies : WiFi, Bluetooth, Ziggy.




suitable for smartbulb



5198701001

CLASS II
IP44
E27 Max.25W
Stainless Steel





alice

wall

The square light-strip creates a fascinating almost fluid effect.
The house number sticker set makes the package complete.





+ **1** · **A**

5194301118

CLASS I
IP44
LED 13W
800 Lumen
Die Cast Aluminium

A+

3000K





5194302118

CLASS I
IP44
LED 13W
800 Lumen
Die Cast Aluminium

A+

3000K





apollo

wall

Wall light with an optimal light combination. The narrow light beam shows a visually striking effect and the front diffusor radiates a homogeneous warm white LED light without any shadow. Ideal companion next to your front door.





5188801118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A*

3000K





qubo

wall

Modern, small outdoor wall light new in our offer creating a stunning atmosphere while making an architectural statement. Ideal for general lighting in your garden or on your terrace.




5195401118

CLASS I
IP54
LED 8.5W
650 Lumen
Die Cast Aluminium

A⁺

3000K





► Also available in **wiz** connected version



qubo

wall & bollard

Wall & bollard light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting around your house, your garden or on your terrace. Also available with fully adjustable PIR motion sensor.




5193001118

CLASS I
IP54
LED 18W
1100 Lumen
Die Cast Aluminium

A+

3000K





5193002118

CLASS I
IP54
LED 13W
800 Lumen
Die Cast Aluminum

A+

3000K



7193001118

CLASS I
IP54
LED 18W
1100 Lumen
Die Cast Aluminium

A+

3000K





cruz

wall & bollard

This dark grey cube-shaped exterior light with integrated LED is a real eye-catcher due to its modern design. The warm white light shines in all directions which give your outdoor environment a particularly beautiful appearance. Available as wall lamp and bollard.





5199201118

CLASS I
IP54
LED 13W
1000 Lumen
Die Cast Aluminium

A⁺

3000K





7199201118

CLASS I
IP54
LED 13W
1000 Lumen
Die Cast Aluminium

A⁺

3000K



telin

wall

This LED wall light in anthracite grey sits in a cubic holder made of durable die cast aluminium. The elegant design catches the eye and radiates powerful rays of warm white light that illuminate the wall.




5197002125

CLASS I
IP54
LED 15W
800 Lumen
Die Cast Aluminium

A⁺

3000K





armor

wall & bollard

Cube wall & bollard light with 4 die-cast aluminium corners, protecting the opal polycarbonate diffuser, but also giving a subtle design character.




5616602118

CLASS I
IP54
LED 9W
650 Lumen
Die Cast Aluminium

A+

3000K




7216702118

CLASS I
IP54
LED 9W
650 Lumen
Die Cast Aluminium

A+

3000K





Face

wall


Robust yet elegant stainless steel wall light, big surface diffuses warm white light radiation. Discrete position of the adjustable PIR motion sensor.



5033001001

CLASS II
IP44
LED 13W
800 Lumen
Stainless Steel



A+



5033002001

CLASS II
IP44
LED 13W
800 Lumen
Stainless Steel

A+





even

wall & ceiling

Elegant & flat design offering a strong and homogeneous diffused warm white LED light without any shadows.





5189401112

CLASS I
IP54
LED 15W
650 Lumen
Die Cast Aluminium

A+

3000K






seco

wall

The clever designed aluminum backside of this fixture, offers an easy installation. The diffuser will give a floating effect on your walls.




5189901118

CLASS I
IP54
LED 13W
770 Lumen
Die Cast Aluminium

A+

3000K





adalyn

wall

This compact wall light will turn your garden into an intimate place and welcomes you at home. Smooth radiation of warm white LED light.




5193602118

CLASS I
IP44
LED 10W
600 Lumen
Die Cast Aluminium

A+

3000K





tango

wall

Featuring a double glass design, this Up & Down wall light creates a magical effect on your external walls or near your entry door.




5192901118

CLASS I
IP54
LED 17W
800 Lumen
Die Cast Aluminium

A⁺

3000K





bati

wall


Modern & stylish wall light with integrated LED light and optional PIR sensor. Ideal for your front door or garden walls.



5188601125

CLASS I
IP44
LED 14W
1100 Lumen
Die Cast Aluminium




A⁺



5188602125

CLASS I
IP44
LED 14W
1100 Lumen
Die Cast Aluminium

A⁺





bati

bollard

Modern and stylish bollard with integrated LED light source. Ideal for your driveway or garden path in a multiple installation .





7188601125

CLASS I
IP44
LED 14W
1100 Lumen
Die Cast Aluminium

A⁺



4000K





7188602125

CLASS I
IP44
LED 14W
1100 Lumen
Die Cast Aluminium

A⁺



4000K





madrid

bollard

Contemporary designed bollard lights with a distinctive shaped diffuser which gives your garden an elegant look.
Comes with an integrated LED module that lit your paths and other outdoor spaces.



7271001118

CLASS I
IP65
LED 20W
1200 Lumen
Die Cast Aluminium


A+



7271002118

CLASS I
IP65
LED 20W
1200 Lumen
Die Cast Aluminium

A+





Faccia

wall

Powerful & warm white LED light directed right to the area where it's needed. Subtle light beam at the back gives a nice glow on your external wall. Comes also with a build-in & adjustable motion sensor





5192801118

CLASS I
IP54
LED 20W
1000 Lumen
Die Cast Aluminium

A⁺

3000K





5192802118

CLASS I
IP54
LED 20W
1000 Lumen
Die Cast Aluminium

A⁺

3000K





tona

wall


Thanks to the die-cast aluminum frame in one single piece, the smooth and gracious line is accentuated. The white opal diffuser with concentric circles is giving the right direction to the light and showing a subtle decorative detail during the day. Comes also with a build-in & adjustable motion sensor.



5189601118

CLASS I
IP44
LED 9W
600 Lumen
Die Cast Aluminium



A+




5189602118

CLASS I
IP44
LED 9W
600 Lumen
Die Cast Aluminium

A+






zerta

wall

The almost invisible “Stealth” form of this amazing wall light, houses a super powerful LED light-engine radiating a diffuse light. Best used at a certain height to light larger surfaces.




5189501118

CLASS I
IP44
LED 30W
2090 Lumen
Die Cast Aluminium

A+

3000K





box cube

wall

Striking forms fit in all your contemporary garden spaces. The opal impact proof diffuser offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for all kind of retrofit bulbs.




suitable for smartbulb




5184301118

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium



5184601118

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium






suitable for smartbulb



clip


wall

This fixture can be seen as the glow “eye” in the dark. Elegant and smart construction will accentuate the smooth line and results in an easy mounting or lamp replacement.



5185301118

CLASS I
IP44
E27 Max.18W
Die Cast Aluminium





suitable for smartbulb



city


wall

Large size and robust wall light, fit to lighten large areas both in public or private places. The impact proof polycarbonate diffuser in combination with the sturdy die cast aluminum frame will make this fixture destruction proof.




5183601118

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium





suitable for smartbulb



urban


wall

GU10 retrofit LED Outdoor wall light, suitable for the newest smart bulbs. The invisible lightbulb, creates a subtle light effect by the reflexion on the ribbed aluminium reflector.



5196501118

CLASS II
IP54
GU10 LED Max.7W
Die Cast Aluminium





lotus

wall

Captivating design with a beautiful up & down light effect. This elegant wall light is the perfect addition to your entry door.





5193201118

CLASS I
IP54
LED 11W
500 Lumen
Die Cast Aluminium

A+

3000K







eyes

wall

Eye-catching "pacmann" form, radiating an indirect beam. No visible screws on the sleek surface in combination with a ribbed heath-ventilating aluminum base.




5186002118

CLASS I
IP54
LED 19W
780 Lumen
Die Cast Aluminium

A+

4000K




**5186004118
5186004112**

CLASS I
IP54
LED 9W
370 Lumen
Die Cast Aluminium

A+

4000K




5186803118

CLASS I
IP54
LED 3.9W
170 Lumen
Die Cast Aluminium

A+

4000K



radius

wall

Round indirect light. The invisible LED light engine, creates a subtle light effect by the reflection on the horizontally ribbed anthracite grey aluminium housing.




5186502118

CLASS I
IP54
LED 9W
140 Lumen
Die Cast Aluminium

A+

4000K






sandwy

wall

The double light effect in the front and downwards, creating a nice beam pattern and a subtle decorative accent. The one piece die cast aluminum frame creates a sleek & elegant look.





5188201118

CLASS I
IP44
LED 9W
324 Lumen
Die Cast Aluminium

A+

4000K





pilo

wall

Unique design radiating a glow in 4 directions, giving a distinctive light effect on your outdoor walls.
Ingenious construction without any screws: the frontal aluminum cover is fixed in the right position thanks to a magnet.





5186902118

CLASS I
IP54
LED 11W
760 Lumen
Die Cast Aluminium

A⁺

4000K






evans

wall


This minimalistic aluminum wall light shows a visual striking effect thanks to the use of a narrow beam lens. The square executions radiates three perfect laser beams and one wide beam on your wall




5186202118

CLASS I
IP54
LED 6W
N:55 Lumen
W:55 Lumen
Die Cast Aluminium

A+  4000K




55 Lumen 55 Lumen



5186304118

CLASS I
IP54
LED 10W
N:165 Lumen
W:55 Lumen
Die Cast Aluminium

A+  4000K



3x55 Lumen 55 Lumen





split

wall

With this elegant up & down wall light your garden will get a modern look. The distinctive ribs are showing a nice decorative detail but also suits the heat ventilation which results in a longer lifetime for the LED module. The construction makes this article safer and suitable to use in wet indoor places like bathrooms.





5187901000

CLASS II
IP44
LED 9W
480 Lumen
Die Cast Aluminium

A*

4000K





hill

wall

Modern Up & Down aluminium wall light with stainless steel decorative strip. It will enhance your outdoor places with a beautiful light effect.




5195801001

CLASS II
IP54
LED 8.5W
650 Lumen
Die Cast Aluminium

A+

3000K






gemini


wall

Minimalistic design but great light output. This elegant “brick” light in die-cast aluminum radiates a perfect bi-directional beam. Comes in anthracite grey, white and stainless steel version.




5189102118
5189102032
5189103118

CLASS I
IP54
LED 10.5W
500 Lumen
Die Cast Aluminium
A+



5189113118

CLASS I
IP54
LED 10.5W
500 Lumen
Die Cast Aluminium
A+






► Also available in **wiz** connected version



gemini

wall


The medium version is very convenient for an installation on larger external wall or entrances. Thanks to the light output of 1200 lumen the light beam will cover the full surface in two directions. Available in warm white (3000K) and in daylight (4000K) execution



5189101118

CLASS I
IP54
LED 20W
1230 Lumen
Die Cast Aluminium


A⁺



5189112118

CLASS I
IP54
LED 20W
1230 Lumen
Die Cast Aluminium

A⁺






gemini

wall


The large version in this family is very convenient for an installation at a certain height for larger external walls or entrances. Thanks to a light output of more than 3000 lumen, the light beam will cover the full surface in two directions. A small square version is new in our offer.



5189104118

CLASS I
IP54
LED 42W
3300 Lumen
Die Cast Aluminium


A⁺



5189114118

CLASS I
IP54
LED 9W
850 Lumen
Die Cast Aluminium

A⁺





gemini

wall



Timeless design with a touch of quality. Up & down light with brushed premium stainless-steel cover.
Small size is slim and efficient, medium size is robust and powerful.



5189001118

CLASS I
IP54
LED 24W
1240 Lumen
Stainless Steel



A+ →



5189002118

CLASS I
IP54
LED 9W
500 Lumen
Stainless Steel

A+ →







maya

wall

This small Up & Down wall light in Aluminium with stainless steel cover has a timeless design and is slim and efficient. Rectangular version comes with motion sensor.





InMotion
Security Sensor Light

5198302001

CLASS I
IP44
LED 15W
1000 Lumen
Stainless Steel

A+

3000K





5198401001

CLASS I
IP44
LED 15W
1000 Lumen
Stainless Steel

A+

3000K






crystal

wall

Combination of brushed stainless steel housing and an optical lens, resulting in a magical and perfect aligned up & down beam pattern on your wall.




5521201001

CLASS I
IP44
LED 10W
660 Lumen
Stainless Steel

A⁺

3000K




5521601001

CLASS I
IP44
LED 10W
660 Lumen
Stainless Steel

A⁺

3000K





virgo

wall & bollard


Elegant stainless steel outdoor wall & bollard light that represents contemporary design with a distinctive shaped diffuser.



5008101001

CLASS I
IP44
LED 3.7W
350 Lumen
Stainless Steel


A+



7008201001

CLASS I
IP44
LED 3.7W
350 Lumen
Stainless Steel

A+





luca

wall

Small and straightforward Up & Down light in brushed stainless steel. Limited distance from the surface.




5510805001

CLASS I
IP44
LED 18W
1000 Lumen
Stainless Steel

A+

3000K





leo

wall

Magical wall light. The shiny silver coating makes it look like an invisible piece of lighting. Features a strong light beam up & down and a vertical light-strip in the front. The effect will be amplified in a multiple arrangement.



5192701118

CLASS I
IP54
LED 14W
870 Lumen
Die cast Aluminium
Chrome coating

A+

3000K




5192701335

CLASS I
IP54
LED 14W
870 Lumen
Die Cast Aluminium

A+

3000K





path

wall

Stainless steel Up & Down light with a discrete glowing part on both sides. Comes also in PIR motion-sensor version, very elegant incorporated and with a large detection reach.





5605701112

CLASS I
IP54
LED 15W
800 Lumen
Stainless Steel

A+

3000K






5605702112

CLASS I
IP54
LED 16W
800 Lumen
Stainless Steel


A+

3000K





suitable for smartbulb



Focus


wall

Heavy duty die-cast aluminum versions available in anthracite & silver-grey color in combination with clear glass diffusers, giving a robust construction and a perfect light radiation both functional as decorative.




5604011118
5604011112

CLASS I
IP44
GU10 Max.2*35W
Die Cast Aluminium



5604101118
5604101112

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium





suitable for smartbulb



Focus


wall

Cylindrical versions with the very typical single or double horizontal light glow. This range is equipped with a traditional GU10 fitting and are suitable for halogen bulbs as for retrofit LED bulbs.




6304201118
6304201112

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium



7204803118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium





Focus


wall

Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.




5605013118

CLASS |
IP44
LED 7.6W
300 Lumen
Die Cast Aluminium
A+



5605103118

CLASS |
IP44
LED 3.8W
150 Lumen
Die Cast Aluminium
A+





bullo

wall

LED Outdoor aluminium wall & ceiling light, in a modern interpretation of the classic bullseye design. Radiates a homogenous and strong warm white light. Available in dark grey and rust brown colour.




6383001118

6383001445

CLASS I
IP54
LED 15W
700 Lumen
Die Cast Aluminium

A⁺

3000K





rola

wall & ceiling

The round Rola outdoor wall lamp in dark grey colour with integrated LED and warm white light has a decorative frame in aluminum. An elegant wall & ceiling decoration that illuminates your outdoor spaces




6382201118

CLASS I
IP54
LED 13W
800 Lumen
Die Cast Aluminium

A+

3000K





ublo

wall & ceiling

Compact & elegant fixture producing a perfect uniform and homogenous warm white LED light without any shadow. Easy access to the connection part by removing click-on front plate.




6348102112

CLASS I
IP54
LED 8W
420 Lumen
Die Cast Aluminium

A+ →

3000K





6350102112

CLASS I
IP54
LED 8W
420 Lumen
Die Cast Aluminium

A+ →

3000K




6349102112

CLASS I
IP54
LED 8W
420 Lumen
Die Cast Aluminium

A+ →

3000K





ublo

wall & ceiling

Large size with same design & functionalities. Double lumen output makes it very suitable for illuminating a large space.




6348101112

CLASS I
IP54
LED 16.5W
950 Lumen
Die Cast Aluminium

A*

3000K




6350101112

CLASS I
IP54
LED 16.5W
950 Lumen
Die Cast Aluminium

A*

3000K




6349101112

CLASS I
IP54
LED 15W
950 Lumen
Die Cast Aluminium

A*

3000K





► Also available in non connected version



suitable for smartbulb



origo

wall & ceiling

The specific positioning of the opal polycarbonate diffuser creates a very nice circular glow on your external walls or ceilings. Now also available in LED integrated version, with an improved homogeneous light without any shadows.





6335141118

CLASS I
IP54
LED 15W
830 Lumen
Die Cast Aluminium


A+

3000K




6335101118

CLASS I
IP54
E27 Max.2*60W
Die Cast Aluminium





suitable for smartbulb



titan


wall & ceiling

Medium sized wall & ceiling series available with 3 different decorative aluminium covers creating the desired effect for the location. With traditional Edison fitting, it is suitable for different kind of retrofit bulbs. Easy installation with a standard loop in loop out wiring option.




6336101118

CLASS I
IP54
E27 Max.60W
Die Cast Aluminum




6336201118

CLASS I
IP54
E27 Max.60W
Die Cast Aluminum



6336301118

CLASS I
IP54
E27 Max.60W
Die Cast Aluminium





suitable for smartbulb



seine

wall & ceiling

Robust heavy duty die-cast aluminium fixture. This large model with two traditional E27 fittings, is suitable for different kind of retrofit bulbs offering a very powerful light output. The soft glowing light effect to the back creates a “floating” impression. Ideal for creating a safe atmosphere around your home at night.



6338101118


CLASS I
IP54
E27 Max.2*20W CFL
Die Cast Aluminum



6338201112

6338201118

CLASS I
IP54
E27 Max.2*20W CFL
Die Cast Aluminum



6338301118

CLASS I
IP54
E27 Max.2*20W CFL
Die Cast Aluminium





seine

wall & ceiling

Super compact wall & ceiling light, the rectangular form can be well integrated in your modern architectural projects, especially when used in a multiple light compositions. The integrated LED light engine radiates a gentle warm white light without any shadows. The subtle glow to the back makes it complete.



6334102118

CLASS I
IP54
LED 4W
150 Lumen
Die Cast Aluminum

A+

3000K



6334202118

CLASS I
IP54
LED 4W
180 Lumen
Die Cast Aluminum

A+

3000K





helena


wall

Orientation wall light with opal diffuser or directed down light. Very convenient built-on installation. Thickness of the luminaire is not more than 30mm. No more hassle to make a hole in your garden walls.




6402101118

CLASS I
IP54
LED 4W
200 Lumen
Die Cast Aluminum




5191601118

CLASS I
IP54
LED 10.5W
400 Lumen
Die Cast Aluminum




5191602118

CLASS I
IP54
LED 10.5W
400 Lumen
Die Cast Aluminum






suitable for smartbulb



bonn

wall

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character. The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.




6330401118

CLASS I
IP54
E27 Max.60W
Die Cast Aluminum



6330402001

CLASS II
IP44
E27 Max.40W
Stainless Steel






mains

These dark grey outdoor power supply sockets in die cast aluminium are very easy to install and provide your entire garden with energy, so you can enjoy your outdoor space. Comes with side earth or pin earth version. Total power supply up to 3500W.




9702201012

CLASS I
IP54
Max.3500W
Die Cast Aluminium



9702202012

CLASS I
IP54
Max.3500W
Die Cast Aluminium



tradition

TRADITION applies to all lighting installations for homes, terraces and gardens, covering a more classical design. Revisiting the traditional lantern theme with LED integrated versions. The Edison-fitting versions are suitable for the newest vintage filament LED bulbs, resulting in a perfect combination between new technology and authentic style. Matching with all kind of traditional homes : Classic, Vintage, Cottage. Resulting in a harmonious integration when using one or several products of the same family: wall lantern, pedestal, small and big lantern posts.

there's a new
tradition

wall



ZOE
5240101012 / P195



UNITE
5260101012 / P197



UNITE
5260101030 / P197



UNITE
5260103012 / P197



UNITE
5260103030 / P197



UNITE
5260201012 / P197



UNITE
5260201030 / P197



AQUARIUS
5185901012 / P201



STARRY
5185701012 / P203



HOM
5241101012 / P205



FLAIR
5288801012 / P207



FLAIR
5288802012 / P207



FLAIR
5288803012 / P209



FLAIR
5288804012 / P209



KELSEY
5273701012 / P213



KELSEY
5273601012 / P213



CATE
5264201213 / P217



JADE
5259201012 / P219



DARLI
5274601412 / P221

portable



FLAIR
6588801012 / P211

bollard



UNITE
7260401012 / P199



UNITE
7260401030 / P199



UNITE
7260311012 / P199



UNITE
7260311030 / P199



FLAIR
7288801012 / P211



KELSEY
7273602012 / P215



KELSEY
7273601012 / P215



CATE
7264210213 / P217



CATE
7264230213 / P217



zoe

wall

Compact, vintage look lantern. Fits in all traditional surroundings. Incorporated LED tile radiates a gentle & warm light.




5240101012

CLASS I
IP54
LED 9W
330 Lumen
Die Cast Aluminum

A+

3000K





unite

wall

Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffuser. The warm white light gives a cozy and traditional aspect. Now also available in white powder coating.




5260101012

5260101030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K






5260103012

5260103030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K




5260201012

5260201030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K





unite

bollard



Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffuser. The warm white light gives a cozy and traditional aspect. Now also available in white powder coating



7260401012
7260401030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium
A+


3000K



7260311012
7260311030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium
A+

3000K





aquarius

wall

The authentic feel of this wall lantern fits perfectly to the country house style. The LED light source is perfectly integrated and gives a charming warm white light in combination with the transparent bubble glass diffuser.



5185901012

CLASS |
IP44
LED 17W
700 Lumen
Die Cast Aluminium

A+

3000K





starry

wall

Cottage style rectangular wall light. With water glass. The invisible LED light source is perfectly placed to create a very charming warm white light in combination with the water drop glass.





5185701012

CLASS I
IP54
LED 16W
600 Lumen
Die Cast Aluminium

A+

3000K





hom

wall

Coach lantern with perfect "candle" light glow. The clear glass in combination with the LED light module offers a perfect radiation and high efficacy.




5241101012

CLASS |
IP44
LED 16W
400 Lumen
Die Cast Aluminium

A⁺

3000K



128°



suitable for smartbulb



Flair


wall

The FLAIR lantern family in cottage style gives you the possibility to create a diverse lighting design in your garden & around your house in the same style. In combination with LED filament retrofit bulbs you will create a perfect cosy & safe atmosphere.




5288801012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



5288802012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



Flair


small wall & double wall

These two wall lanterns will create extra possibilities to work out the desired luminaires design around your home and beside your entry doors. Comes also with E27 fitting suitable for the newest filament LED bulbs.




5288803012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



5288804012

CLASS I
IP44
2*E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



Flair


portable & bollard

The portable version, with an 1.5 meter outdoor wire and plug, will create a cosy atmosphere on your garden tables & terraces. The bollard makes the Flair family complete. Also these two executions are suitable for E27 filament LED retrofit bulbs.




6588801012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7288801012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



kelsey


wall

Give your outdoor spaces an intimate look and feel with this complete outdoor light family. While using the newest “filament” retrofit LED bulbs behind the water glass diffuser, you will create a charming atmosphere.




5273701012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



5273601012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





suitable for smartbulb



kelsey


bollard

Give your outdoor spaces an intimate look and feel with this complete outdoor light family. While using the newest “filament” retrofit LED bulbs behind the water glass diffuser, you will create a charming atmosphere.




7273602012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7273601012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





cate

wall & bollard


This complete family with an authentic feel will turn your garden into a cozy & warm atmosphere, while using the newest "filament" LED bubs.

suitable for smartbulb




5264201213

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium




7264210213

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium



7264230213

CLASS I
IP44
3*E27 Max.60W
Die Cast Aluminium






jade

wall

This vintage coach lantern, in combination with the newest filament LED bulbs, gives a bright & sensational light effect




suitable for smartbulb



5259201012

CLASS I
IP44
E27 Max.60W
Die Cast Aluminum





darli

wall down

Coach lantern with traditional finish and powerful warm white LED light.
Thanks to the built-in bluetooth speaker you can enjoy your favourite music outside your house all day & night.




5274601412

CLASS I
IP44
LED 24W
1500 Lumen
Die Cast Aluminium

A+

3000K





solar

solar?
yes, please!

SOLAR covers a variety of different concepts in the field of renewable energy lighting solutions. The portable range illustrates light mobility, pleasant and ubiquitous to use. The wall lights and bollards are built following two principles, using an integrated or independent solar panel, quick and easy to install. Today the highly efficient solar panel in combination with powerful LED modules are giving a really satisfactory light level. Making the most out of the available solar energy is cleverly realised by intelligent user interfaces such as 3-step dimmers, timers and PIR-sensors.

portable



POPPY
6910802335 / P229



TABLE CUBE
6908003331 / P231



TABLE CUBE
6908001337 / P231



TABLE CUBE
6908001331 / P231



TABLE CUBE
6908001339 / P231



TABLE CUBE
6908001340 / P231



TABLE CUBE
6908002337 / P233



PADLIGHT
6907701331 / P235



PADLIGHT
6907701339 / P235



PADLIGHT
6907701340 / P235



DRAGONFLY
6904101337 / P237



DRAGONFLY
6904101331 / P237



DRAGONFLY
6904101339 / P237



DRAGONFLY
6904101340 / P237

wall
integrated
panel



MINI LEDSPOT
6914401000 / P239



MINI LEDSPOT
6914402000 / P239



ZERTA
6903401000 / P241



ARROW
6910601335 / P243



BRICK
6908501308 / P245



BREAD
6901501000 / P247



BUBBLE
6908701001 / P249



TWILL
6908901335 / P251



DISO
6906702335 / P253



CURTIS
6908701001 / P255



SOLSTEL
6907901000 / P257



GHOST SOLAR
6901401337 / P259



ZETA
6901101000 / P261



POLE
9700308112 / P263



TILLY
6901201000 / P265

bollard
integrated
panel



DISO
6906703335 / P253



SOLSTEL
6907903001 / P257



LONDON
6951301189 / P267

flood
independent
panel




SUNSHINE
6925601345 / P269




SUNSHINE
6901601000 / P271

complete lighting solution: green & convenient


Solar Energy,
no electricity consumption


No electrical wiring,
no connection to the mains


Powerful LED Light



Full comfort
Autonomy all night long


Clever & multiple
control options


Easy and fast installation




Portable


Integrated solar panel



Separate Solar panel





nice to know





Longer light or more powerfull light




 High efficiency monocrystalline
or polycrystalline solarpanel

 LED module with strong light output:
100 lumen up to 500 lumen

 Li-ion rechargeable battery included


 Integrated dusk to dawn sensor,
automatic switch to light-on during night


 Weatherproof materials and finishing

how to choose

 **solar panel**
Integrated
Compact, no extra wiring


 **Separate**
Higher solar energy capacity


 **orientation of solar panel**
Fixed
The luminaire should be placed in
the most optimal position; south
orientation


 **Adjustable**
The panel can be oriented in the most
efficient position; south orientation
(tilt angle 35° in summer - 65° in
winter)

 **orientation of LED light**
Fixed
Diffuse light - Up & down light

 **Adjustable**
Directional spotlight

 **clever control**
PIR motion sensor
Smart use of the available solar energy
Always light when somebody is passing

 **High-Medium-Low switch**
Personalized choice to come to ideal
combination of light output and
autonomy



Bluetooth

poppy

portable post

All in one Solar lighting solution. Trendy & convenient design. Listen to your favourite music on your terrace or in your garden during a lovely summer night.



1	max 500lm	12H
2	200lm	16H
3	50lm	24H
4		OFF


6W
monocrystalline



6910802335

CLASS III
IP54
LED 8W
1*4400mAh 3.7V
Li-ion battery
500 Lumen
Synthetics

3000K





RGB



table cube

portable

Handy & movable outdoor solar table light. The 3 step dimmer will always give you the right atmosphere in combination with a sufficient autonomy. Comes in 3 vivid colours & a stylish silver grey. Now also available in the colour changing RGB version. With the touch dimmer you can dim the white light or choose one of the 4 bright colours.



1	100lm	4H
2	40lm	10H
3	10lm	40H
4		OFF



1W
polycrystalline

1	100lm	4H
2	10lm	40H
3	4 5	4H
6		4H
7		OFF




6908001337

6908001331

6908001339

6908001340

CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics



6908003331

CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics







table cube

portable

Bring Solar light in every corner of your garden.
Bollard easily adjustable to full & medium height.
Ground spike included. Comes with a 3 step dimmer.




1	100lm	4H
2	40lm	10H
3	10lm	40H
4		OFF

1W
polycrystalline

6908002337

CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

3000K





padlight

portable

Compact portable solar light. The ideal companion for your outdoor journeys. Versatile with multiple positions. Can be placed on a surface, hooked or suspended. The light panel radiates a very uniform light without any shadow. A 3-step dimmer with the possibility to optimise the light output & autonomy according to your needs. The USB cable (excluded) allows also to charge via an electrical network. Recharge your mobile phone.




1	200lm	3H
2	80lm	9H
3	20lm	36H
4		OFF

1.4W
monocrystalline



- 6907701331
- 6907701339
- 6907701340

CLASS III
IP44
LED 2.4W
1*2500mAh 3.7V Li-ion battery
200 Lumen
Synthetics





dragonfly

portable

In the “open” position this portable solar lamp will accumulate sufficient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable. In closed position it will give an inviting light when it is dark. Comes with 3 step dimmer. Available in 4 fresh colours.





1	120lm	4H
2	50lm	10H
3	10lm	40H
4		OFF

2*0.8W
polycrystalline



- 6904101337
- 6904101331
- 6904101339
- 6904101340

CLASS III
IP54
LED 1.2W
1*2200mAh 3.7V Li-ion battery
120 Lumen
Synthetics





mini ledspot

integrated panel


Wall light with integrated solar panel, single and doublehead spot light versions. This will assure you an optimal solar efficiency. The bright LED spotlight can be orientated in all directions. The three step dimmer offers you the choice between bright and long-lasting light.



1 100lm 6H	1.4W monocrystalline	1 200lm 6H	3.6W monocrystalline
2 50lm 10H		2 100lm 10H	
3 30lm 21H		3 60lm 21H	
4 OFF		4 OFF	


6914401000

CLASS III
IP44
LED 1W
1*2200mAh 3.7V
Li-ion battery
100 Lumen
Synthetics



6914402000

CLASS III
IP44
LED 2W
1*2200mAh 7.4V
Li-ion battery
200 Lumen
Synthetics





zerta

integrated panel

Very sleek & elegant design, almost invisible. The high capacity, perfectly integrated mono-crystalline solar panel can charge solar energy very efficiently. This energy can be used to radiate a powerful and long-lasting light during your hot summer nights.




3.6W
monocrystalline

1	5h	ON
2		OFF

6903401000

CLASS III
IP44
LED 3W
1*2200mAh 7.4V Li-ion battery
200 Lumen
Synthetics

4000K





arrow

integrated panel

Very compact Solar wall light. The small size and light weight assures an easy mounting on the smallest surfaces. Sensor-switched and executed with an inclined solar panel for a better sunlight capture.




1W
polycrystalline

1	160times	ON
2		OFF

6910601335

CLASS III
IP44
LED 2.3W
1*1200mAh 3.7V Li-ion battery
180 Lumen
Synthetics





brick

integrated panel

Minimalistic design, easy installation on all different surfaces. Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.





1	120times	AUTO
2	2h	ON
3		OFF

1.5W
polycrystalline

6908501308

CLASS III
IP44
LED 2W
1*2200mAh 3.7V Li-ion battery
150 Lumen
Synthetics





bread


integrated panel

Compact and easy to install solar wall light.
Fits perfectly to many different outdoor styles.
The built-in motion sensor assures you a welcoming
light throughout the night.




1	160times	AUTO
2	4h	ON
3		OFF

1W
polycrystalline



6901501000

CLASS III
IP44
LED 1.2W
1*2200mAh 3.7V Li-ion battery
100 Lumen
Synthetics





bubble

integrated panel

Half-globe solar light radiating a homogenous light. The PIR motion sensor, nicely incorporated in the stainless steel ring, will capture all movement and assures a powerful light any time somebody is passing throughout the night.




1	190times	AUTO
2	3h	ON
3		OFF



1.5W
polycrystalline

6908701001

CLASS III
IP44
LED 2.3W
1*2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics






twill

integrated panel

Up & Down light feature, now also available in Solar version. Nice two direction & wide light beam on your wall. The integrated Solar panel is fully part of the design and completely out of view. Featuring a wide angle motion sensor.





1	120times	AUTO
2	27h	ON
3		OFF

1.5W
polycrystalline

6908901335

CLASS III
IP54
LED 2.2W
1*1200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics

4000K





diso

integrated panel

Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot. The wall version comes with a PIR motion sensor which assures you a power full light any time someone is passing. Bollard version mountable with screws or with included ground spike.



1.5W
polycrystalline



1	130times	AUTO
2	5h	ON
3		OFF




1	200lm	2H
2	100lm	5H
3		OFF

6906702335

CLASS III
IP44
LED 2W
1*2200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics



4000K




6906703335

CLASS III
IP44
LED 2W
1*2200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics



4000K





curtis

integrated panel

LED Solar wall light, with an opal diffuser and square aluminium frame.

The integrated PIR motion sensor will capture all movement and assures a powerfull warm white light when somebody is passing throughout the night.




1	300lm	1.8H
2	60lm	5.5H
3		OFF

1.5W
polycrystalline

6908701001

CLASS III
IP54
LED 3W
1*1200mAh 3.7V Li-ion battery
300 Lumen
Synthetics

3000K





solstel

integrated panel

Solar wall light with an opal diffuser, gives a powerful and diffused light throughout the night thanks to the motion sensor option. The light part can be installed without any tools. The house number sticker set makes the package complete. The bollard version has the same functionalities and is easy to mount with screws or with a ground spike (included)



- | | | |
|---|----------|------|
| 1 | 150times | AUTO |
| 2 | 2.5h | ON |
| 3 | | OFF |



1W
monocrystalline

6907901000

CLASS III
IP44
LED 1.3W
1*1200mAh 3.7V
Li-ion battery
100 Lumen
Stainless steel



4000K



6907903001

CLASS III
IP44
LED 2.3W
1*1200mAh 3.7V
Li-ion battery
150 Lumen
Stainless steel



4000K





ghost solar

integrated panel

Sleek and elegant design.
This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when needed.






1	80times	AUTO
2	2h	ON
3		OFF

1.5W
polycrystalline



6901401337

CLASS III
IP44
LED 2.4W
1*2200mAh 3.7V Li-ion battery
260 Lumen
Synthetics





zeta

integrated panel

This wall light offers you the complete freedom to orientate the solar panel and the light panel in the optimum direction. In combination with the PIR motion sensors it will give a strong light to any outdoor space.






1	120times	AUTO
2	2h	ON
3		OFF



1.5W
polycrystalline

6901101000

CLASS III
IP44
LED 2.4W
3*1800mAh 1.2V
Ni-MH AA battery
200 Lumen
Synthetics






pole

The solar wall lights BREAD & ZETA can be mounted easily and without any tools on an independent post, creating a perfect bollard solution. The post can be screwed on a solid surface or put into the ground thanks to the included spike. The post contains 3 tubes giving the option to vary the height up to 1 meter.



9700308112

Color silver (si)
for
6901101000
6901301337
6901501000





tilly

integrated panel

A slim, futuristic design. The sleek adjustable spot heads can be orientated under the solar panel surface, giving multiple directions and powerful light beams. In combination with the subtle and centrally positioned PIR sensor, it will detect any movement throughout the night and will illuminate any foreseen or unforeseen guest.






1	120times	AUTO
2	2h	ON
3		OFF

3.5W
polycrystalline

6901201000

CLASS III
IP44
LED 4W
1*2200mAh 7.4V
Li-ion battery
420 Lumen
Die Cast Aluminium





london

integrated panel

Classic 6 side lantern powered with Solar energy. The almost invisible Solar panel at the roof of the lantern has a large capacity, with an autonomy of more than 10 hours during night time. Comes with 3 retrofit filament bulbs, creating a warm & gentle light. The die-cast aluminium post can be mounted on a paved surface thanks to the included metal mounting bracket. For unpaved surfaces, you can use the special spike, available as an accessory.



 6W Monocrystalline OFF AUTO	Estimated Light Run Time for Different Seasons		
	Winter	Spring	Summer
	(101W/㎡) 03h40	(332W/㎡) 08h00	(603W/㎡) 10h00
Actual run time may vary depending on your specific location			

6951301189


CLASS III
IP44
LED 6W E12/incl.
1*2200mAh 7.4V
Li-ion battery
300 Lumen
Die Cast Aluminium

2700K




9700359330

Synthetics




9700357000

LED 2W
250 Lumen





Wiring system



sunshine

independent panel

Elegant & powerful flood light offers a complete solution wherever there's no electrical power connection available. Ideal for illuminating your courtyards & driveways. The separate moveable solar panel comes with a 5 meter connection cable and can be positioned on the best spot to capture sunlight. Featuring an adjustable (time & distance) PIR motion sensor.



6925601345



CLASS III
IP44
LED 7.5W
1*2200mAh 3.7V
Li-ion battery
500 Lumen
Synthetics



1 240times 30S




1.4W polycrystalline
(5 meter cable)





Wiring system



sunshine

independent panel

This wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long.

Comes with an adjustable (time & distance) PIR motion sensor. The movable spot head will give more than 350 lumen.



6901601000



CLASS III
IP44
LED 3.2W
1*2200mAh 3.7V
Li-ion battery
360 Lumen
Synthetics



1	120times	ON
2		OFF



1.5W polycrystalline
(5 meter cable)



security for your comfort

SECURITY consists of a versatile range focussing on safety applications around homes.

The **InMotion concept** offers a complete range of Security Sensor Lights, featuring powerful flood lights and a number of elegant wall lights. The integrated PIR-sensor equipped with multiple parameter settings enables the installation of a perfect detection system.

The **SECURY'LIGHT concept** and the new **CAMERA LIGHT concept** presenting outdoor luminaires with an integrated connected camera, fully controlled through the LUTEC app's running on smart devices.

camera



ESA
7625501118 / P281



ESA
7625501053 / P281



PERI
7629502335 / P283



PERI
7629502331 / P283



LIBRA
7632401053 / P285



VESTA
5190601118 / P287



ELARA
5267101001 / P289



ELARA
5267101118 / P289



NEW
MIMO
5194901118 / P295



NEW
MIMO
5194901053 / P295



NEW
POLLUX
5196001118 / P297



NEW
DRACO
7622206012 / P299



NEW
ARA
5198801330 / P301

wall



MAYA
5198401001 / P307



FARELL
5194801001 / P309



FARELL
5194802001 / P309



QUBO
5193002118 / P311



LEDA
5267103001 / P313



CYRA
5198102118 / P315

flood



PERI
7629401331 / P317



PERI
7629501331 / P319

sensor



SUNSHINE
7625601345 / P321



SUNSHINE
7625701345 / P321



ARC
7632201053 / P323



SHRIMP
7621902012 / P325



SHRIMP
7621903012 / P325



SHRIMP
7622104330 / P325





SPHERE
9701601330 / P327



TORUS
9701501330 / P329



SECURY'LIGHT
connected camera concept



Have full control with the fully adjustable app.

Feel safe with the comfortable feeling that SECURY'LIGHT keeps an eye on your home.


With SECURY'LIGHT everything is under control.



Get live notifications from what's happening at your home. Talk to your visitors and feel secure.

You can even take a picture or record a video from wherever you are.

Listen and talk live with your visitors.



You can record a video or go back in time.
And you can remotely set of an alarm buzzer.



Get an alert whenever someone approaches your home.



The light automatically jumps on where there is motion detected.

SECURY'LIGHT will keep an eye on your home

«When light meets a camera,
when light means security»



ALL CONTROLABLE IN ONE APP,
WHERE EVER, WHEN EVER.



Powerful and bright light with
the dimmable LED module



Sharp HD video recording with
wide angle light sensitive lens



Built-in noise cancelling microphone
with 2-way speaker buzzer




Infra-red motion sensor
fully adjustable in time,
distance and light mode



App with live notifications and video feed
Full control on all settings



Easy installation
WiFi connection



Pre-installation


1. Download the APP.
2. Ensure SECURY'LIGHT location has good Wi-Fi reception
Note: even small change in position can improve the reception

Set up

1. Connect white red indicator light is flashing and after hearing "wait be configured"
- 2.
- 3.
- 4.
- 5.

Control

3 predefined presets for LOW-MEDIUM-HIGH security



CUSTOM setting
will give you full
control and
possibility to
adjust all light,
video, audio &
sensor
parameters.



Support

Via the "support" button you can access to all further
Information & FAQ.



Please check out operation video
(installation, set-up & use)

You Tube <https://youtu.be/jEIA3FYe-NQ>



esa

wall



Techno look projector in the SECURYLIGHT range.
Sleek design with 3 distinctive linear & diuse beams.
The automatic plug-in connection allows a
simple & easy installation. Fully orientable over two
axes. Up-Down & Left-Right.
Comes in white & dark grey colour.



7625501118
7625501053

CLASS II
IP54
LED 25W
1530 Lumen
Die Cast Aluminum

A+ 5000K





peri

wall & ceiling



Rectangular floodlight in the SECURYLIGHT range.
Powerful LED light beam with a nice grid patter.
The automatic plug-in connection allows a
simple & easy installation. Fully orientable over two
axes. Up-Down & Left-Right Comes in
white & dark grey colour.





7629502335
7629502331

CLASS I
IP44
LED 25W
2120 Lumen
Synthetics

A+





libra

wall & ceiling



Double head projector in the SECURYLIGHT range. The two "wings" feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation. The multiple orientation possibilities will give you full flexibility to cover the desired area.




7632401053

CLASS II
IP44
LED 38W
3000 Lumen
Synthetics

A+





vesta

wall

Stainless Steel wall light in the SECURYLIGHT range.
Elegant & sleek design with rectangular diffuser.
Radiates in a warm white light without shadows.
Camera, Speaker, Microphone & PIR motion sensor
are fully integrated in the fixture.



5190601118

CLASS I
IP54
LED 30W
1350 Lumen
Stainless Steel

A+

3000K





elara

wall


Tubular stainless steel wall light in the SECURYLIGHT range. Familiar design for entry-door application, with perfect finish and appropriate combination of the used materials. Warm white LED light without shadows. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture.



5267101001

CLASS II
IP44
LED 18W
1200 Lumen
Stainless Steel


A+



5267102118

CLASS II
IP44
LED 18W
1200 Lumen
Stainless Steel

A+






CAMERA LIGHT
connected security concept

always **connected** **with your home**

As market initiator LUTEC is proud to present the 2nd generation of the connected camera range.

This brand new range has been developed based on learning and consumer insights over the last 3 years and by applying the gains and innovations of the fast evolving connected technology.

This has resulted in a limited range of compact and very convenient camera lighting fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.



Powerful and bright light with the dimmable LED module



Sharp HD video recording with wide angle light sensitive lens



Built-in noise cancelling microphone with 2-way speaker buzzer



Infra-red motion sensor fully adjustable in time, distance and light mode.



App with live notifications and video feed. Full control on all settings



WiFi connection
Secured Cloud Data Storage
Voice Control



install




download



Download on the
App Store

GET IT ON
Google Play

enjoy



PRE-INSTALLATION




WiFi >2 Mbps
2.4G ✓ 5G ✗

Ensure CAMERA LIGHT location has good Wi-Fi reception.

CONNECTION

Make sure the device is in red light slow flashing mode.



CONTROL



Complete setting menu to control all your personal adjustments for the light, video, audio & sensor parameters

VOICE CONTROL



"Hey Google" "Alexa" CAMERA LIGHT assists the Voice control protocols of the Google Assistant & Amazon Alexa




CLOUD STORAGE




Cloud storage of all your video's. Safe, Reliable and always accessible. Convenient registration. Three different Cloud Service Packs available at market level prices. Payable on monthly or annual base.

Google is a trademark of Google LLC. Amazon Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

SUPPORT



Via the "Help" button you can access to all further questions.



mimo

wall

Compact and sleek design. Easy replacement for the actual outdoor wall light next to your front door. Light, audio, video and detection all controllable in one App.




5194901053
5194901118

CLASS I
IP54
LED 18W
1200 Lumen
Synthetics

A+

3000K





pollux

wall

Compact and elegant aluminium wall light. The tubular design makes a good fit at your front or back door. Features an integrated camera, speaker, micro and motion sensor all controllable in one App.





5196001118

CLASS I
IP54
LED 22W
1200 Lumen
Die Cast Aluminum

A+

3000K





draco

wall



Double head projector with multiple orientation possibilities give you full flexibility to cover the desired area. Comes with light, audio, video and detection all controllable in one App.



7622206012

CLASS I
IP54
LED 20W
1200 Lumen
Die Cast Aluminum

A+





ara

wall

Compact orientation light that will guide you perfectly to your home entrance. Features an integrated camera, speaker, micro and motion sensor all controllable in one App.





5198801330

CLASS II
IP44
LED 4.5W
80 Lumen
Synthetics

A+

3000K





InMotion

Security Sensor Light

security for your **comFort**

LUTEC launches the InMotion concept offering a complete range of Security Sensor Lights.




The range is featuring now, besides the powerful flood lights with one or two heads, a number of very elegant designs which make a perfect match with the architecture of your house. The 2 stand-alone PIR sensors with multiple controls make the range complete.

Passive infrared (PIR) motion sensor

How does it work?

A PIR sensor detects changes in the amount of infrared radiation and converts this changes into a switch-on signal.

When a person makes a movement within the detection reach, the sensor will detect a difference in infrared radiation in between the person's body and the environment.



Comfortable detection area

The detection area is a combination of the reach in distance and angle. An adjustable sensor can be tilted and/or turned and gives you full freedom.

Your personal settings

Time setting

As from the moment the sensor detects a movement the light stay on from 10 seconds upon 8 minutes according your preference.

Twilight setting

The environment brightness can be adjusted according your selection from night (10 lux) to daylight. In this way the light will switch into the "ON" position according the selected outside light level and not during the day.

Distance setting

You can limit the detection distance in accordance with the desired detection area. In this way you can avoid a movement detection outside your private grounds.

For your convenience

Dusk to dawn

Automatic light on switching as soon it's dark outside

Ambient Light

Light stays on all night long in a gentle ambient light, after movement detection the light switches on a powerful light beam.

Double sensor

Assures you a full detection not only frontal but also underneath the luminaire close to the wall.

Test mode

You can define the perfect detection area during installation in daylight situation




How to choose?

Check in a few steps which InMotion Security Sensor Light suits the best for your home situation.



BASED ON SENSOR DETECTION REACH



DETECTION DISTANCE

X-LARGE
18-25M

LARGE
12-15M



DETECTION ANGLE

X-WIDE
180°

WIDE
120°



ADJUSTABLE SENSOR

TILT & TURN



FIXED

TURN

BASED ON LUMINAIRE CHARACTERISTICS

LUMINAIRE TYPE

FLOOD LIGHT

WALL LIGHT

LIGHT HEADS


1 OR 2

MOVEABLE
YES OR NO

LIGHT OUTPUT

X-POWERFUL
1700 - 3200
LUMEN

POWERFUL
800 - 1500
LUMEN





maya

wall

This compact Up & Down wall light with wide beam in aluminium with stainless steel cover has a timeless design. Discrete position of the black adjustable PIR motion sensor, makes it almost invisible.





5198401001

CLASS I
IP44
LED 15W
1000 Lumen
Stainless Steel

A+

3000K





Farell

wall

Robust yet elegant stainless steel wall light, big surface diffuse warm white light radiation. Comes with performant motion sensor with a large detection reach and multiple control possibilities.





5194801001

CLASS II
IP44
LED 14W
700 Lumen
Stainless Steel

A+ →

3000K





5194802001

CLASS II
IP44
LED 14W
900 Lumen
Stainless Steel

A+ →

3000K





qubo

wall

With this wall light it is always pleasant to come home. Thanks to the performant integrated motion sensor, the visitors to your home will be detected from a distance and light will automatically switch on.




5193002118

CLASS I
IP54
LED 13W
800 Lumen
Die Cast Aluminum

A+

3000K





leda

wall

Tubular stainless steel wall light in the InMotion range contains a horizontal and vertically adjustable motion sensor. Thanks to the integrated sensor the light will automatically illuminates as soon as you get closer.





5267103001

CLASS II
IP44
LED 14W
1200 Lumen
Stainless Steel

A+

3000K





cyra

wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.





5198102118

CLASS I
IP54
LED 15W
1000 Lumen
Die Cast Aluminum

A⁺

3000K





peri

wall & ceiling


The new version of security floodlight has a very powerful LED with a double adjustable motion sensor. Front sensor has a detection range up to 20meters, the sensor covering the area under the floodlight detects movement close to the wall. The PERI series is easy to install and no tools are needed, comes in a single and double headed spot and is suitable for wall and ceiling mounting thanks to the rotating base.



7629401331

CLASS I
IP54
LED 32W
3280 Lumen
Aluminum+Synthetics

A+ 5000K



Quick install



Automatic Plug-in





peri

wall & ceiling


The new version of security floodlight has a very powerful LED with a double adjustable motion sensor. Front sensor has a detection range up to 20meters, the sensor covering the area under the floodlight detects movement close to the wall. The PERI series is easy to install and no tools are needed, comes in a single and double headed spot and is suitable for wall and ceiling mounting thanks to the rotating base.



7629501331

CLASS I
IP54
LED 16W
1710 Lumen
Aluminum+Synthetics

A+  5000K



Quick install



Automatic Plug-in





sunshine



wall

Elegant & powerful flood light, ideal for illuminating larger areas as your courtyards & driveways. The rectangular head can be directed over 2 axes. Comes with a high quality and fully adjustable PIR motion sensor with a detection reach up to 18 meter. Now also available in compact version – 800 lumen.





7625601345


CLASS II
IP54
LED 16.5W
1200 Lumen
Synthetics




7625701345

CLASS II
IP44
LED 12W
800 Lumen
Synthetics





Quick install



arc

wall & ceiling



Elegant double head projector with fully adjustable motion sensor. The two "wings", feature a diffuser surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.



7632201053

CLASS I
IP54
LED 19W
1200 Lumen
Synthetics

A⁺
5000K





shrimp

wall & ceiling

Elegant yet powerful security floodlight with typical “bike lamp” design.


This series is available with or without adjustable PIR motion sensor.



7621902012

CLASS I
IP54
LED 22W
1380 Lumen
Die Cast Aluminum




A+



7621903012

CLASS I
IP54
LED 22W
1380 Lumen
Die Cast Aluminum



A+



7622104330

CLASS II
IP54
LED 15W
1360 Lumen
Synthetics

A+





sphere



sensor

Stand alone passive infrared motion sensor.
Compact orientable version with detection
range up to 12 meter and detection
angle of 180°.



9701601330

CLASS II
IP44
MAX 1100W
Synthetics






torus




sensor

Stand alone double and adjustable motion sensor. The frontal sensor has a detection range of up to 21 metres & 270°. The second sensor covering the area underneath detects any movement close to the wall.



9701501330

CLASS I
IP44
MAX 1000W
Synthetics



worklight

better light
better work

WORK LIGHT products are used in all kinds of workshop, garages, construction sites, decoration projects, outside and inside.

To meet demand, LUTEC has designed a complete range, from small portable lamps to tripods equipped with multiple light heads. From small to large, from domestic to professional. Bright and easy to use, to install and transport.

work light



UTIN
7629701341 / P335



MODO
7633301118 / P337



MODO
7633401118 / P337



MODO
7633501118 / P337



PERI
7629301341 / P339



PERI
7629001341 / P341



PERI
7629002426 / P341



utin


portable

Compact portable LED work light,
great look and striking colour combination.
Easy to store and transport.
Your perfect companion for all your DIY projects.
Comes with a 1.8m cable and plug.



7629701341

CLASS I
IP54
LED 11W
1040 Lumen
Die Cast Aluminum





modo


portable

Portable work light with a distinctive but functional design.
 The yellow corner parts including the soft touch handle
 will protect the luminaire when falling.
 Including a 2.5 meter wire and plug.
 Comes in 3 versions: Small-Medium-Large up to 3500 lumen.




7633301118

CLASS I
 IP54
 LED 21W
 1500 Lumen
 Die Cast Aluminum




7633401118

CLASS I
 IP54
 LED 33W
 2500 Lumen
 Die Cast Aluminum



7633501118

CLASS I
 IP54
 LED 45W
 3500 Lumen
 Die Cast Aluminum





peri

portable

Portable version of the PERI range. Featuring the same 2 powerfull LED spotlights. Both easily adjustable in any desired direction. Practical handle and easy wiring sytem for 1.5m electrical cable.




7629301341

CLASS II
IP54
LED 21W
2000 Lumen
Synthetics

A+

5000K





peri

portable

Re-invented, the double headed PERI LED Tripod floodlight. It's easy to transport when it's closed thanks to the practical handle, 2.5m cable wrap and compact dimensions which makes the installation logical and fast. The lock system, telescopic and manual, ensure in no time a stable and height-adjustable build up. Both adjustable spot heads have 2 rotation axes.



reddot design award
winner 2017





7629001341

CLASS II
IP54
LED 35W
3200 Lumen
Synthetics

A+

5000K





7629002426

CLASS I
IP54
LED 92W
7000 Lumen
Die Cast Aluminum

A+

5000K



FUNCTIONAL consists of a wide range of recessed solutions: outdoor walls, wooden or stone terraces, driveways and pathways.

The recessed luminaires for wall (IP65) and ground (IP67) mounting are covering all standard applications. This with multiple light source possibilities, coming in wide flood or narrow spot light beam. Small, medium and large sizes in fixed or adjustable versions.

where function
meets **form**

recessed
wall



VICTORIA
6483113118 / P347



VICTORIA
6483124118 / P347




VICTORIA
6483134118 / P347



SEINE
6482906118 / P349



SEINE
6483141118 / P349



MONTANA
6482104118 / P351

recessed
ground



BERLIN
7700513012 / P353



BERLIN
7700511012 / P353



BERLIN
7700523012 / P353



BERLIN
7700521012 / P353



STRATA
7704601012 / P355



CYDOPS
7704212012 / P357



DENVER
7704801012 / P359



GEA
7703602012 / P361



GEA
7703702012 / P361



ARCTIC
7701301012 / P363



ARCTIC
7701311012 / P363



SEATTLE
7700715012 / P365



REGINA
7700819012 / P365



REGINA
7700813012 / P367



REGINA
7700814012 / P367






CHICAGO
7700912012 / P369



victoria

recessed wall



Straight forward rectangular recessed wall light. The pre-installation of the base can be done before the finish or painting of your walls. Afterwards you only need to mount one of the three desired covers to make your project complete. The IP65 rating, protection against water jets, makes this article fully compliant for public & private projects.



6483113118

CLASS I
IP65
LED 10W
250 Lumen
Die Cast Aluminum



A+



6483124118

CLASS II
IP65
LED 10W
460 Lumen
Die Cast Aluminum



A+



6483134118

CLASS I
IP65
LED 10W
100 Lumen
Die Cast Aluminum

A+





seine

recessed wall


The invisible recessed LED light engine creates a subtle indirect light effect by reflecting on the horizontally ribbed aluminium housing. Comes in anthracite or silver grey.



6482906118

CLASS I
IP54
LED 16W
290 Lumen
Die Cast Aluminum
A+



4000K



6483141118

CLASS I
IP54
LED 3.5W
30 Lumen
Die Cast Aluminum
A+

4000K






montana


recessed wall


This rectangular wall light offers the possibility to combine a recessed version with a similar wall mounted version. The strong, efficient and long-lasting LED-engine together with the pre-mounting base option make this article the perfect solution for your professional outdoor projects.



6482104118

CLASS I
IP54
LED 14W
330 Lumen
Die Cast Aluminum
A+






berlin

recessed ground


Round stainless recessed ground spots creating a nice effect to guide you along your driveway, pathway or terrace. Compact in size yet solid in construction, you can drive over it with a car.



7005A/B LED



7005A/B GU10




7700511012

CLASS I
IP67 & IP65
GU10 35W
Stainless Steel



7700513012

LED 5W
180 Lumen




7700521012

CLASS I
IP67 & IP65
GU10 35W
Stainless Steel



7700523012

LED 5W
180 Lumen





strata

recessed ground

Compact recessed spot with opal diffuser creates a homogenous warm white light. For your installation convenience the stainless steel ring can be mounted separately. The limited built-in height makes it very suitable for wooden outdoor terraces.





7704601012

CLASS I
IP67 & IP65
LED 9.2W
320 Lumen
Stainless Steel

A+

3000K





cydops

recessed ground

Super compact stainless steel recessed ground spot with a wide angle. High light efficiency combined with only a shallow recess needed for installation makes this built-in spot perfectly suitable for your wooden terraces.




7704212012

CLASS I
IP67 & IP65
LED 8W
580 Lumen
Stainless Steel

A+

4000K





denver

recessed ground

Medium size stainless steel ground recessed spot.
Can be built in a paved or unpaved surface.
Features a wide angle and very powerful 1000 lumen light beam.





7704801012

CLASS I
IP67 & IP65
LED 12W
1030 Lumen
Die Cast Aluminum

A+



4000K
Ø140





gea

recessed ground


Ground spot with stainless steel cover, available in two sizes. The adjustable lamp holder gives the possibility to adjust the narrow beam angle. With this you will be able to give your trees full attention throughout the night.



*Adjustable lampholder



*Adjustable lampholder




Car can drive over




7703602012

CLASS I
IP67 & IP65
LED 6W
560 Lumen
Die Cast Aluminum



7703702012

CLASS I
IP67 & IP65
LED 18W
1290 Lumen
Die Cast Aluminum





arctic

recessed ground

Robust, powerful yet compact recessed LED ground spot with a limited build-in depth. This spot can be inclined up to an angle of 75°. Pick out ornaments, trees and bushes in your garden with a stunning light effect.





Car can drive over





7701301012

CLASS I
IP67 & IP65
LED 12.5W
650 Lumen
Die Cast Aluminum



7701311012

CLASS I
IP67 & IP65
LED 16W
950 Lumen
Die Cast Aluminum







seattle

recessed ground


Super powerful LED recessed ground spot with a high light efficacy. The beam angle is adjustable from a narrow to a wide beam. This spot will put your garden in a sea of light. The loop in loop out wiring option is available.



*Adjustable lampholder ±20°


7700715012


CLASS I
IP67 & IP65
LED 27W
1790Lumen
Die Cast Aluminum
Stainless Steel



7700819012

CLASS I
IP67 & IP65
LED 37W
2950Lumen
Die Cast Aluminum
Stainless Steel





regina

recessed ground


Medium sized recessed ground spot with a traditional G12 fitting suitable for high pressure HID bulbs. Comes in a narrow and wide beam versions. Easy installation with a pre-mounting base and stainless steel cover to finish. Resistant and can be used on driveways.




*Adjustable lampholder



*Adjustable lampholder





Car can drive over



Anti-glare
(not suitable for LED versions)


7700813012

CLASS I
IP67 & IP65
G12 Narrow Beam 70W
Die Cast Aluminum
Stainless Steel



7700814012

CLASS I
IP67 & IP65
G12 Wide Beam 70W
Die Cast Aluminum
Stainless Steel






chicago

recessed ground

Large sized ground spot with traditional R7S fitting suitable for a linear halogen lamp. The adjustable lamp holder allows the light beam angle to be modified. Easy installation with a pre-mounting thermoplastic base.





*Adjustable lampholder



7700912012

CLASS I
IP67 & IP65
Rx7s Adjustable
Reflector 150W
Die Cast Aluminum
Stainless Steel



introducing our company

40 years of experience

The beginnings of a lighting company

Originally set up as a national aluminium die-cast factory, we gained our first experience of outdoor lighting by producing bulkhead lights & classical garden lanterns. Our quality standards have always met international standards and the first export shipment was made in 1996. The new factory in Yuyao became operational in 2001, concentrating on modern garden & professional lighting resulting from a booming international demand. From 2009 a close collaboration with the Design(Pool) had two objectives; to create a stronger offer for the ODM market and to develop a platform for our own brand of lighting. LUTEC was launched in 2010, focusing on architectural LED lighting and the introduction Solar Energy Products. The success of the company resulted in the opening of a second production facility in 2012, fully devoted to future developments in design and new technologies.



Nowadays Lighting is both essential and magic.

The challenge of lighting market is to create products which are a balance between the shape, impact and attractiveness however, they must also provide real functional values. The LED revolution has completely changed the game, giving many new opportunities. Added to this we must not only continue to offer the latest technical innovations but also anticipate and provoke them, especially with solar energy and smart lighting controls. To serve our objectives, we have continued to expand our international network and organisation: with new central warehouses in Belgium and China, establishing partners in many new countries allowing us to continue building our corporate identity and providing our partners with unique product support and marketing.

Future is already here Support the users

Today we are all surrounded by the interactive and connected World. For many reasons it is evident that the lighting market must also embrace this new internet age. The need to control our lighting, at will, from afar and to suit our environment is a must have feature. Temperature, color, dimming, activity sensors and timing controls are the norm. Programmable solutions for energy saving, interactivity between multiple light points or installations are becoming standard. Security options with camera vision, live video and recording are no longer a futuristic dream as LUTEC products can perform all of the above.



Whilst it is true, LUTEC is a young brand, it is built on a strong manufacturing background (40 years of experience) and a solid reputation of technological expertise. Manufacturing involves imagination and efficiency.

Why we decided to establish a brand?

The brand gives us a needed visibility. The brand allows us to anticipate the market, to make our own choices related to trends and to make developments such as we perceive them through our partners in different countries. Connected by lighting underlines our intention to develop products in accordance with the final consumers, through all our network and distribution channels. Having become a major player in the lighting field, our main objective is to consolidate our offer through creativity, our designs evolve and involve the highest level of quality and services.

welcome to the lutec center

connected by lighting

The LUTEC centre is in our HQ in Yuyao and located on our production site, it is an International meeting venue where new concepts, innovation & strategies are studied then created and shared, with our partners.



We provide an expert platform in design, sales and services. We have the will to show and experiment different approaches creating choices for the short or medium terms. Staying close to our customers, which by extension also means the final consumers, allows the right design solutions to be found. Our team is trained to be proactive and reactive. The key to realise a win-win product is to always explore the possibilities, look outside the box to find the best solution.






In our view innovation is always closely linked to a right level of realization.


design & engineering

design, engineering & manufacturing, all interactive.

One of the main decision we have taken in the LUTEC organisation is to break down the walls between of each department to improve product strategy. This brings a culture of flowing communication between the services where everybody has a positive role to play in all projects. It works because we consider that we are all concerned in the success of a product.



We all know development is complex with many obstacles to overcome however by working together helps our team to aim for the perfect solution as smoothly as possible. Knowledge is shared at all levels. Creativity, marketing, engineering, production, and sales are all one, this method improves time to market significantly.



warehousing & transport

global logistic footprint assuring availability & proximity.



Unlike many manufacturers in this sector, LUTEC keep significant levels of completed stock which is packaged and ready to ship. This is in addition to our stock process flow, feeding our satellite distribution centres in Europe and elsewhere around the World. Our aim is to reduce the lead time wherever possible on key products.

CCW
China Central
Warehouse
Yuyao - China

ECW
European Central
Warehouse
Bornem - Belgium

Since 2014, the European Central Warehouse is fully operational. This warehouse located in Belgium, centrally situated in Europe with an average lead time of 7 days for most shipments within Europe, LUTEC products are always within reasonable reach. We offer different transport options: direct shipment, cross docking or pick-up, in co-operation with each territory. The ECW product portfolio now contains 200 sku's.

Now, we've also the possibility to assure different value adding trade marketing services in the ECW.



LUTEC quality



As a global supplier, our products are fully compliant with all relevant technical & quality requirements of the different regions in the world.



All LUTEC LED products benefit from a 5-years functional warranty. For the SOLAR range we apply a standard 2-years operational warranty.

Subject to conditions, please see our website.
www.lutec.com/warranty



Integrated LED Light-engines

In the majority of our ranges we use dedicated LED light engines. The LUTEC in-house engineering/production departments only use primary component suppliers, constantly improving the performance of the total LED product, resulting in a higher lumen/watt ratio as well as increasing levels of lumen/monetary ratio.

Low Energy Cost: LUTEC products offer at least an 80% saving compared to traditional sources
Long Lifetime: up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.


- Lumen Maintenance: 100% LM-80 test report
- Color deviation: 100% under 5-step MacAdam ellipse
- ERP compliant

The LED driver is the heart of the LED module and is the main influencer of the life-time. LUTEC develops these drivers to the specification of the product for best performance. The production of the SMD's used in the LUTEC-drivers is done in-house in our approved SMT assembly lines. All drivers are compliant to all relevant standard and regulations. UL-GS-EMC-FCC-ERP.



The **Light Color** or **Color Temperature** in Kelvin (K) gives a clear indication about “whiteness” of the LED light.

Standard we apply the 4000K Daylight. For most fixtures with diffuse light and vintage look a 3000K Warm White light is installed. The more functional work & security projectors have an integrated LED source with a 5000K Cool White light.



The **Color Rendering Index (CRI)** gives on a 0-100 scale an indication the color accuracy. Determining the ability of the light source to reveal the colors of the object faithfully in comparison with a natural light source. In all LUTEC fixtures we apply a CRI of minimum 80%. For outdoor applications this is an ideal level.

The **Luminous Flux** of an Outdoor fixture indicated by number of Lumen. (lm) is the total amount of light which comes out of the fixture in all directions. It gives a good measure of the brightness you can expect. This Lumen indication is a better way to describe the level of illumination as opposed to wattage.

	Standard	25 W	40 W	60 W	75 W	100 W
	Halogen	18 W	28 W	42 W	53 W	70 W
	CFL	6 W	9 W	12 W	15 W	20 W
	LED	4 W	6 W	10 W	13 W	18 W
Brightness Lumen		220	400	700	900	1300

The **Luminous Efficacy** in Lumens/Watt gives a good measure of the optimal conversion of the electrical power into useful light. This is an important parameter with direct impact on the electric energy cost for your installation. Thanks to the continuous developments the LED solution is already today one of the most efficient light technologies. The Luminous Efficacy is one of the main parameters for the determination of the Energy Efficiency class.

According the EU regulation no 874/2012, for energy labelling of electrical lamps and luminaires, requires manufacturers to inform consumers of the Energy Efficiency class.

LUTEC LED-fixtures are rated at a minimum **Energy Efficiency class of A+** or higher, further information is available on our website; www.lutec.com.



This luminaire contains built-in LED lamps.

Ce luminaire comporte des lampes à LED intégrées.

W skład oprawy wchodzi wbudowane lampy LED.

Этот светильник содержит встроенные светодиодные лампы.


Esta luminaria lleva lámparas LED incorporadas.

Bu armatür LED lambalar yerleşik içerir.

Incorpora lâmpadas LED

Acest corp de iluminat este prevăzut cu lămpi cu leduri integrate

Diese Leuchte enthält eingebaute LED-Lampen.



The lamps cannot be changed in the luminaire.

Les lampes de ce luminaire ne peuvent pas être changées.

Nie można wymieniać lamp w oprawie

Лампы светильника не могут быть заменены.

Las lámparas de esta luminaria no son recambiables.

Lambalar armatürde değiştirilemez.

As lâmpadas não podem ser substituídas

Lămpile din acest corp de iluminat nu pot fi schimbate

Die Lampen können in der Leuchte nicht ausgetauscht werden.



materials & finishes

LUTEC exterior products are produced using high quality materials and finishes with excellent weather protection properties as well as mechanical strength to ensure a long lifetime.

Heavy duty die-cast Aluminum (ADC 12) with a thickness of 2mm, is in most cases the preferred material, our process ensure no air holes. The LUTEC In-house fully automatic powder-coating & water painting installation provides excellent protection against corrosion.

LUTEC benifits from an in-house tooling workshop for both aluminum and synthetic components. This facility provides us with high quality production especially where premium Stainless Steel is used, typically in ground recessed spotlights using grade 304 & 316 steel. For the wall & bollards: 201 & 202 is utilised with an electrophoretic paint, resulting in an additional layer of protection.

Different kind of durable synthetics, depending on the application and form factors. For the fixtures: in most cases ABS, this is a strong, light-weighted material and can be used under low and high outdoor temperatures. For the diffusers: the impact proof and very resistant PC (polycarbonate) is used in opal or transparent version. Also clear glass, tempered glass and opal or clear PMMA (plexi-glass) are common in our designs.




mounting, installation & maintenance

Instruction Manual



LUTEC pays a lot of attention to a user friendly and effective yet simple instructions, we strive to find time saving methods of installation using uniquely designed interfaces where possible. Every LUTEC Outdoor fixture has a clear instruction manual in the unit box and this manual can also be downloaded from our website.




IP rating table

	Protection against solids		Protection against liquids
0	Not Protected	0	Not Protected
1	Protected against Solid Objects greater than 50mm	1	Protected against Dripping Water
2	Protected against Solid Objects greater than 12mm	2	Protected against Dripping Water when tilted to 15°
3	Protected against Solid Objects greater than 2.5mm	3	Protected against Spraying Water
4	Protected against Solid Objects greater than 1mm	4	Protected against Splashing Water
5	Dust Protected	5	Protected against Water Jets
6	Dust Tight	6	Protected against Heavy Seas
		7	Protected against the effects of Immersion
		8	Protected against Submersion

The LUTEC Outdoor fixture comply to the International standards concerning Ingress Protection. All articles have a minimum IP44 rate. For some specific applications (Ex. in ground recessed spots) the protection rate goes up to IP67.

Color Indication

	Color Indication
●	Anthracite Grey
●	Silver Grey
●	Stainless Steel
●	White
●	Black
●	Green
●	Orange
●	Black-Rust
●	Yellow
●	Bronze



Sustainable vision

LUTEC constantly strives to reduce the impact of manufacturing on the environment, our intention to become a wholly sustainable company by continually improving our processes. All our designs start from a sustainable mindset, offering our customers low energy consumption LED- solutions or fully energy neutral SOLAR energy alternatives.



Service network



Our service network is available on global level through our LUTEC Partners. Contact details: www.lutec.com/services/global-network



LUTEC brand identity

packaging

The LUTEC corporate identity has been revamped in line with our evolving brand values. New trade support tools and POS have been created to support our products and our customers providing an integrated selling solution, all of which adds value and distinguishes the LUTEC offer from our competitors.



2019 sees the introduction of the fully refreshed packaging, being applied to our complete portfolio. We believe the new look of the new packaging is fresh, vivid and in tune with our style of products.

The product is always the hero with a insipng photography. The refreshed LUTEC logo is visible from all sides of the packaging which together with the green banner this will further improve the brand recognition.

The most relevant characteristics (lifestyle) are shown on the front facia, top and second side, this is combined with an in situation image.

The lifestyle image on the front is repeated on the third side and creates the right atmosphere for each product style.

The rear of the carton contains comprehensive technical information utilising innovative graphic icons.The EEL label and the short description translation in 8 languages makes the information complete.

LUTEC brand identity



rich content

We're constantly creating new communication materials to support and improve the presentation of LUTEC products, allowing ease of selection

All support materials are accessible through our refreshed website www.lutec.com.

Where you can find the LUTEC database with all kind of "rich content": product photos, Lifestyle photo's, Tutorials, Inspirational video's, Flash-Intro video's, Unpacking experiences, etc.

All support materials may be used for numerous marketing initiatives such as driving traffic to your own landing pages on your websites via social media. Content can be created in a convenient and attractive way resulting dynamic information and content to inform and inspire the customers about the LUTEC products.



LUTEC brand identity

in-store support

Based on consumer insights and specific requests from our customers, we're proposing a large number of in store support tools. Always starting from the same idea: the product - proposition is king, the customer should be guided in a clear way facilitating clear product selection in a convenient way. Together with the refreshed look & feel to the LUTEC brand communication, we have adopted an inspiring and convincing communication for the various product segments.



Index : as per NEW ITEM NO.

NEW ITEM	NAME	PAGE
5005103001	FLAT	95
5008101001	VIRGO	155
5033001001	FACE	97
5033002001	FACE	97
5183601118	CITY	123
5184301118	BOX CUBE	119
5184601118	BOX CUBE	119
5185301118	CLIP	121
5185701012	STARRY	203
5185901012	AQUARIUS	201
5186000112	EYES	129
5186004112	EYES	129
5186004118	EYES	129
5186202118	EVANS	137
5186304118	EVANS	137
5186502118	RADIUS	131
5186803118	EYES	129
5186902118	PILO	135
5187601118	CONE	73
5187901000	SPLIT	139
5188003112	GHOST	77
5188003118	GHOST	77
5188201118	SIDWY	133
5188601125	BATI	107
5188602125	BATI	107
5188801118	APOLLO	83
5189001118	GEMINI	149
5189002118	GEMINI	149
5189101118	GEMINI	145
5189102032	GEMINI	143
5189102118	GEMINI	143
5189103118	GEMINI	143
5189104118	GEMINI	147
5189111118	GEMINI	33
5189112118	GEMINI	145
5189113118	GEMINI	143
5189114118	GEMINI	147
5189401112	EVEN	99
5189501118	ZERTA	117
5189601118	TONA	115
5189602118	TONA	115
5189901118	SECO	101
5190601118	VESTA	287
5191601118	HELENA	185
5191602118	HELENA	185
5192701118	LEO	159
5192701335	LEO	159
5192801118	FACCIA	113
5192802118	FACCIA	113
5192901118	TANGO	105
5193001118	QUBO	87
5193002118	QUBO	87
5193002118	QUBO	311
5193003118	QUBO	25
5193201118	LOTUS	127
5193602118	ADALYN	103
5193801118	CUBA	45
5193803118	CUBA	47
5194301118	ALICE	81
5194302118	ALICE	81
5194801001	FARELL	309
5194802001	FARELL	309
5194804001	FARELL	31
5194901053	MIMO	295
5194901118	MIMO	295
5195401118	QUBO	85
5195801001	HILL	141
5196001118	POLLUX	297
5196501118	URBAN	125
5197002125	TELIN	91
5198101118	CYRA	51
5198102118	CYRA	51
5198102118	CYRA	315
5198104118	CYRA	53
5198302001	MAYA	151
5198401001	MAYA	151
5198401001	MAYA	307
5198701001	WHISPER	79
5198801330	ERA	301
5199001118	ARKLIPS	49
5199201118	CRUZ	89
5225102118	SPRIL	75
5225302118	SPRIL	75
5240101012	ZOE	195
5241101012	HOM	205
5252101118	ANDA	67
5259201012	JADE	219
5260101012	UNITE	197
5260101030	UNITE	197
5260103012	UNITE	197
5260103030	UNITE	197
5260201012	UNITE	197
5260201030	UNITE	197

NEW ITEM	NAME	PAGE
5264201213	CATE	217
5267101001	ELARA	289
5267102118	ELARA	289
5267103001	LEDA	313
5271002118	SPICA	27
5273601012	KELSEY	213
5273701012	KELSEY	213
5274601412	DARLI	221
5288601118	DAKOTA	23
5288801012	FLAIR	207
5288802012	FLAIR	207
5288803012	FLAIR	209
5288804012	FLAIR	209
5288901118	KIRA	21
5289001118	PANO	65
5510805001	LUCA	157
5521201001	CRYSTAL	153
5521601001	CRYSTAL	153
5604011112	FOCUS	163
5604011118	FOCUS	163
5604101112	FOCUS	163
5604101118	FOCUS	163
5605013118	FOCUS	167
5605103118	FOCUS	167
5605701112	PATH	161
5605702112	PATH	161
5614401118	MINI LEDSPOT	55
5614402118	MINI LEDSPOT	55
5614404118	MINI LEDSPOT	55
5616301118	MERIDIAN	69
5616302118	MERIDIAN	69
5616304118	MERIDIAN	69
5616602118	ARMOR	93
5626001118	TRUMPET	59
5626002118	TRUMPET	61
5626101125	TRUMPET	61
6304201112	FOCUS	165
6304201118	FOCUS	165
6330401118	BONN	187
6330402001	BONN	187
6334102118	SEINE	183
6334202118	SEINE	183
6335101118	ORIGO	177
6335141118	ORIGO	177
6335142118	ORIGO	29
6336101118	TITAN	179
6336201118	TITAN	179
6336301118	TITAN	179
6338101118	SEINE	181
6338201112	SEINE	181
6338201118	SEINE	181
6338301118	SEINE	181
6348101112	UBLO	175
6348102112	UBLO	173
6349101112	UBLO	175
6349102112	UBLO	173
6350101112	UBLO	175
6350102112	UBLO	173
6382201118	ROLA	171
6383001118	BULLO	169
6383001445	BULLO	169
6402101118	HELENA	185
6482104118	MONTANA	351
6482906118	SEINE	349
6483113118	VICTORIA	347
6483124118	VICTORIA	347
6483134118	VICTORIA	347
6483141118	SEINE	349
6588801012	FLAIR	211
6609201118	EXPLORER	63
6609202118	EXPLORER	63
6609204118	EXPLORER	35
6609205118	EXPLORER	35
6901101000	ZETA	261
6901201000	TILLY	265
6901401337	GHOST SOLAR	259
6901501000	BREAD	247
6901601000	SUNSHINE	269
6903401000	ZERTA	241
6904101331	DRAGONFLY	237
6904101337	DRAGONFLY	237
6904101339	DRAGONFLY	237
6904101340	DRAGONFLY	237
6906702335	DISO	253
6906703335	DISO	253
6907701331	PADLIGHT	235
6907701339	PADLIGHT	235
6907701340	PADLIGHT	235
6907901000	SOLSTEL	257
6907903001	SOLSTEL	257
6908001331	TABLE CUBE	231
6908001337	TABLE CUBE	231
6908001339	TABLE CUBE	231

NEW ITEM	NAME	PAGE
6908001340	TABLE CUBE	231
6908002337	TABLE CUBE	233
6908003331	TABLE CUBE	231
6908501308	BRICK	245
6908701001	BUBBLE	249
6908901335	TWILL	251
6910601335	ARROW	243
6910802335	POPPY	229
6914401000	MINI LEDSPOT	239
6914402000	MINI LEDSPOT	239
6925601345	SUNSHINE	269
6934601118	CURTIS	255
6951301189	LONDON	267
7005201001	FLAT	95
7008201001	VIRGO	155
7187611118	CONE	73
7188601125	BATI	109
7188602125	BATI	109
7193001118	QUBO	87
7193002118	QUBO	25
7193801118	CUBA	45
7193802118	CUBA	47
7198101118	CYRA	53
7199201118	CRUZ	89
7204803118	FOCUS	165
7214603118	MINI LEDSPOT	57
7214604118	MINI LEDSPOT	57
7216401118	MERIDIAN	71
7216412118	MERIDIAN	71
7216702118	ARMOR	93
7225201118	ANDA	67
7225222118	SPRIL	75
7226101118	TRUMPET	59
7260311012	UNITE	199
7260311030	UNITE	199
7260401012	UNITE	199
7260401030	UNITE	199
7264210213	CATE	217
7264230213	CATE	217
7271001118	MADRID	111
7271002118	MADRID	111
7271004118	SPICA	27
7273601012	KELSEY	215
7273602012	KELSEY	215
7288601118	DAKOTA	23
7288602118	DAKOTA	23
7288801012	FLAIR	211
7288901118	KIRA	21
7289001118	PANO	65
7621902012	SHRIMP	325
7621903012	SHRIMP	325
7622104330	SHRIMP II	325
7622206012	DRACO	299
7625501053	ESA	281
7625501118	ESA	281
7625601345	SUNSHINE	321
7625701345	SUNSHINE	321
7629001341	PERI	341
7629002426	PERI	341
7629301341	PERI	339
7629401331	PERI	317
7629501331	PERI	319
7629502331	PERI	283
7629502335	PERI	283
7629701341	UTIN	335
7632201053	ARC	323
7632401053	LIBRA	285
7633301118	MODO	337
7633401118	MODO	337
7633501118	MODO	337
7700511012	BERLIN	353
7700513012	BERLIN	353
7700521012	BERLIN	353
7700523012	BERLIN	353
7700715012	SEATTLE	365
7700813012	REGINA	367
7700814012	REGINA	367
7700819012	REGINA	365
7700912012	CHICAGO	369
7701301012	ARCTIC	363
7701311012	ARCTIC	363
7703602012	GEA	361
7703702012	GEA	361
7704212012	CYDOPS	357
7704601012	STRATA	355
7704801012	DENVER	359
9700308112	POLE	263
9700357000	LONDON	267
9700359330	LONDON	267
9701501330	TORUS	329
9701601330	SPHERE	327
9702201012	MAINS	189
9702202012	MAINS	189

NAME	NEW ITEM	PAGE
ADALYN	5193602118	103
ALICE	5194301118	81
ALICE	5194302118	81
ANDA	5252101118	67
ANDA	7225201118	67
APOLLO	5188801118	83
AQUARIUS	5185901012	201
ARA	5198801330	301
ARC	7632201053	323
ARCTIC	7701301012	363
ARCTIC	7701311012	363
ARMOR	5616602118	93
ARMOR	7216702118	93
ARROW	6910601335	243
BATI	5188601125	107
BATI	5188602125	107
BATI	7188601125	109
BATI	7188602125	109
BERLIN	7700513012	353
BERLIN	7700511012	353
BERLIN	7700523012	353
BERLIN	7700521012	353
BONN	6330402001	187
BONN	6330401118	187
BOX CUBE	5184601118	119
BOX CUBE	5184301118	119
BREAD	6901501000	247
BRICK	6908501308	245
BUBBLE	6908701001	249
BULLO	6383001118	169
BULLO	6383001445	169
CATE	5264201213	217
CATE	7264210213	217
CATE	7264230213	217
CHICAGO	7700912012	369
CITY	5183601118	123
CLIP	5185301118	121
CONE	5187601118	73
CONE	7187611118	73
CRUZ	5199201118	89
CRUZ	7199201118	89
CRYSTAL	5521201001	153
CRYSTAL	5521601001	153
CUBA	5193801118	45
CUBA	7193801118	45
CUBA	5193803118	47
CUBA	7193802118	47
CURTIS	6934601118	255
CYDOPS	7704212012	357
CYRA	5198104118	53
CYRA	7198101118	53
CYRA	5198101118	51
CYRA	5198102118	51
CYRA	5198102118	315
DAKOTA	5288601118	23
DAKOTA	7288601118	23
DAKOTA	7288602118	23
DARLI	5274601412	221
DENVER	7704801012	359
DISO	6906702335	253
DISO	6906703335	253
DRACO	7622206012	299
DRAGONFLY	6904101337	237
DRAGONFLY	6904101331	237
DRAGONFLY	6904101339	237
DRAGONFLY	6904101340	237
ELARA	5267101001	289
ELARA	5267102118	289
ELKLIPS	5199001118	49
ESA	7625501053	281
ESA	7625501118	281
EVANS	5186202118	137
EVANS	5186304118	137
EVEN	5189401112	99
EXPLORER	6609202118	63
EXPLORER	6609204118	35
EXPLORER	6609205118	35
EXPLORER	6609201118	63
EYES	5186004118	129
EYES	5186004112	129
EYES	5186002118	129
EYES	5186803118	129
FACCIA	5192801118	113
FACCIA	5192802118	113
FACE	5033001001	97
FACE	5033002001	97
FARELL	5194801001	309
FARELL	5194802001	309
FARELL	5194804001	31
FLAIR	5288801012	207
FLAIR	5288802012	207
FLAIR	5288803012	209
FLAIR	5288804012	209

[illegible]