THINK
DIFFERENT

THINGS
TO LOOK FOR



PREVIEW

PREVIEW



PREVIEW



PREVIEW

PREVIEW



PREVIEW

INDEX

1.0 MAGNETIC - DECORATIVE LIGHTING SYSTEMS | 011

1.1 ACCESSORIES | 019

2.0 MAGNETIC PROFILE SOLUTIONS | 025

2.1 PROFILE ACCESSORIES | 037

2.2 CARE SYSTEM | 047

3.0 LINEAR LIGHTING PROFILES | 051

3.1 CARE SYSTEM | 057

4.0 SPOT LIGHTS & TRACK LIGHTING SYSTEMS | 061

5.0 DOWNLIGHT RECESSED SPOTS | 071

5.1 STEP LIGHTS | 099

6.0 DOWNLIGHT RECESSED SPOTS GU10 | 105

6.1 MOUNTED SOLUTIONS | 121

7.0 DECORATIVE LIGHTS | 131

8.0 GYPSUM & CONCRETE SPOT LIGHTS | 153

8.1 WALL & CEILING LIGHTS | 167

8.2 STEP LIGHTS | 187

9.0 LED PANEL | 195

MAGNETIC DECORATIVE LIGHTING SYSTEMS







DION | 9028800

Magnetic Circular Structure
Satin Gold Aluminium IP20
Included Driver 200 Watt
AC220-240V Output 24V DC
D1: 80 D2: 60 H: 150 cm

LED A++-A DRIVER INCL.



DION | 9028803

Magnetic Circular Structure
Satin Gold Aluminium IP20
Included Driver 350 Watt
AC220-240V Output 24V DC
D1: 100 D2: 80 D3: 60 H: 200 cm

LED A++-A DRIVER INCL.

EASY INSTALLATION UP DOWN



DION | 9028600

Magnetic Circular Structure
Satin Gold Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
D: 60 H: 120 cm

LED A++-A DRIVER INCL.



DION | 9028923

Magnetic Circular Structure
Sandy Black Aluminium IP20
Included Driver 350 Watt
AC220-240V Output 24V DC
D1: 100 D2: 80 D3: 60 H: 200 cm

LED A++-A DRIVER INCL.



DION | 9028922

Magnetic Circular Structure
Sandy Black Aluminium IP20
Included Driver 200 Watt
AC220-240V Output 24V DC
D1: 80 D2: 60 H: 150 cm

LED A++-A DRIVER INCL.



DION | 9028921

Magnetic Circular Structure
Sandy Black Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
D: 60 H: 120 cm

LED A++-A DRIVER INCL.



FEDON | 9028820

Magnetic Linear Structure
Satin Gold Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 80 H: 110 cm

LED A++-A DRIVER INCL.

FEDON | 9028981

Magnetic Linear Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 80 H: 110 cm

LED A++-A DRIVER INCL.

GRAMMI 03 | 9028348



Magnetic Tubular Structure
Satin Gold Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
L: 150 H: 35 cm

LED A++-A DRIVER INCL.

GRAMMI 04 | 9028750



Magnetic Tubular Structure
Satin Gold Aluminium IP20
Included Driver 60 Watt
AC220-240V Output 24V DC
L: 150 H: 75 cm

LED A++-A DRIVER INCL.

IF 110 IS NOT COMPATIBLE FOR YOU WE HAVE ALSO 35cm & 70cm TUBE

GRAMMI 01 | 9180563

Magnetic Tubular Structure
Sandy Black Aluminium IP20
Driver 60 Watt AC85-265V
L: 150 H: 110 cm





ZED | 9980751

Sandy Black Aluminium
Tube
D: 2 H: 70 cm

ZED | 9980752

Sandy Black Aluminium
Tube
D: 2 H: 35 cm



GRAMMI 02 | 9180564

Magnetic Tubular Structure
Sandy Black Aluminium IP20
Driver 100 Watt AC85-265V
L: 200 H: 110 cm



CRON | 9028310



Magnetic Tubular Structure
Satin Gold Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 300 H: 35 cm

LED A++-A DRIVER INCL.



CRON | 9028311



Magnetic Tubular Structure
Sandy Black Aluminium IP20
Included Driver 100 Watt
AC220-240V Output 24V DC
L: 300 H: 35 cm

LED A++-A DRIVER INCL.



CRIMSON | 9190800



Magnetic Tubular Structure
Sandy Black Aluminium IP20
Driver 100 Watt AC85-265V
L: 200 W: 80 H: 35 cm

LED A++-A DRIVER INCL.

CREATE A DOUBLE MAGNETIC LAYER

CRIMSON | 9190350



Magnetic Tubular Structure
Sandy Black Aluminium
L: 200 H: 35 cm

JUST COMBINE THE 9190800 AND 9190350

For accessories go on page 032



PUZZLE | 9180566

Magnetic Cube Structure
Sandy Black Aluminium IP20
Driver 100 Watt AC85-265V
L: 150 W: 150 H: 10 cm

LED A++-A DRIVER INCL.

PUZZLE | 9180565



Magnetic Cube Structure
Sandy Black Aluminium IP20
Driver 60 Watt AC85-265V
L: 80 W: 80 H: 10 cm

LED A++-A DRIVER INCL.

ZED | 9180567

Sandy Black Aluminium
Tube
D: 2 H: 70 cm



ZED | 9180568

Sandy Black Aluminium
Tube
D: 2 H: 30 cm

ZED | 9980570

Sandy Black Aluminium
Tube
D: 2 H: 10 cm



PLUS | 9180569

Connector Tube
Sandy Black Aluminium
D: 2 H: 30 cm

HOW IT WORKS

step 1



CHOOSE YOUR MAGNETIC ACCESSORIES

step 2



IF YOU WANT TO COMBINE MORE THAN ONE 'PUZZLES' USE 'PLUS 9180569'

step 3

TO ADJUST THE HEIGHT CHOOSE 'ZED' 9180567 OR 9180568

MAGNETIC DECORATIVE
ACCESSORIES

ONE SOURCE OF LIGHT MANY DIFFERENT ACCESSORIES

CRI 90

JUST KEEP THE 9028801 AND PICK THE GLASS YOU NEED

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9028801	Satin Gold Aluminium	5W	DC24V	Philips	D: 3 H: 9.2	600Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9028924	Sandy Black Aluminium	5W	DC24V	Philips	D: 3 H: 9.2	600Lm	>90	<18	120°	3000K	IP20	X	X	X	III

SPOK | **9028801**
5W · 3000K

SPOK | **9028924**
5W · 3000K

SURF | **9028804**

FLER | **9028805**

ALMON | **9028806**

LAN | **9028807**

NUDA | **9028808**



CRI 90

COCKTAIL | **9090290**
5W · 3000K

COCKTAIL | **9090291**
5W · 3000K

GRU | **9090289**
8W · 3000K

GRU | **9090288**
8W · 3000K

MINIMAL | **9090284**
5W · 3000K

MINIMAL | **9090283**
5W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090290	Satin Gold Alum+Glass	5W	DC24V	Philips	D: 12 H: 14	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090291	Sandy Black Alum+Glass	5W	DC24V	Philips	D: 12 H: 14	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090289	Sandy Black Alum+Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>90	<18	360°	3000K	IP20	X	X	X	III
	9090288	Satin Gold Alum+Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>90	<18	360°	3000K	IP20	X	X	X	III
	9090284	Satin Gold Alum+Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>90	<18	360°	3000K	IP20	X	X	X	III
	9090283	Sandy Black Alum+Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>90	<18	360°	3000K	IP20	X	X	X	III

CRI 90

VERSUS | **9090293**
10W · 3000K

VERSUS | **9090292**
10W · 3000K

CONO | **9090285**
5W · 3000K

CONO | **9090286**
5W · 3000K

BAR | **9180561**
5W · 3000K

BAR | **9090281**
5W · 3000K

Adjustable

TAG | **9180562**
5W · 3000K

Adjustable

TAG | **9090282**
5W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090292	Satin Gold Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090293	Sandy Black Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090281	Satin Gold Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9180561	Sandy Black Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9180562	Sandy Black Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>90	<14	35°	3000K	IP20	√	X	X	III
	9090282	Satin Gold Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>90	<14	35°	3000K	IP20	√	X	X	III
	9090285	Sandy Black Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090286	Satin Gold Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III

CRI 90

POINT | **9028818**
15W · 3000K

ARTE | **9028817**
15W · 3000K

ARTE | **9028925**
15W · 3000K

NOX | **9190615**
15W · 3000K



ZEON | **9190619**
20W · 3000K



ZEON | **9028838**
38W · 3000K



Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9028818	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 27.3	1100Lm	>90	<14	120°	3000K	IP20	√	X	X	III
	9028817	Satin Gold Aluminium	15W	DC24V	Osram	D: 25 H: 4.4	1100Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9028925	Sandy Black Aluminium	15W	DC24V	Osram	D: 25 H: 4.4	1100Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9190615	Sandy Black Aluminium	15W	DC24V	Osram	L: 45.4 H: 7.4	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9190619	Sandy Black Aluminium	20W	DC24V	Osram	L: 75.5 H: 4	1400Lm	>90	<18	120°	3000K	IP20	√	X	X	III
	9028838	Sandy Black Aluminium	38W	DC24V	Osram	L: 150 H: 4	2660Lm	>90	<18	120°	3000K	IP20	√	X	X	III

WALL MAGNETIC DECORATIVE
& ACCESSORIES





CREATE YOUR WALL DESIGN

MAGNA | 9180660



Magnetic Wall Structure
Sandy Black Aluminium IP20
Driver 60 Watt AC85-265V
L: 150 W: 6 H: 12 cm

LED DRIVER INCL.

MAGNA | 9180120

Magnetic Wall Structure
Sandy Black Aluminium IP20
Driver 120 Watt AC85-265V
L: 150 W: 4 H: 12 cm

LED DRIVER INCL.

MAGNA | 9180121

Magnetic Wall Structure
Sandy Black Aluminium
L: 150 W: 1.5 H: 6 cm



MAGNA | 9180122

Magnetic Wall Structure
Sandy Black Aluminium
L: 150 W: 1.5 H: 6 cm



MAGNA | 9180123

Magnetic Wall Structure
Sandy Black Aluminium
L: 150 W: 1.5 H: 6 cm



HOW IT WORKS

YOU CAN MAKE YOUR OWN SHAPE

- **Choose the stick with the driver you need**
- **Connect magnetically the sticks you need**
- **Add your favorite accessories the driver supports**

FOR ONE LINE ORDER:
9180660 or 9180120

FOR TWO LINES ORDER:
9180660 + 9180122

FOR THREE LINES ORDER:
9180120 + 9180121
9180123

FOR FOUR LINES ORDER:
9180120 + 9180121
9180123 + 9180121

FOR FIVE LINES ORDER:
9180120 + 9180121
9180121 + 9180121
9180123

FOR SIX LINES ORDER:
9180120 + 9180121
9180123 + 9180121
9180123 + 9180122

CHOOSE YOUR ACCESSORY

CRI 90

LIBO | **9180006**
6W · 3000K

LIBO | **9180015**
15W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9180006	Sandy Black Aluminium	6W	DC24V	Osram	D: 15 H: 5	300Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9180015	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 5	900Lm	>90	<14	120°	3000K	IP20	X	X	X	III

CREATE YOUR WALL DESIGN

- Choose the stick MAGNA with the driver you need

MAGNA | 9180120



Magnetic Wall Structure
Sandy Black Aluminium IP20
Driver 120 Watt AC85-265V
L: 150 W: 4 H: 12 cm

LED A++-A DRIVER INCL.

MAGNA | 9180660

Magnetic Wall Structure
Sandy Black Aluminium IP20
Driver 60 Watt AC85-265V
L: 150 W: 6 H: 12 cm

LED A++-A DRIVER INCL.

- Add the RUB accessory

RUB | 9180661



Magnetic Wall Accessory
Sandy Black Aluminium
38 Watt DC24V
IP20 2660Lm 3000K
L: 150 H: 10 cm

LED A++-A DRIVER INCL.

MAGNETIC PROFILE SOLUTIONS



SURFACE - PENDANT APPLICATION

200 | 4.4 | 3.8

PLANET 01 | 9136338

Surface or Pendant
Magnetic Profile IP20
Sandy Black Aluminium
Max Power 300 Watt
L: 200 W_1: 2.3 W_2: 4.4 H: 3.8 cm

LED

100 | 4.4 | 3.8

PLANET 02 | 9136101

Surface or Pendant
Magnetic Profile IP20
Sandy Black Aluminium
Max Power 300 Watt
L: 100 W_1: 2.3 W_2: 4.4 H: 3.8 cm

LED

RECESS APPLICATION

200 | 6.5 | 3.9

PLANET 03 | 9136335

Trimless Recess
Magnetic Profile IP20
Sandy Black Aluminium
Max Power 300 Watt
L: 200 W_1: 2.3 W_2: 6.5 H: 3.9 cm
Cut Out: 3.5 cm

LED

100 | 6.5 | 3.9

PLANET 04 | 9136100

Trimless Recess
Magnetic Profile IP20
Sandy Black Aluminium
Max Power 300 Watt
L: 100 W_1: 2.3 W_2: 6.5 H: 3.9 cm
Cut Out: 3.5 cm

LED

On our website you will find installation instructions!

H-CONNECTOR | 9136303

Corner Connector for
Recess Magnetic Profile 90°
Sandy Black Aluminium
L: 30.3 W: 30.3 H: 6.5 cm
Cut Out: 3.5 cm

V-CONNECTOR | 9236105



Corner Connector for
Recess Magnetic Profile 90°
Sandy Black Aluminium
L: 10.5 W: 3.9 H: 6.5 cm
Cut Out: 3.5 cm

H-CONNECTOR | 9136290

Corner Connector for
Surface or Pendant Magnetic
Profile 90°
Sandy Black Aluminium
L: 29 W: 4.4 H: 3.8 cm

V-CONNECTOR | 9136105



Corner Connector for
Surface or Pendant Magnetic
Profile 90°
Sandy Black Aluminium
L: 10.5 W: 4.4 H: 3.8 cm

POWER CONNECTOR | **9252015**

Integrated Pre Wired Power Feed
Used on Magnetic Profile to Connect
the Final Profile with Driver

CONNECTOR | **9236106**

Mechanical-Electrical Connector
Used on Reccess and Surface Magnetic
Profile to Connect two Profiles Together
L: 10 W: 4.2 H: 2.1 cm

SCREW | **9811362**

CAP | **9811361**

Connector
Sandy Black Aluminium
L: 12 W: 0.5 H: 2 cm

CAP | **9136110**

End Cap for Surface or Pendant
Profile Cover
Sandy Black Aluminium Frame
D: 4.4 W: 2 H: 3.8 cm

CAP | **9136111**

End Cap for Recess Profile Cover
Sandy Black Aluminium Frame
L: 3.3 W: 0.2 H: 3.9 cm

DRIVER | **8252019**

Philips Driver
60 Watt
Input: 220-240V AC
Output: 24V DC 2.5A

DRIVER | **8252020**

Philips Driver
120 Watt
Input 220-240V AC
Output: 24V DC

DRIVER | **8252021**

Philips Driver
180 Watt
Input 220-240V AC
Output: 24V DC

DRIVER | **1035001**

Dali Driver
350 Watt
Input 220-240V AC
Output: 48V DC

TINT | 9366462
Connector Tube
Sandy Black Aluminium
D: 2.3 H: 10 cm

TINT | 9366461
Connector Tube
Sandy Black Aluminium
D: 2.3 H: 10 cm



TINT | 9136323
Connector Tube
Sandy Black Aluminium
D: 2.3 H: 37.3 cm



TINT | 9136360
Connector Tube
Sandy Black Aluminium
D: 2.3 H: 37.3 cm



TINT | 9236323
Connector Tube
Sandy Black Aluminium
D: 2.3 H: 70 cm



TINT | 9236360
Connector Tube
Sandy Black Aluminium
D: 6 H: 70 cm

MAGNETIC DECORATIVE
ACCESSORIES

CRI 90

NOT | **9136122**
15W · 3000K



LOD | **9136135**
10W · 3000K

LOD | **9136136**
20W · 3000K



HARN | **9136124**
15W · 3000K



HARN | **9136125**
15W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9136122	Sandy Black Aluminium	15W	DC24V	Osram	D: 24.5 H: 26	1200Lm	>90	<14	120°	3000K	IP20	√	X	X	III
	9136135	Sandy Black Aluminium	10W	DC24V	Pauray	L: 24.5 H: 20	800Lm	>90	<14	35°	3000K	IP20	√	X	X	III
	9136136	Sandy Black Aluminium	20W	DC24V	Cree	L: 24.5 H: 21	1600Lm	>90	<14	35°	3000K	IP20	√	X	X	III
	9136124	Sandy Black Aluminium	15W	DC24V	Philips	L: 24.5 H: 11	1200Lm	>90	<14	30°	3000K	IP20	√	X	X	III
	9136125	Sandy Black Aluminium	15W	DC24V	Philips	L: 24.5 H: 11	1200Lm	>90	<18	120°	3000K	IP20	√	X	X	III

CRI 90

PEC | **9136120**
26W · 3000K

PEC | **9136121**
13W · 3000K

ANTI GLARE NETWORK

KOZY | **9136130**
13W · 3000K

ANTI GLARE NETWORK

KOZY | **9136131**
26W · 3000K



RAM | **9136123**
38W · 3000K



Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9136120	Sandy Black Aluminium	26W	DC24V	Osram	L: 100 H: 3	2080Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9136121	Sandy Black Aluminium	13W	DC24V	Osram	L: 50 H: 3	1040Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9136131	Sandy Black Aluminium	26W	DC24V	Philips	L: 100 H: 3	2080Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9136130	Sandy Black Aluminium	13W	DC24V	Philips	L: 50 H: 3	1040Lm	>90	<14	30°	3000K	IP20	X	X	X	III
	9136123	Sandy Black Aluminium	38W	DC24V	Osram	L: 150 H: 12	3040Lm	>90	<18	120°	3000K	IP20	√	X	X	III

DALI

Adjustable

NOLAN | **9136129**
15W · 3000K

Adjustable

LOCE | **1025201**
2x5W · 3000K



Adjustable

ABER | **9136126**
10W · 3000K

ANTI GLARE NETWORK

OLVI | **9136127**
13W · 3000K

OLVI | **9136128**
13W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9136129	Sandy Black Aluminium	15W	DC48V	Philips	L: 11 H: 24.5	1200Lm	>90	<14	30°	3000K	IP20	√	X	√	III
	1025201	Sandy Black Aluminium	2x5W	DC48V	Philips	L:24.5 W:3.2 H:15	662Lm	>90	<14	45°	3000K	IP20	√	X	√	III
	9136126	Sandy Black Aluminium	10W	DC48V	Cree	D: 3.2 H: 24.5	800Lm	>90	<14	35°	3000K	IP20	√	X	√	III
	9136127	Sandy Black Aluminium	13W	DC48V	Philips	L: 50 H: 3	1040Lm	>90	<14	30°	3000K	IP20	X	X	√	III
	9136128	Sandy Black Aluminium	13W	DC48V	Osram	L: 50 H: 3	1040Lm	>90	<14	120°	3000K	IP20	X	X	√	III

JOIN TWO 9112690 IN REVERSE TO HAVE THE ABOVE SHAPE





CURVE | 9112690

Curve Track 90°
Surface or Pendant
Magnetic Profile IP20
Sandy Black Aluminium
R: 120 W: 4.1 H: 7.5 cm

LED A++-A DRIVER EXCL.





CURVE | 9112672

Curve Track 72°
Surface or Pendant
Magnetic Profile IP20
Sandy Black Aluminium
R: 120 W: 4.1 H: 7.5 cm

LED A++-A DRIVER EXCL.

ACCESSORIES FOR CURVES MAGNETIC PROFILE



SIN | 9912611
Connector Tube for
Curves Magnetic Profile
Sandy Black Aluminium
D: 2.3 H: 37.3 cm



SIN | 9912601
Connector Tube for
Curves Magnetic Profile
Sandy Black Aluminium
D: 2.3 H: 37.3 cm



SIN | 9912612
Connector Tube for
Curves Magnetic Profile
Sandy Black Aluminium
D: 2.3 H: 70 cm



SIN | 9912602
Connector Tube for
Curves Magnetic Profile
Sandy Black Aluminium
D: 6 H: 70 cm

CAP | 9912603
End Caps for thetwo Ends
Curves Magnetic Profile
Sandy Black Aluminium Frame
L: 3.9 W: 0.2 H: 7.5 cm

SOME OF OUR IDEAS

JOIN 9112672 AND 8252001 TO HAVE THE FOLLOWING SHAPE



CURVE | **9212690**

Curve Truck 90°
Recess Magnetic Profile IP20
Sandy Black Aluminium
R: 120 W: 6.9 H: 7.5 cm

CURVE | **9212672**

Curve Truck 72°
Recess Magnetic Profile IP20
Sandy Black Aluminium
R: 120 W: 6.9 H: 7.5 cm

SOME OF OUR IDEAS

ALSO TRY YOURS

JOIN 9212690 AND 8252002 TO HAVE THE ABOVE SHAPE

JOIN TW0 9212690 IN REVERSE TO HAVE THE ABOVE SHAPE







BUXTON 01 | 8252001

Surface or Pendant
Magnetic Profile IP20
Sandy Black Aluminium
Max Power 300 Watt
L: 100 W: 3.9 H: 7.5 cm

LED DRIVER EXCL.



BUXTON 02 | 8252002

Recess Magnetic Profile IP20
Sandy Black Aluminium
L: 100 W: 6.8 H: 7.5 cm
Max Power 300 Watt
Cut Out: 4.4 cm

LED DRIVER EXCL.



POWER CONNECTOR | 9252015

Integrated Pre Wired Power Feed
Used on Magnetic Profile to Connect
the Final Profile with Driver

CONNECTOR | 8252015



Mechanical-Electrical Connector
Used on Reccess and Surface Magnetic
Profile to Connect two Profiles Together
L: 10 W: 4.2 H: 2.1 cm

KIT | 8252017

Set of accessories for
Pendant Application of
Magnetic Rail

SCREW | 8252016

Screws for Ceiling Application

CAP | 8252003

End Cap for Profile Cover
Sandy Black Aluminium Frame
L: 3.9 W: 0.2 H: 7.5 cm

HOW IT WORKS



COVER | 9012677



Cutable Cover for Magnetic Rail
Sandy Black PVC Cover
L: 1 meter

BOX | 8252037

Fedder Power Included Driver
120 Watt Philips DC24V
Used for Surface and Hanging
Driver Placement
L: 40 H: 7.5 cm

BOX | 8252038

Fedder Box Excluded Driver
Used for Surface and Hanging
Driver Placement
L: 40 H: 7.5 cm

DRIVER | 8252019

Philips Driver
60 Watt
Input: 220-240V AC
Output: 24V DC 2.5A

DRIVER | 8252020

Philips Driver
120 Watt
Input 220-240V AC
Output: 24V DC

DRIVER | 8252021

Philips Driver
180 Watt
Input 220-240V AC
Output: 24V DC

SMART DEVICE | 9011103

Connect it between driver and power
of magnetic profile.
Using a non dimmable driver and
this device you can have a dimmable
result on SMD products.

Q-CONNECTOR | 8252011

Corner Connector for
Surface Magnetic Profile
Sandy Black Aluminium
L: 30 W: 30 H: 7.5 cm

V-CONNECTOR | 8252014

Corner Connector for
Surface Magnetic Profile
Sandy Black Aluminium
L: 10 W: 3.9 H: 7.5 cm





Q-CONNECTOR | 8252013



Corner Connector for
Recess Magnetic Profile
Sandy Black Aluminium
L: 30 W: 30 H: 7.5 cm
Cut Out: 4.4 cm

V-CONNECTOR | 8252012



Corner Connector for
Recess Magnetic Profile
Sandy Black Aluminium
L: 10 W: 10 H: 7.5 cm
Cut Out: 4.4 cm



TREE 01 | 8252035

Corner 2V - 120°
Connector between two tracks
Sandy Black Aluminium
L: 18 W: 14 H: 7.5 cm



TREE 02 | 8252036

Corner 3V - 120°
Connector between three tracks
Sandy Black Aluminium
L: 18 W: 21 H: 7.5 cm

HOW TO

step 1
ORDER 27PCS OF BUXTON 01
8252001

step 2
ORDER 12PCS OF TREE 01
8252035

step 3
ORDER 10PCS OF TREE 02
8252036

step 4
ORDER KIT
8252017

OR

ORDER SCREW
8252016

step 5
ORDER 54PCS OF CONNECTOR
8252015

step 6
ADD COMPATIBLE DRIVER

step 7
YOU ARE READY!



ALSO YOU CAN DO

step 1
ORDER 6PCS OF BUXTON 01
8252001

step 2
ORDER 6PCS OF TREE 01
8252035

step 3
ORDER KIT
8252017

OR

ORDER SCREW
8252016

step 4
ADD COMPATIBLE DRIVER

step 5
YOU ARE READY!





BUXTON 03 | 8252034

Surface or Pendant
Magnetic Track
Sandy Black Aluminium
L: 47.4 W: 6.2 H: 7.5 cm

HOW TO

step 1
ORDER 6PCS OF BUXTON 03
8252034



step 2
ORDER KIT
8252017

OR

ORDER SCREW
8252016

step 3
ADD COMPATIBLE DRIVER

step 4
YOU ARE READY!





LOOP 01 | **8925201**

Circular Magnetic Profile
Sandy Black Aluminium IP20
Driver 75 Watt AC 220-240 V
D: 90 H: 120 cm

LED A++→A DRIVER INCL.



LOOP 02 | **8925202**

Circular Magnetic Profile
Sandy Black Aluminium IP20
Driver 120 Watt AC 220-240 V
D: 120 H: 120 cm

LED A++→A DRIVER INCL.





SIGN | **8925204**

Rectangular Magnetic Profile
Sandy Black Aluminium IP20
Driver 100 Watt AC 220-240 V
L: 120 W: 30 H: 120 cm

LED DRIVER INCL.

PROFILE
ACCESSORIES



Adjustable

RIETI | **8254414** · 15W · 4000K
8254418 · 15W · 3000K



Adjustable

RIETI | **8254415** · 22W · 4000K
8254419 · 22W · 3000K



RIETI | **8254413** · 22W · 4000K
8254417 · 22W · 3000K



RIETI | **8254412** · 15W · 4000K
8254416 · 15W · 3000K



Adjustable

ESTE | **8252007** · 22W · 4000K
8252028 · 22W · 3000K



Adjustable

ESTE | **8252006** · 15W · 4000K
8252027 · 15W · 3000K

ESTE | **8252004** · 15W · 4000K
8252025 · 15W · 3000K



ESTE | **8252005** · 22W · 4000K
8252026 · 22W · 3000K



INSTALLATION & REMOVAL OF PRODUCTS

All Fittings Can Be Magnetically Installed Ensuring Tool-Free Mounting And Repositioning

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254414	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	954Lm	>90	<18	120°	4000K	IP20	√	X	X	III
	8254418	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	860Lm	>90	<18	120°	3000K	IP20	√	X	X	III
	8254415	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1400Lm	>90	<18	120°	4000K	IP20	√	X	X	III
	8254419	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1230Lm	>90	<18	120°	3000K	IP20	√	X	X	III
	8254412	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	580Lm	>90	<18	120°	4000K	IP20	X	X	X	III
	8254416	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	528Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	8254413	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	943Lm	>90	<18	120°	4000K	IP20	X	X	X	III
	8254417	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	850Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	8252004	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	1080Lm	>90	<14	35°	4000K	IP20	X	X	X	III
	8252025	Sandy Black Aluminium	15W	DC24V	Philips	L:26.9 W:3.5 H:5.1	900Lm	>90	<14	35°	3000K	IP20	X	X	X	III
	8252006	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	1428Lm	>90	<14	35°	4000K	IP20	√	X	X	III
	8252027	Sandy Black Aluminium	15W	DC24V	Philips	L:27.4 W:3.4 H:11.6	1220Lm	>90	<14	35°	3000K	IP20	√	X	X	III
	8252005	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	1746Lm	>90	<14	35°	4000K	IP20	X	X	X	III
	8252026	Sandy Black Aluminium	22W	DC24V	Philips	L:40.2 W:3.5 H:5.1	1480Lm	>90	<14	35°	3000K	IP20	X	X	X	III
	8252007	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	2100Lm	>90	<14	35°	4000K	IP20	√	X	X	III
	8252028	Sandy Black Aluminium	22W	DC24V	Philips	L:40.7 W:3.4 H:11.6	1880Lm	>90	<14	35°	3000K	IP20	√	X	X	III

JAZZ | **8252010** · 10W · 4000K
8252030 · 10W · 3000K

JAZZ | **9025201**
15W · 3000K



JAZZ | **9012676**
10W · 3000K



JAZZ | **9012662**
15W · 3000K

TEK | **8252031**
10W · 3000K

Adjustable



TEK | **8252032**
10W · 3000K

Adjustable

OIKO | **9012675**
5W · 3000K



KARMA | **9012672**
5W · 3000K



KARMA | **9012671**
5W · 3000K

OIKO | **9012674**
5W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252010	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	800Lm	>90	<14	45°	4000K	IP20	X	X	X	III
	8252030	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	720Lm	>90	<14	45°	3000K	IP20	X	X	X	III
	9025201	Sandy Black Aluminium	15W	DC24V	Cree	D:3 H1:22 H2:150	730Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9012676	Satin Gold Aluminium	10W	DC24V	Cree	D:3 H1:20 H2:150	720Lm	>90	<14	45°	3000K	IP20	X	X	X	III
	9012662	Satin Gold Aluminium	15W	DC24V	Cree	D:3 H1:22 H2:150	730Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	8252031	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:11 H2:42	720Lm	>90	<14	30°	3000K	IP20	√	X	X	III
	8252032	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:11 H2:62	720Lm	>90	<14	30°	3000K	IP20	√	X	X	III

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9012675	Satin Gold Aluminium & Glass	5W	DC24V	Philips	D:12 H:80	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9012672	Sandy Black Aluminium & Glass	5W	DC24V	Philips	D:10 H:80	380Lm	>90	<18	360°	3000K	IP20	X	X	X	III
	9012671	Sandy Black Aluminium & Glass	5W	DC24V	Philips	D:10 H:15	380Lm	>90	<18	360°	3000K	IP20	X	X	X	III
	9012674	Sandy Black Aluminium & Glass	5W	DC24V	Philips	D:12 H:16.5	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III

Adjustable

NAP | **8252008** · 5W · 4000K · 30°
8252039 · 5W · 3000K · 30°

Adjustable

NAP | **8252009** · 10W · 4000K · 30°
8252029 · 10W · 3000K · 30°

Adjustable

NAP | **9013620** · 20W · 3000K
9013720 · 20W · 4000K

Adjustable

NAP | **8925220**
10W · 3000K · 35°

Adjustable

NAP | **9012673**
10W · 3000K · 35°

Adjustable

NAP | **8925216**
8W · 3000K · 10°

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8252008	Sandy Black Aluminium	5W	DC24V	Cree	D:3 H1:9 H2:16	400Lm	>90	<14	30°	4000K	IP20	√	X	X	III
	8252039	Sandy Black Aluminium	5W	DC24V	Cree	D:3 H1:9 H2:16	340Lm	>90	<14	30°	3000K	IP20	√	X	X	III
	8252009	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	800Lm	>90	<14	30°	4000K	IP20	√	X	X	III
	8252029	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	680Lm	>90	<14	30°	3000K	IP20	√	X	X	III
	9013620	Sandy Black Aluminium	20W	DC24V	Cree	D:8.5 H1:20 H2:27	2250Lm	>90	<14	60°	4000K	IP20	√	X	X	III
	9013720	Sandy Black Aluminium	20W	DC24V	Cree	D:8.5 H1:20 H2:27	1920Lm	>90	<14	60°	3000K	IP20	√	X	X	III
	8925220	Sandy Black Aluminium	10W	DC24V	Cree	D:3 H1:12 H2:19	800Lm	>90	<14	35°	3000K	IP20	√	X	X	III
	9012673	Satin Gold & Black Alum.	10W	DC24V	Cree	D:3 H1:12 H2:19	680Lm	>90	<14	35°	3000K	IP20	√	X	X	III
	8925216	Sandy Black Aluminium	8W	DC24V	Cree	D:3 H1:12 H2:19	580Lm	>90	<14	10°	3000K	IP20	√	X	X	III

DALI

Adjustable

LOCE | **1025203**
10W · 3000K

Adjustable

LOCE | **1025201**
2x5W· 3000K



ZANO | **1025202**
15W · 3000K



ZANO | **1025204**
22W · 3000K



DRIVER | **1035001**

Dali Driver
350 Watt
Input 220-240V AC
Output: 48V DC

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	1025203	Sandy Black Aluminium	10W	DC48V	Philips	D: 3.2 W:3.2 H:17	622Lm	>90	<14	45°	3000K	IP20	√	X	√	III
	1025201	Sandy Black Aluminium	2x5W	DC48V	Philips	L:24.5 W:3.2 H:15	662Lm	>90	<14	45°	3000K	IP20	√	X	√	III
	1025202	Sandy Black Aluminium	15W	DC48V	Philips	L:27 W:3.5 H:5	817Lm	>90	<14	45°	3000K	IP20	X	X	√	III
	1025204	Sandy Black Aluminium	22W	DC48V	Philips	L:40 W:3.5 H:5	1133Lm	>90	<14	45°	3000K	IP20	X	X	√	III

LINEAR LIGHTING PROFILES



SURFACE

GENT | **8254401** · 40W · 4000K
8254429 · 40W · 3000K

GENT | **8254402** · 40W · 4000K
8254430 · 40W · 3000K

RECESS

GENT | **8254403** · 40W · 4000K
8254431 · 40W · 3000K

GENT | **8254404** · 20W · 4000K
8254432 · 20W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254401	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2740Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254429	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2480Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254402	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2740Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254430	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	2480Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254403	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:7 H:7	2740Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254431	Sandy White Aluminium	40W	AC220-240V	Epistar	L:120 W:7 H:7	2480Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254404	Sandy White Aluminium	20W	AC220-240V	Epistar	L:60 W:7 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254432	Sandy White Aluminium	20W	AC220-240V	Epistar	L:60 W:7 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II

SURFACE

RECESS

DIDO | **9054443** · 20W · 4000K
9054441 · 20W · 3000K

DIDO | **8254443** · 20W · 4000K
8254441 · 20W · 3000K

DIDO | **8254444** · 20W · 4000K
8254442 · 20W · 3000K

GAGA | **8254408** · 20W · 4000K
8254433 · 20W · 3000K

GAGA | **8254409** · 20W · 4000K
8254434 · 20W · 3000K

KIT | **8254410 W**
White Set of
Accessories for
Pendant Application

KIT | **8254410 B**
Black Set of
Accessories for
Pendant Application

END CAP | **8254445**
White Aluminium Frame

END CAP | **8254407**
White Aluminium
Frame

END CAP | **8254406**
Black Aluminium
Frame

ZERINO | **8254425**
Connector for
Two Linear Profiles

SCREW | **8254411**
Screws for Ceiling
Application

GAGA | **8254420** · 20W · 3000K

GAGA | **8254421** · 20W · 3000K

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9054443	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	9054441	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254443	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254441	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254444	Sandy Black Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254442	Sandy Black Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254408	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254433	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254409	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	4000K	IP20	X	√	X	II
	8254434	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254420	Sandy White Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1380Lm	>80	<18	120°	3000K	IP20	X	√	X	II
	8254421	Sandy Black Aluminium	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	1250Lm	>80	<18	120°	3000K	IP20	X	√	X	II

LINEAR LIGHTING PROFILES

CARE SYSTEM

DIMMABLE - ADJUSTABLE CCT 3000-6500K









SURFACE

UMA | **8254424**
40W · 3000-6500K

UMA | **8254428** · Corner H
20W · 3000-6500K

KIT | **8254410 W**
White Set of accessories for Pendant Application

END CAP | **8254407**
White Aluminium Frame

SCREW | **8254411**
Screws for Ceiling Application

ZERINO | **8254425**
Connector for two linear

WIRELESS SWITH PANEL | **8252024**
L: 8.5 W: 1.4 H: 8.5 cm

RECESS

UMA | **8254423**
40W · 3000-6500K

UMA | **8254422**
20W · 3000-6500K

UMA | **8254427** · Corner V
20W · 3000-6500K

UMA | **8254426** · Corner H
20W · 3000-6500K

END CAP | **8254445**
White Aluminium Frame

Photo	Code	Material	Watt	Volt	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	8254424	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	400-3560Lm	>80	<18	120°	3000-6500K	IP20	X	√	√	II
	8254423	Sandy White Alum.	40W	AC220-240V	Epistar	L:120 W:3.8 H:7	400-3560Lm	>80	<18	120°	3000-6500K	IP20	X	√	√	II
	8254428	Sandy White Alum.	20W	AC220-240V	Epistar	L:60 W:3.8 H:7	250-2020Lm	>80	<18	120°	3000-6500K	IP20	X	√	√	II
	8254422	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-1360Lm	>80	<18	120°	3000-6500K	IP20	X	√	√	II
	8254427	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-2020Lm	>80	<18	120°	3000-6500K	IP20	X	√	√	II
	8254426	Sandy White Alum.	20W	AC220-240V	Epistar	L:34.5 W:3.8 H:7	250-2020Lm	>80	<18	120°	3000-6500K	IP20	X	√	√	II

OFFICE LIGHTING

GAL | 9008801

Sandy Black Aluminium
LED Up 30 Watt & Down 10 Watt
Up 2700Lm & Down 900 Lm
3000K 230 Volt UGR<14 **IP65**
L: 95.6 W: 3.5 H: 200 cm

LED A++→A DRIVER INCL.



GAL | 9008815

Sandy Black Aluminium
LED Up 45 Watt & Down 15 Watt
Up 4050Lm & Down 1350Lm
3000K 230 Volt UGR<14 **IP65**
L: 160 W: 3.5 H: 200 cm

LED A++→A DRIVER INCL.



SPOT LIGHTS & TRACK LIGHTING SYSTEMS

CRI 98

TRACK | **9123141** · 24W · 3000K



TRACK | **9123142** · 24W · 3000K



Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9123141	Sandy Black Aluminium	24W	30-37.5	600	Global	Citizen	D:6 H:20	2295Lm	>98	15	24°	3000K	IP20	4 Wires	√	X	√	I
	9123142	Sandy White Aluminium	24W	30-37.5	600	Global	Citizen	D:6 H:20	2295Lm	>98	19	24°	3000K	IP20	4 Wires	√	X	√	I

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE)

CRI 90



TRACK | **9062301** · 30W · 3000K



TRACK | **9062302** · 30W · 3000K



TRACK | **9118151** · 15W · 3000K



TRACK | **9118152** · 15W · 3000K

Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9062301	Sandy White Aluminium	30W	230	700	Philips	Citizen	D:6 H:20	2230Lm	>90	<24	15-36°	3000K	IP20	4 Wires	√	X	√	I
	9062302	Sandy Black Aluminium	30W	230	700	Philips	Citizen	D:6 H:20	2230Lm	>90	<24	15-36°	3000K	IP20	4 Wires	√	X	√	I
	9118151	Sandy White Aluminium	15W	230	350	Tridonic	Citizen	D:6 H:15	1115Lm	>90	<20	15-36°	3000K	IP20	4 Wires	√	X	√	I
	9118152	Sandy Black Aluminium	15W	230	350	Tridonic	Citizen	D:6 H:15	1115Lm	>90	<20	15-36°	3000K	IP20	4 Wires	√	X	√	I

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE)

CRI 90

TRACK | **9913071** · 20W · 3000K

TRACK | **9913072** · 20W · 3000K

TRACK | **9913073** · 38W · 3000K

TRACK | **9913074** · 38W · 3000K

Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9913071	Sandy White Aluminium	20W	230	700	Philips	Cree	D:6 H:17	1433Lm	>90	13.1	15-36°	3000K	IP20	4 Wires	√	X	√	II
	9913072	Sandy Black Aluminium	20W	230	700	Philips	Cree	D:6 H:17	1433Lm	>90	13.1	15-36°	3000K	IP20	4 Wires	√	X	√	II
	9913073	Sandy White Aluminium	38W	230	350	Philips	Cree	D:8.5 H:18	2344Lm	>90	13.4	15-36°	3000K	IP20	4 Wires	√	X	√	II
	9913074	Sandy Black Aluminium	38W	230	350	Philips	Cree	D:8.5 H:18	2344Lm	>90	13.4	15-36°	3000K	IP20	4 Wires	√	X	√	II

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE)

CRI 90

TRACK | **9123132** · 12W · 3000K



TRACK | **9123131** · 12W · 3000K



Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9123131	Sandy Black Aluminium	12W	30-37.5	300	Global	Bridgelu	D:3 H:29	960Lm	>90	15	25°	3000K	IP20	4 Wires	√	X	√	I
	9123132	Sandy White Aluminium	12W	30-37.5	300	Global	Bridgelu	D:3 H:29	960Lm	>90	15	25°	3000K	IP20	4 Wires	√	X	√	I

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE)

CRI 90

TRACK | **9011941** · 10W · 3000K



TRACK | **9011942** · 10W · 3000K



TRACK | **9011951** · 20W · 3000K



TRACK | **9011952** · 20W · 3000K



Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9011941	Sandy White Alum.	10W	230	250	Philips	Cree	D:4 H:19	950Lm	>90	≤13	36°	3000K	IP20	4 Wires	√	X	√	I
	9011942	Sandy Black Alum.	10W	230	250	Philips	Cree	D:4 H:19	950Lm	>90	≤13	36°	3000K	IP20	4 Wires	√	X	√	I
	9011951	Sandy White Alum.	20W	230	500	Philips	Cree	D:6 H:18	2100Lm	>90	≤10	36°	3000K	IP20	4 Wires	√	X	√	I
	9011952	Sandy Black Alum.	20W	230	500	Philips	Cree	D:6 H:18	2100Lm	>90	≤10	36°	3000K	IP20	4 Wires	√	X	√	I

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE)

CRI 90

TRACK | **9011861** · 20W · 3000K



TRACK | **9011862** · 20W · 3000K



TRACK | **9011871** · 20W · 3000K



TRACK | **9011872** · 20W · 3000K



Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adaptor	Adj.	Dim.	Driver Included	Class
	9011861	Sandy White Alum.	20W	230	500	Philips	Cree	D:9.5 H:15.5	1160Lm	>90	≤13	36°	3000K	IP20	4 Wires	√	X	√	II
	9011862	Sandy Black Alum.	20W	230	500	Philips	Cree	D:9.5 H:15.5	1160Lm	>90	≤13	36°	3000K	IP20	4 Wires	√	X	√	II
	9011871	Sandy White Alum.	20W	230	500	Philips	Cree	L:9.5 H:15.5	1160Lm	>90	≤13	36°	3000K	IP20	4 Wires	√	X	√	II
	9011872	Sandy Black Alum.	20W	230	500	Philips	Cree	L:9.5 H:15.5	1160Lm	>90	≤13	36°	3000K	IP20	4 Wires	√	X	√	II

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE)

CRI 90



Adjustable

TRACK | **7770407** · 12W · 3000K
8770411 · 12W · 4000K



TRACK | **7770408** · 12W · 3000K
8770412 · 12W · 4000K



TRACK | **7770409** · 30W · 3000K
8770414 · 30W · 4000K



TRACK | **7770410** · 30W · 3000K
8770413 · 30W · 4000K



4 WIRES

Photo	Code	Material	Watt	Driver	LED Chip	Dimension(cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Adaptor	Driver Included
	7770407	White Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	960Lm	>80	60°	3000K	IP20	4 Wires	√
	7770408	Black Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	960Lm	>80	60°	3000K	IP20	4 Wires	√
	8770411	White Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	1060Lm	>80	60°	4000K	IP20	4 Wires	√
	8770412	Black Aluminium	12W	Eaglerise	Cree	D:6.1 H:21	1060Lm	>80	60°	4000K	IP20	4 Wires	√
	7770409	White Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3000Lm	>80	60°	3000K	IP20	4 Wires	√
	7770410	Black Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3000Lm	>80	60°	3000K	IP20	4 Wires	√
	8770414	White Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3300Lm	>80	60°	4000K	IP20	4 Wires	√
	8770413	Black Aluminium	30W	Eaglerise	Cree	D:9.3 H:27	3300Lm	>80	60°	4000K	IP20	4 Wires	√

COMPATIBLE WITH TRACK RAIL | 9193431 (BLACK) OR 9193421 (WHITE)

HOME



GU10

Adjustable

TRACK | 9712001

Sandy White Aluminium
Black Honeycomb
LED GU10 / MR16 1x10 Watt
Adaptor 3 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 13 cm



Compatible with 9193444 rail

Adjustable

TRACK | 9712002

Sandy Black Aluminium
Black Honeycomb
LED GU10 / MR16 1x10 Watt
Adaptor 3 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 13 cm



Compatible with 9193454 rail

Adjustable

TRACK | 9701101

Sandy White Aluminium
Black Honeycomb
LED GU10 Adaptor 1x10 Watt
Adaptor 3 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 20.1 cm



Compatible with 9193441 rail

Adjustable

TRACK | 9701102

Sandy Black Aluminium
Black Honeycomb
LED GU10 Adaptor 1x10 Watt
Adaptor 3 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 20.1 cm



Compatible with 9193451 rail

GU10

Adjustable

TRACK | 8008801

Sandy White Aluminium
Black Honeycomb
LED GU10 / MR16 1x10 Watt
Adaptor 2 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 19.5 cm



Compatible with 9193444 rail

Adjustable

TRACK | 8008802

Sandy Black Aluminium
Black Honeycomb
LED GU10 / MR16 1x10 Watt
Adaptor 2 wires 230 Volt
IP20 Bulb Excluded
D: 6 H: 19.5 cm



Compatible with 9193454 rail

Adjustable

TRACK | 9011851

Sandy White Aluminium
LED GU10 1x10 Watt
Adaptor 4 wires 230 Volt
IP20 Bulb Excluded
D: 5.6 H: 16 cm



Compatible with 9193421 rail

Adjustable

TRACK | 9011852

Sandy Black Aluminium
LED GU10 1x10 Watt
Adaptor 4 wires 230 Volt
IP20 Bulb Excluded
D: 5.6 H: 16 cm



Compatible with 9193431 rail

TRACK ACCESSORIES

4 WIRES

4 Wires Track

9193431

Black Aluminium
4 wires track rail socker
power connector end cap
are included
2 meters

9193421

White Aluminium
4 wires track rail socker
power connector end cap
are included
2 meters

9193426
White Aluminium
T Connector 4 wires
220-250V 16A

9193436
Black Aluminium
T Connector 4 wires
220-250V 16A

9193425
White Aluminium
Connector 4 wires
220-250V 16A

9193435
Black Aluminium
Connector 4 wires
220-250V 16A

9193427
White Aluminium
L Connector 4 wires
220-250V 16A

9193437
Black Aluminium
L Connector 4 wires
220-250V 16A

9193422
White Aluminium
Interior Connector 4 wires
220-250V 16A

9193432
Black Aluminium
Interior Connector 4 wires
220-250V 16A

9193424
White Aluminium
Power Connector 4 wires
220-250V 16A

9193434
Black Aluminium
Power Connector 4 wires
220-250V 16A

9193423
White Aluminium
End Plug 4 wires

9193433
Black Aluminium
End Plug 4 wires

Connectors & Hanging Elements

Suitable for 4 wires Track Rail

9193447
White Aluminium
Suspension Clamp (18cm)
4 wires

9193457
Black Aluminium
Suspension Clamp (18cm)
4 wires

9193429
White Aluminium
Suspension Kit 2m Wire
Penging Fitting Suitable for
4 Wires Track Rail

9193439
Black Aluminium
Suspension Kit 2m Wire
Penging Fitting Suitable for
4 Wires Track Rail

9193448
White Aluminium
Suspension Kit 2m Wire
Penging Fitting Suitable for
4 Wires Track Rail

9193458
Black Aluminium
Suspension Kit 2m Wire
Penging Fitting Suitable for
4 Wires Track Rail

2 Wires Track

9193454

Black Aluminium
2 wires track rail socker
power connector end cap
are included
2 meters

9193444

White Aluminium
2 wires track rail socker
power connector end cap
are included
2 meters

9193445
White Aluminium
Interior Connector
2 Wires

Compatible with 9193444 rail

9193455
Black Aluminium
Interior Connector
2 Wires

Compatible with 9193454 rail

9193446
White Aluminium
L connector 2 Wires

Compatible with 9193444 rail



9193456
Black Aluminium
L connector 2 Wires

Compatible with 9193454 rail

3 Wires Track

9193451

Black Aluminium
3 wires track rail socker
power connector end cap
are included
2 meters

9193441

White Aluminium
3 wires track rail socker
power connector end cap
are included
2 meters

9193442
White Aluminium
Connector

Compatible with 9193441 rail

9193452
Black Aluminium
Connector

Compatible with 9193451 rail

9193443
White Aluminium
L connector

Compatible with 9193441 rail

9193453
Black Aluminium
L connector

Compatible with 9193451 rail

DOWNLIGHT
RECESSED SPOTS

IP42

DRIVER INCLUDED

PETIT | 9844011

PETIT | 9844012

PETIT | 9844013

PETIT | 9844014

Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9844011	Sandy White Aluminium	9W	230V	200	Philips	Cree	D:6.2 H:5.5	530Lm	>90	≤16	5.5	40°	3000K	IP42	X	√	II
	9844012	Sandy Black Aluminium	9W	230V	200	Philips	Cree	D:6.2 H:5.5	530Lm	>90	≤16	5.5	40°	3000K	IP42	X	√	II
	9844013	Sandy White Aluminium	9W	230V	200	Philips	Cree	D: 6.2 H:6.1	542Lm	>90	≤16	5.5	40°	3000K	IP42	X	√	II
	9844014	Sandy Black Aluminium	9W	230V	200	Philips	Cree	D: 6.2 H:6.1	542Lm	>90	≤16	5.5	40°	3000K	IP42	X	√	II

IP42

DRIVER INCLUDED

PETIT | 9844016

PETIT | 9844018

PETIT | 9844015

PETIT | 9844017

Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9844015	Sandy White Aluminium	9W	230V	200	Philips	Cree	D:6.2 H:5.5	530Lm	>90	≤16	5.5	40°	3000K	IP42	X	√	II
	9844016	Sandy Black Aluminium	9W	230V	200	Philips	Cree	D:6.2 H:5.5	530Lm	>90	≤16	5.5	40°	3000K	IP42	X	√	II
	9844017	Sandy White Aluminium	9W	230V	200	Philips	Cree	D: 6.2 H:6.1	542Lm	>90	≤16	5.5	40°	3000K	IP42	X	√	II
	9844018	Sandy Black Aluminium	9W	230V	200	Philips	Cree	D: 6.2 H:6.1	542Lm	>90	≤16	5.5	40°	3000K	IP42	X	√	II

Beam Angle 3°

NUDA | 9097022

NUDA | 9097021

DRIVER INCLUDED

Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9097022	Sandy Black Aluminium	2W	230V	700	Eaglerise	Philips	D:6 H:4.8	148Lm	>90	<9	5.2	3°	3000K	IP20	√	√	III
	9097021	Sandy White Aluminium	2W	230V	700	Eaglerise	Philips	D:6 H:4.8	148Lm	>90	<9	5.2	3°	3000K	IP20	√	√	III

MINI TRIMLESS

SELENE | 9052015

DRIVER | 9020172

Driver 6 Watt Eaglerise
Input: 220-240V AC 50/60Hz
Output: 6-12 VDC
500mA Not Dimmable

SELENE | 9052014

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9052014	White Aluminium	5W	10V	500	Luminus	D:4 H:6.4	350Lm	>90	<23	3.5	40°	3000K	IP20	X	X	III
	9052015	White Aluminium	5W	10V	500	Trimless Luminus	D:3.4 H:6.1	350Lm	>90	<17	4.5	40°	3000K	IP20	X	X	III

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020172

DRIVER INCLUDED

BREE | 9232111

BREE | 9232112

BREE | 9232113

BREE | 9232114

Included Driver 7 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-37 VDC
200mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Driver	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9232111	White Aluminium	7W	37V	200	Philips	770Lm	Cree	D:5.6 H:7.5	5	>90	<12	24°	3000K	IP32	X	√	III
	9232113	White Aluminium	7W	37V	200	Philips	770Lm	Cree	L:5.6 W:5.6H:7.5	5x5	>90	<11	24°	3000K	IP32	X	√	III
	9232112	Black Aluminium	7W	37V	200	Philips	770Lm	Cree	D:5.6 H:7.5	5	>90	<12	24°	3000K	IP32	X	√	III
	9232114	Black Aluminium	7W	37V	200	Philips	770Lm	Cree	L:5.6 W:5.6H:7.5	5x5	>90	<11	24°	3000K	IP32	X	√	III

TINY | 8035601

TINY | 8125801

TINY | 9017812

TINY | 9080201

TINY | 9080202

DRIVER | 9020170

Driver 4W ACTEC MINI
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	8125801	White Aluminium	1W	3V	350	Philips	D:2.2 H:2.9	70Lm	>85	<23	1.6	30°	3000K	IP44	X	X	III
	8035601	White Aluminium	1W	3V	350	Philips	D:1.6 H:2	70Lm	>80	<8	1.2	50°	3000K	IP44	X	X	III
	9017812	Black Aluminium	1W	3V	350	Philips	D:1.6 H:2	70Lm	>80	<8	1.2	50°	3000K	IP44	X	X	III
	9080201	White Aluminium	1W	3V	350	Philips	D:2.5 H:2.2	70Lm	>90	<25	1.8	16°	3000K	IP44	X	X	III
	9080202	Black Aluminium	1W	3V	350	Philips	D:2.5 H:2.2	70Lm	>90	<25	1.8	16°	3000K	IP44	X	X	III

CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170

IP44

GEMA | 62007



GEMA | 62006

GEMA | 62008

GEMA | 620010

GIO | 620014

GIO | 620015

Included Philips Driver

MEA | 7770441

DRIVER | 6001

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.25A Not Dimmable

DRIVER | 94001

Driver 15 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-42 VDC
0.35A Not Dimmable

DRIVER | 64001

Driver 20 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.5A Not Dimmable

Photo	Code	Material	Watt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	62007	Black Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>80	≤18	38°	3000K	IP20	X	X	III
	62006	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>80	≤18	38°	3000K	IP20	X	X	III
	620010	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>80	≤17	38°	3000K	IP20	X	X	III
	62008	White Aluminium	10W	250	800Lm	Cree	D:8.2 H:7	7.5	>80	≤18	38°	3000K	IP20	X	X	III
	620014	White Aluminium	10W	250	800Lm	Cree	D:10.5 H:7.4	9.6	>80	≤18	38°	3000K	IP20	X	X	III
	620015	Black Aluminium	10W	250	800Lm	Cree	D:10.5 H:7.4	9.6	>80	≤18	38°	3000K	IP20	X	X	III

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 6001

Photo	Code	Material	Watt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	7770441	White Aluminium	15W	250	1275Lm	Luminus	D:9.6 H:8.5	8.5	>90	<18	24°	3000K	IP20	√	Philips	III

step 1



step 2

step 3



you are ready!

IP54

LAZIO | 8018509

8016905 | · 10W · 3000K
8016906 | · 10W · 4000K

DRIVER | 9020171

Driver 10W Philips
Input: 100-240V AC 50/60Hz
Output: 12-24VDC 500mA
Not Dimmable

LAZIO | 8044909

LAZIO | 8044809



LAZIO | 8000502

LAZIO | 8000503

Photo	Code	Material	Recessed	LED Chip	Dimension(cm)	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included
	8018509	White & Black Aluminium	√	X	D:9 H:7.3	7.8	36°	X	IP44	√	X
	8044809	White Aluminium	√	X	L:16.8 W:9 H:8.9	16 x 8.2	36°	X	IP54	√	X
	8000502	White Aluminium	√	X	D:9.2 H:5.4	8.2	36°	X	IP54	√	X
	8000503	Black Aluminium	√	X	D:9.2 H:5.4	8.2	36°	X	IP54	√	X
	8044909	White Aluminium	√	X	D:9 H:8.6	8.2	36°	X	IP54	√	X

MUST HAVE ACCESSORY

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension(cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	4000K	IP44	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171

IP54

OLBIA | **8016909**

OLBIA | **8001402**

DRIVER | **9020171**

Driver 10W Philips
Input: 100-240V AC 50/60Hz
Output: 12-24VDC 500mA
Not Dimmable

OLBIA | **8059409**

OLBIA | **8033409**



8016905 | · 10W · 3000K
8016906 | · 10W · 4000K

Photo	Code	Material	Recessed	LED Chip	Dimension(cm)	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included
	8016909	White & Black Aluminium	√	X	L:9 H:8.9	8x8	36°	X	IP44	X	X
	8001402	White Aluminium	√	X	L:9 H:8.9	8x8	36°	X	IP44	X	X
	8059409	White & Black Aluminium	√	X	L:16 W:9 H:8.9	15x7.7	36°	X	IP44	X	X
	8033409	White Aluminium	√	X	L:16 W:9 H:8.9	15x7.7	36°	X	IP44	X	X

MUST HAVE ACCESSORY

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension(cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	4000K	IP44	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | **code: 9020171**

DRIVER INCLUDED

SELENE | 9071021

SELENE | 9071022

Photo	Code	Material	Watt	Volt	Ma	Lumen	Recessed	LED Chip	Dimension(cm)	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included	Class
	9071021	White Aluminium	10W	37.6V	500	600Lm	√	Citizen	D:8.2 H:7.9	7.6	36°	3000K	IP54	X	√	III
	9071022	Black Aluminium	10W	37.6V	500	600Lm	√	Citizen	D:8.2 H:7.9	7.6	36°	3000K	IP54	X	√	III

IP54





CARPO | 9011761



CARPO | 9011762



RING
9011765
Matt Brass

Photo	Code	Material	Watt	Volt	Ma	Lumen	Recessed	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	Beam Angle	Kelvin	Protection	Adjustable	Driver Included
	9011761	White Aluminium	10W	37.6V	350	660Lm	√	Cree	D:10 H:7	9	>90	36°	3000K	IP20	X	X
	9011762	Black Aluminium	10W	37.6V	350	660Lm	√	Cree	D:10 H:7	9	>90	36°	3000K	IP20	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | **code: 9011763**

Driver 12 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40VDC 0.25A
Not Dimmable



TRIMLESS
IP54

BELLUNO | 8014909



BELLUNO | 8014910



BELLUNO | 8019109

BELLUNO | 8019310



8016905 | · 10W · 3000K
8016906 | · 10W · 4000K

DRIVER | 9020171

Driver 10W Philips
Input: 100-240V AC 50/60Hz
Output: 12-24VDC 500mA
Not Dimmable

Photo	Code	Material	Trimless	LED Chip	Dimension(cm)	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included
	8014909	White Aluminium	√	X	L:7.3 H:8.5	9.6x9.6	36°	X	IP54	X	X
	8014910	Black Aluminium	√	X	L:7.3 H:8.5	9.6x9.6	36°	X	IP54	X	X
	8019109	White Aluminium	√	X	D:8.2 H:9.4	10.5	36°	X	IP54	X	X
	8019310	Black Aluminium	√	X	D:8.2 H:9.4	10.5	36°	X	IP54	X	X

MUST HAVE ACCESSORY

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension(cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>80	X	4000K	IP44	X	X

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171

TRIMLESS ADJUSTABLE

MAGGY | 9700302

White Aluminium Trimless
D: 7.8 H: 3.4 cm

MAGGY | 9700303

White Aluminium Trimless
L: 7.7 H: 3.4 cm



9700304

White Round Inner
Frame D: 7.7 cm

9700306

Black Round Inner
Frame D: 7.7 cm

9700305

White Square Inner Frame
L: 7.5 x W: 7.5 cm

9700307

Black Square Inner Frame
L: 7.5 x W: 7.5 cm

Rotating

READY!

Rotating

MAGGY | 9700301

Gray LED Cree 3000K
15 Watt 1125Lm
Beam Angle 36°

DRIVER | 9715100

Driver 15 Watt Philips
Input: 220-240V AC
Output: 42V
350mA Not Dimmable

HONEYCOMB | 9713003

MAKE IT IDEAL FOR YOU

LED COB

CHOOSE YOUR TRIMLESS SPOT — CHOOSE FRAME: BLACK OR WHITE? — COB — ORDER DRIVER — READY!



DRIVER INCLUDED

BLADE | 9232116

BLADE | 9232119

Rotating

BLADE | 9232117

BLADE | 9232115

BLADE | 9232120

Rotating

BLADE | 9232118

Included Driver 12 Watt Philips
Input: 220-240V AC 50/60Hz | Output: 32-37 VDC
300mA 0.35A Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9232116	White Aluminium	12W	37V	300	720Lm	Cree	D:7.8 H:7.2	7.2	>90	<14	38°	3000K	IP65	X	Philips	III
	9232115	Black Aluminium	12W	37V	300	720Lm	Cree	D:7.8 H:7.2	7.2	>90	<14	38°	3000K	IP65	X	Philips	III
	9232119	White Aluminium	12W	37V	300	720Lm	Cree	D:8.5 H:5.4	8	>90	<17	38°	3000K	IP65	X	Philips	III
	9232120	Black Aluminium	12W	37V	300	720Lm	Cree	D:8.5 H:5.4	8	>90	<17	38°	3000K	IP65	X	Philips	III
	9232117	White Aluminium	12W	37V	300	720Lm	Cree	D:9 H:4.7	8	>90	<16	38°	3000K	IP65	√	Philips	III
	9232118	Black Aluminium	12W	37V	300	720Lm	Cree	D:9 H:4.7	8	>90	<16	38°	3000K	IP65	√	Philips	III

WATERPROOF IP65



DRIVER INCLUDED

SWAN | 9232126



SWAN | 9232127



DRIVER INCLUDED

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.25A Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	Beam Angle	CRI	UGR	Kelvin	Protection	Adj.	Driver Included	Class
	9232126	White & Black Alum.	5x2W	16V	500	820Lm	Cree	L:15 W:4.5 H:5.7	14.2x4	38°	>90	16	3000K	IP32	X	Philips	III
	9232127	Black Aluminium	5x2W	16V	500	820Lm	Cree	L:15 W:4.5 H:5.7	14.2x4	38°	>90	16	3000K	IP32	X	Philips	III

SOREL | 9050920

SOREL | 9065023

SOREL | 9065121



DRIVER | 9020174

Driver 7 Watt
Input: 100-240V AC 50/60Hz
Output: 12-24 VDC
350mA Not Dimmable

DRIVER | 9020173

Driver 13 Watt
Input: 100-240V AC 50/60Hz
Output: 25-42 VDC
350mA Not Dimmable

Included Driver 25 Watt
Input: 220-240V AC 50/60Hz
Output: 30-60 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	Beam Angle	CRI	UGR	Kelvin	Protection	Adj.	Driver Included	Class
	9050920	White & Black Alum.	7W	20V	350	490Lm	Citizen	L:6.2 W:6.2 H:6.8	5.8x5.7	45°	>90	<14	3000K	IP20	X	X	III
	9065023	White & Black Alum.	14W	20V	350	1000Lm	Citizen	L:11.5 W:6.2 H:6.8	10.8x5.7	45°	>90	<14	3000K	IP20	X	X	III
	9065121	White & Black Alum.	21W	20V	350	1545Lm	Citizen	L:15.7 W:6.2 H:6.8	15x5.7	45°	>90	<14	3000K	IP20	X	√	III

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020174 - 9020173
7 Watt 13 Watt





TRIMLESS

GYPSUM GU10

GIACOMO | 51855201



Gypsum & White Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP 20 Bulb Excluded
D: 6 L: 15.5 H: 33 cm
Cut Out: 15.8 x 15.8 cm

GIACOMO | 51855401



Gypsum & White Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP 20 Bulb Excluded
D: 6 L: 15.5 H: 23 cm
Cut Out: 15.8 x 15.8 cm

GIACOMO | 51855202



Gypsum & Black Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP 20 Bulb Excluded
D: 6 L: 15.5 H: 33 cm
Cut Out: 15.8 x 15.8 cm

GIACOMO | 51855402



Gypsum & Black Metal
Downlight Adjustable
GU10 1x35 Watt 230 Volt
IP 20 Bulb Excluded
D: 6 L: 15.5 H: 23 cm
Cut Out: 15.8 x 15.8 cm



Rotating

ZETAN | 9232122



Rotating

ZETAN | 9232121



DRIVER INCLUDED

Rotating

OVO | 9223111



Rotating

OVO | 9223112





TRIMLESS

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9232122	Black Aluminium	9W	220V	700	720Lm	Cree	D:2.6 H:25	7.5 cm	>90	15	30°	3000K	IP20	√	Eaglerise	III
	9232121	White Aluminium	9W	220V	700	720Lm	Cree	D:2.6 H:25	7.5 cm	>90	15	30°	3000K	IP20	√	Eaglerise	III
	9223111	Black Aluminium	9W	12V	700	540Lm	Cree	D:2.6 H:25	7.5 cm	>90	15	24°	3000K	IP20	√	Eaglerise	III
	9223112	White Aluminium	9W	12V	700	540Lm	Cree	D:2.6 H:25	7.5 cm	>90	15	24°	3000K	IP20	√	Eaglerise	III

Driver 9 Watt Eaglerise
Input: 220-240V AC 50/60Hz

Output: 6-12 VDC
700mA Not Dimmable

ACCESSORIES ONLY FOR GU10



GU10

BOSTON | 9441181

Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.8 H: 19.6 cm



GU10

BOSTON | 9441182

Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.8 H: 19.6 cm



LED

BOSTON | 9441291

Sandy black Aluminium
LED 1x6 Watt 230 Volt
UGR<19 770Lm 3000K IP20
CRI>80 Beam Angle 38°
D: 4 H: 16 cm



LED

BOSTON | 9441292

Sandy White Aluminium
LED 1x6 Watt 230 Volt
UGR<19 770Lm 3000K IP20
CRI>80 Beam Angle 38°
D: 4 H: 16 cm

DRIVER INCLUDED

UNIVERSAL | **72002** · 13W

UNIVERSAL | **62002** · 13W

UNIVERSAL | **72004** · 13W

UNIVERSAL | **62004** · 13W



UNIVERSAL | **92003** · 20W

UNIVERSAL | **92002** · 20W



UNIVERSAL | **92001** · 20W

Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	UGR	Cut Out(cm)	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	72002	Sandy Black Aluminium	13W	230V	300	Philips	Cree	D:10 H:9	1140Lm	>90	19	9.3	38°	3000K	IP20	√	√	I
	62002	Sandy White Aluminium	13W	230V	300	Philips	Cree	D:10 H:9	1140Lm	>90	19	9.3	38°	3000K	IP20	√	√	I
	72004	Sandy Black Aluminium	13W	230V	300	Philips	Cree	D:10 H:10.3	1140Lm	>90	19	X	38°	3000K	IP20	√	√	I
	62004	Sandy White Aluminium	13W	230V	300	Philips	Cree	D:10 H:10.3	1140Lm	>90	19	X	38°	3000K	IP20	√	√	I
	92003	Sandy Gold & Black Aluminium	20W	230V	300	Hep	Cree	D:9.5 H:7.5	1450Lm	>90	13	X	36°	3000K	IP20	√	√	I
	92002	Sandy Black Aluminium	20W	230V	300	Hep	Cree	D:9.5 H:7.5	1450Lm	>90	13	X	36°	3000K	IP20	√	√	I
	92001	Sandy White & Black Aluminium	20W	230V	300	Hep	Cree	D:9.5 H:7.5	1450Lm	>90	13	X	36°	3000K	IP20	√	√	I

DRIVER INCLUDED

Adjustable

JUNO | **7770443** · 15W



JUNO | **7770442** · 15W



DRIVER INCLUDED

Driver 15 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 30-42 VDC
0.35A Not Dimmable

JUNO | **7770444** · 30W



JUNO | **7770445** · 30W



DRIVER INCLUDED

Driver 30 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 30-42 VDC
0.7A Not Dimmable

Photo	Code	Material	Watt	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	7770443	Black Aluminium	15W	Luminus	1275Lm	D:9.6 H:12-21	8.5	>90	60°	3000K	IP20	√	Philips
	7770442	White Aluminium	15W	Luminus	1275Lm	D:9.6 H:12-21	8.5	>90	60°	3000K	IP20	√	Philips
	7770445	Black Aluminium	30W	Luminus	2890Lm	D:14 H:16-26.3	12.5	>90	60°	3000K	IP20	√	Philips
	7770444	White Aluminium	30W	Luminus	2890Lm	D:14 H:16-26.3	12.5	>90	60°	3000K	IP20	√	Philips

DRIVER INCLUDED

Adjustable

PIN | **9232131** · 12W



Adjustable

PIN | **9232130** · 12W



Photo	Code	Material	Watt	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	CRI	Beam Angle	Kelvin	Protection	Adj.	Driver Included
	9232131	Black Aluminium	12W	Cree	720Lm	D:6-8.4 H:18.6	9.2	>90	24°	3000K	IP32	√	√
	9232130	White & Black Alum.	12W	Cree	720Lm	D:6-8.4 H:18.6	9.2	>90	24°	3000K	IP32	√	√

Included Driver 12 Watt
Input: 220-240V AC 50/60Hz

Output: 30-42 VDC
300mA Not Dimmable

Rotating

DESERT | 9075916

Rotating

DESERT | 9072815

Rotating

DESERT | 9076117



DRIVER | 9020170

Driver 4W ACTEC MINI
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

DRIVER | 9020175

Driver 12W ACTEC
Input: 100-240V AC 50/60Hz
Output: 2-34 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	Lumen	LED Chip	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9075916	White Aluminium	3W	9V	350	270Lm	Citizen	L:6.2 W:6.2 H:6.6	5.8x5.7	>90	<16	35°	3000K	IP20	√	X	III
	9072815	White Aluminium	3W	9V	350	270Lm	Citizen	D:5.2 H:6.8	4.4	>90	<16	35°	3000K	IP20	√	X	III
	9076117	White Aluminium	9W	9V	350	740Lm	Citizen	L:15.7 W:6.2 H:6.6	15x5.7	>90	<16	35°	3000K	IP20	√	√	III

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170 - 9020175
4 Watt 12 Watt



STEP LIGHTS





IP67





ONE SIDE LIGHT



TWO SIDE LIGHTS

ONE SIDE LIGHT

IP54

PASSAGGIO | 8090801

PASSAGGIO | 9045418

PASSAGGIO | 9045514

PASSAGGIO | 8058001

PASSAGGIO | 9031616

DRIVER | 9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	8090801	White Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	>85	<26	>80	3000K	IP67	X	X	III
	9045418	Black Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	>85	<26	>80	3000K	IP67	X	X	III
	9045514	White Aluminium	1W	3V	350	Philips	70Lm	L:3.7 W:2.2 H:3.7	3.2	>85	<9	>80	3000K	IP67	X	X	III
	8058001	White Aluminium	1W	3V	350	Philips	70Lm	L:3.9 W:2.1 H:3.9	3.2	>85	<9	>80	3000K	IP67	X	X	III
	9031616	White Aluminium	1W	3V	350	Philips	70Lm	D:3.9 W:2.1 H:3.9	3.2	>85	<9	>80	3000K	IP67	X	X	III

CABLE LENGTH 1.80m
DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170

WATERPROOF IP67

BANG | 9019212

BANG | 9019213

BANG | 8038801

BANG | 8039001

BANG | 8038401

DRIVER | 9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

Photo	Code	Material	Watt	Volt	Ma	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Class
	9019212	Satin Nickel Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	<11	40°	3000K	IP67	X	X	III
	9019213	Satin Nickel Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	<11	36°	3000K	IP67	X	X	III
	8038801	Sandy White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	-	36°	3000K	IP67	X	X	III
	8039001	Sandy White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	-	36°	3000K	IP67	X	X	III
	8038401	Sandy White Aluminium	1W	3V	350	Philips	60	D:3.7 H:5.3	3.2	>80	<21	40°	3000K	IP67	X	X	III

CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170

DRIVER INCLUDED IP67

BANG | 9203113

BANG | 9203111

BANG | 9203112

Photo	Code	Material	Watt	Volt	Lumen	Dimension(cm)	Cut Out(cm)	CRI	Beam Angle	Kelvin	Protection	Waterproof	Adj.	Driver Included	Class
	9203111	Satin Nickel Aluminium	1W	100-240 V	60Lm	D:4.2 H:9	3.7	>80	42°	3000K	IP67	√	X	√	I
	9203112	Satin Nickel Aluminium	1W	100-240 V	60Lm	D:4.2 H:9	3.7	>80	51°	3000K	IP67	√	X	√	I
	9203113	Satin Nickel Aluminium	1W	100-240 V	60Lm	D:4.2 H:7	3.7	>80	42°	3000K	IP67	√	X	√	I

DRIVER INCLUDED IP20

NATAL | 6800201

NATAL | 6800202

Photo	Code	Material	Watt	Volt	Ma	Driver	LED Chip	Dimension(cm)	Lumen	CRI	Cut Out(cm)	Kelvin	Protection	Adj.	Driver Included	Class
	6800202	White Aluminium	2.5W	220-240V	700	Waiberlon	Cree	D:4.4 H:4.3	68Lm	>80	4	3000K	IP20	X	√	II
	6800201	Silver Aluminium	2.5W	220-240V	700	Waiberlon	Cree	D:4.4 H:4.3	68Lm	>80	4	3000K	IP20	X	√	II

Included Driver 3 Watt Waiberlon | Output: 3-6 VDC
Input: 220-240V AC 50/60Hz | 700mA Not Dimmable



DOWNLIGHT RECESSED

SPOTS GU10

Rotating

BRAD | 9000351



Sandy White Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt Adjustable
IP20 Bulb Excluded
L: 8.8 H: 6.2 cm
Cut Out: 8.5x8.5 cm

Rotating

BRAD | 9000352



Sandy Black Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt Adjustable
IP20 Bulb Excluded
L: 8.8 H: 6.2 cm
Cut Out: 8.5x8.5 cm

Rotating

BRAD | 9017391

Sandy White Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt Adjustable
IP20 Bulb Excluded
D: 8.1 H: 5.1 cm
Cut Out: 10 cm

Rotating

BRAD | 9017392

Sandy Black Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt Adjustable
IP20 Bulb Excluded
D: 8.1 H: 5.1 cm
Cut Out: 10 cm

TRIMLESS GU10 ADJUSTABLE



BRAD | 9017402



Sandy White Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt
IP20 Bulb Excluded
D: 6.5 H: 4.6 cm
Cut Out: 7.2 cm



BRAD | 9017403



Sandy Black Aluminium Trimless
LED GU10 1x10 Watt
220-240 Volt
IP20 Bulb Excluded
D: 6.5 H: 4.6 cm
Cut Out: 7.2 cm

CEDI | 9430124

Sandy Black & White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating D: 10 H: 3.8 cm
Cut Out: 9.5 cm

CEDI | 9430125

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating D: 10 H: 3.8 cm
Cut Out: 9.5 cm

CEDI | 9430241

Sandy Black & White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating L: 10 W: 10 H: 3.8 cm
Cut Out: 9.5 cm

CEDI | 9430242

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating L: 10 W: 10 H: 3.8 cm
Cut Out: 9.5 cm

CEDI | 9430551

Sandy Black & White Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating L: 18.3 W: 10 H: 3.8 cm
Cut Out: 9.5 cm

CEDI | 9430552



Sandy Black Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating L: 10 W: 10 H: 3.8 cm
Cut Out: 9.5 cm

STAF | 9012191

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 7.5 W: 7.5 H: 4.5 cm
Cut Out: 7x7 cm

STAF | 9012192

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 7.5 W: 7.5 H: 4.5 cm
Cut Out: 7x7 cm

STAF | 9012201



Sandy White Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 15 W: 7.5 H: 4.5 cm
Cut Out: 14.2x7 cm

STAF | 9012202



Sandy Black Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
L: 15 W: 7.5 H: 4.5 cm
Cut Out: 14.2x7 cm

IP44

TEX | 9012121

Sandy White Aluminium
LED GU10 1x10 Watt IP44
220-240 Volt Bulb Excluded
D: 9.3 H: 3.8 cm
Cut Out: 6 cm

TEX | 9012122

Sandy Black Aluminium
LED GU10 1x10 Watt IP44
220-240 Volt Bulb Excluded
D: 9.3 H: 3.8 cm
Cut Out: 6 cm

ENZO | 834802



Sandy Black Aluminium
Consists of 3 Parts
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.8 cm

ENZO | 834801



Sandy White Aluminium
Consists of 3 Parts
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.8 cm

TAKE | 9350443



Sandy Black Aluminium
Consists of 2 Parts
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 4.2 cm
Cut Out: 7.6 cm

TAKE | 9350444



Sandy Black Aluminium
Consists of 2 Parts
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 4.2 cm
Cut Out: 7.6 cm

MAKE IT IDEAL FOR YOU

step 1 — **LAMP OR COB?** GU10 COB

+

step 2 — CHOOSE THE FRAME: BLACK OR WHITE?

READY

EASY REPLACEMENT OF LIGHT SOURCE!

REDO | 9418501



Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.8 H: 2.5 cm
Cut Out: 6.5 cm

REDO | 9418502



Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.8 H: 2.5 cm
Cut Out: 6.5 cm

Rotating

REDO | 9350442



Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.6 cm

Rotating

REDO | 9350441



Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.2 H: 2.5 cm
Cut Out: 7.6 cm

Rotating

CADMO | 9701001



Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9 H: 4.5 cm
Cut Out: 8.2 cm

Rotating

CADMO | 9701002



Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9 H: 4.5 cm
Cut Out: 8.2 cm

CADMO | 9707701

LED 12 Watt 3000K
Philips COB 250mA
1140 Lm 3000K
CRI 90 Beam Angle 36°
D: 5.2 H: 5.4 cm

DRIVER | 9712102

Driver 12 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.3A Not Dimmable

HONEYCOMB | 9712101

Black Plastic
Honeycomb
D: 5 cm

ENZO | 7201401

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 10.5 H: 3.3 cm
Cut Out: 10 cm

ENZO | 7201402

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 10.5 H: 3.3 cm
Cut Out: 10 cm

Rotating

ENZO | 7201201

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 11 H: 4.1 cm
Cut Out: 10.5 cm

Rotating

ENZO | 7201202

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 11 H: 4.1 cm
Cut Out: 10.5 cm

HAP | 9174151

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6.8 H: 5 cm
Cut Out: 6.2 cm

HAP | 9174152

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6.8 H: 5 cm
Cut Out: 6.2 cm

MAKE IT IDEAL FOR YOU

LAMP OR COB?

step 1 — GU10 — COB

+

step 2 — CHOOSE THE FRAME: BLACK OR WHITE?

READY

OTTAVIA | 62018



Sandy White Aluminium
LED GU10 1x10 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm

RAENA | 62200



Sandy White Aluminium
LED GU10 1x10 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm

ZELMIRA | 62202



Sandy White Aluminium
LED GU10 1x10 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm

OTTAVIA | 62019

Sandy Black Aluminium
LED GU10 1x10 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm

RAENA | 62201

Sandy Black Aluminium
LED GU10 1x10 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm



ZELMIRA | 62221



Sandy Black Aluminium
LED GU10 1x10 Watt
Bulb Excluded
D: 8.2 H: 2.2 cm
Cut Out: 7.5 cm

ZELMIRA | 94500

Sandy Black Aluminium Outside
Gold Aluminium Inside
LED GU10 1x10 Watt
Bulb Excluded
D: 8.2 H: 3.6 cm
Cut Out: 7.5 cm

MEA | 732001



MR 16 LED 16 Watt 3000K
Cree COB 250mA
1450 Lm 3000K
CRI 90 Beam Angle 38°
D: 5 H: 9.6 cm

MEA | 62000

MR 16 LED 9 Watt 3000K
Cree COB 250mA
800Lm 3000K
CRI 90 Beam Angle 38°
D: 5 H: 6 cm

DRIVER | 9011763

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.25A Not Dimmable

DRIVER | 6001

Driver 10 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.25A Not Dimmable

DRIVER | 94001

Driver 15 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-42 VDC
0.35A Not Dimmable

DRIVER | 64001

Driver 20 Watt Philips
Input: 220-240V AC 50/60Hz
Output: 32-40 VDC
0.5A Not Dimmable

MAKE IT IDEAL FOR YOU

LAMP OR COB?





MAKE IT IDEAL FOR YOU

LAMP OR COB?



OR

LED COB

CID | 6209

Sandy White Aluminium
D: 10 H: 15 cm

CID | 6208

Sandy Black Aluminium
D: 10 H: 15 cm

MAKE IT IDEAL FOR YOU

LAMP OR COB?

OR

LED COB



CID | 62014

Sandy White Aluminium
L: 10.5 H: 15 cm



CID | 62015

Sandy Black Aluminium
L: 10.5 H: 15 cm

CID | 6202

Sandy White Aluminium
Frame
W: 10 L: 10 cm



CID | 6203

Sandy Black Aluminium
Frame
W: 10 L: 10 cm

MAKE IT IDEAL FOR YOU

LAMP OR COB?



OR

LED COB



CID | 62017

Sandy Black Aluminium
L: 20 W: 10.5 H: 15 cm

CID | 62016

Sandy White Aluminium
L: 20 W: 10.5 H: 15 cm



CID | 6205

Sandy Black Aluminium
Frame
L: 19.5 W: 10 cm



CID | 6204

Sandy White Aluminium
Frame
L: 19.5 W: 10 cm



CID | 6206

Sandy White Aluminium
Frame for Recess
L: 19.5 W: 10 cm
Cut Out: 9.3 x 18.3 cm



CID | 6207

Sandy Black Aluminium
Frame for Recess
L: 19.5 W: 10 cm
Cut Out: 9.3 x 18.3 cm

MAKE IT IDEAL FOR YOU

LAMP OR COB?



OR

LED COB



MOUNTED SOLUTIONS





NED | 9419470

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 7 H: 10 cm

NED | 9419471

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 7 H: 10 cm

NIDO | 9012171

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.6 H: 14 cm

RING
9012175
Matt Silver

NIDO | 9012172

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 9.6 H: 14 cm

RING
9012174 Matt Gold
9012175 Matt Silver

NIDO | 9012173

Gold Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 12.5 cm

Rotating

GOZZANO | 9420481

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
D: 8 H: 9 cm

Rotating

GOZZANO | 9420482

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
D: 8 H: 9 cm

Rotating

GOZZANO | 9174511

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
D: 8 H: 9 cm

Rotating

GOZZANO | 9174512

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
D: 8 H: 9 cm

Rotating

GOZZANO | 820001

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
D: 9.6 H: 12.5 cm

Rotating

GOZZANO | 820002

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
D: 9.6 H: 12.5 cm



GENER | **9418425**

10
5.6

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.6 H: 10 cm

GENER | **9418426**

10
5.6

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 5.6 H: 10 cm

MARUPE | **834863**

10
6

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 10 cm

RING
834868
White & Silver

MARUPE | **834865**

10
6

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 10 cm

RING
834867
Black & Gold

MARUPE | **834864**

20
6

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 20 cm

RING
834868
White & Silver

MARUPE | **834866**

20
6

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 20 cm

RING
834867
Black & Gold

GARF | 9388901

Sandy Black Aluminium
& Acrylic
LED 1x7 Watt 100-240 Volt
Lm 3000K IP20
D: 7 H: 7.5 cm

GARF | 9388902

Sandy White Aluminium
& Acrylic
LED 1x7 Watt 100-240 Volt
Lm 3000K IP20
D: 7 H: 7.5 cm

LED



GU10

ESCA | 9387002

Sandy White Aluminium
& Acrylic
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 12.5 cm

ESCA | 9387001

Sandy Black Aluminium
& Acrylic
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 12.5 cm

OSLO | 9184371

Sandy White Aluminium Outside
Sandy White Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 15 cm

OSLO | 9184372

Sandy White Aluminium Outside
Sandy White Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 30 cm

OSLO | 9184373

Sandy Black Aluminium Outside
Gold Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 15 cm

OSLO | 9184374

Sandy Black Aluminium Outside
Gold Aluminium Inside
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
D: 6 H: 30 cm

NIDO | 9012181

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 9.5 H: 14.5 cm

RING

9012183 Matt Gold

9012184 Matt Silver

NIDO | 9012182

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
L: 9.5 H: 14.5 cm

RING

9012183 Matt Gold

9012184 Matt Silver

Rotating

RENDE | 998092



Sandy Black Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
L: 16 W: 8 H: 9 cm

Rotating

RENDE | 998091



Sandy White Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
L: 16 W: 8 H: 9 cm

Rotating

RENDE | 820603



Sandy Black Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
L: 18 W: 9.6 H: 12.5 cm

Rotating

RENDE | 820602



Sandy White Aluminium
LED GU10 2x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
L: 18 W: 9.6 H: 12.5 cm

Rotating

RENDE | 820202

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
L: 9.6 W: 9.6 H: 12.5 cm

Rotating

RENDE | 820203

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
L: 9.6 W: 9.6 H: 12.5 cm

Rotating

RENDE | 9175513

Sandy White Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
L: 8 W: 8 H: 9 cm

Rotating

RENDE | 9175514

Sandy Black Aluminium
LED GU10 1x10 Watt IP20
220-240 Volt Bulb Excluded
Rotating
L: 8 W: 8 H: 9 cm

DECORATIVE LIGHTS

ESCA | 9387003

Sandy Black Aluminium
& Acrylic
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 30 H2: 150 cm

ESCA | 9387004

Sandy White Aluminium
& Acrylic
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 30 H2: 150 cm

PERO | 9184376

Sandy Black Aluminium Outside
Gold Aluminium Inside
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 30 H2: 150 cm

PERO | 9184375

Sandy White Aluminium Outside
White Aluminium Inside
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 30 H2: 150 cm



PIN | **9419422**

Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.6 H_1: 20 H_2: cm

20
5.6

PIN | **9419421**

Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.6 H_1: 20 H_2: cm

20
5.6

GIA | **834870**

Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H_1: 30 H_2: 170 cm

170
30

RING
834867
Black & Gold

GIA | **834869**

Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H_1: 30 H_2: 170 cm

170
30

RING
834868
White & Silver



BRANDO | 7409601



Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 15 H2: 59 cm
Cut Out: 6.2 cm



BRANDO | 7409604

Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 15 H2: 85 cm
Cut Out: 6.2 cm

BRANDO | 7409602

Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 15 H2: 59 cm
Cut Out: 6.2 cm

BRANDO | 7409603

Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H1: 15 H2: 85 cm
Cut Out: 6.2 cm

DECORATIVE



BLACK & WHITE





ULTRATHIN | 9184024

Sandy Black Aluminium
LED 7x3 Watt
1680Lm 3000K IP20
D: 40 H: 150 cm

LED WARM WHITE A++-A DRIVER INCL.





ULTRATHIN | 9184023

Sandy White Aluminium
LED 7x3 Watt
1680Lm 3000K IP20
D: 40 H: 150 cm

LED WARM WHITE A++-A DRIVER INCL.

ULTRATHIN | 9184022

Sandy Black Aluminium
LED 3 Watt
180Lm 3000K IP20
D: 2.5 H1: 60 H2: 150 cm

LED WARM WHITE A++-A DRIVER INCL.

ULTRATHIN | 9184021

Sandy White Aluminium
LED 3 Watt
180Lm 3000K IP20
D: 2.5 H1: 60 H2: 150 cm

LED WARM WHITE A++-A DRIVER INCL.



NOCCI ▪ 9303941



Black Aluminium
Black Fabric Wire
LED 3x4.5 Watt 230 Volt
660Lm 3000K IP20
L: 320 H_1: 128 H_2: 112 cm

LED WARM WHITE A++-A DRIVER INCL.

NOCCI ▪ 9103212



Black Aluminium
Black Fabric Wire
LED 4.5 Watt 230 Volt
220Lm 3000K IP20
D: 5 H: 158 cm

LED WARM WHITE A++-A DRIVER INCL.



NOCCI ▪ 9303952



Black Aluminium
Black Fabric Wire
LED 10x4.5 Watt 230 Volt
1860Lm 3000K IP20
D: 40.5 H:150 cm

LED WARM WHITE A++-A DRIVER INCL.

NOCCI ▪ 9103211



White Aluminium
White Fabric Wire
LED 4.5 Watt 230 Volt
220Lm 3000K IP20
D: 5 H: 158 cm

LED WARM WHITE A++-A DRIVER INCL.



GOCCIO - 9102591

Black Aluminium & Steel
Black Fabric Wire
LED 7 Watt 230 Volt
213Lm 3000K IP20
D: 3 H_1: 60 H_2: 160 cm

LED WARM WHITE A++-A DRIVER INCL.



GOCCIO - 9102592

White Aluminium & Steel
White Fabric Wire
LED 7 Watt 230 Volt
213Lm 3000K IP20
D: 3 H_1: 60 H_2: 160 cm

LED WARM WHITE A++-A DRIVER INCL.



GOCCIO - 9504001

Black Aluminium & Steel
Black Fabric Wire
LED 5x7 Watt 230 Volt
1065Lm 3000K IP20
L: 110 W: 4.5 H_1: 60 H_2: 160 cm

LED WARM WHITE A++-A DRIVER INCL.





GIONO ▪ 9601007



Sandy Black Aluminium
& Acrylic
LED 7x3 Watt 230 Volt
1280Lm 3000K IP20
L: 90 W: 5 H1: 51 H2: 230 cm

LED WARM WHITE A++-A DRIVER INCL.

GIONO ▪ 9601001

Sandy Black Aluminium
& Acrylic
LED 1x3 Watt 230 Volt
180Lm 3000K IP20
D: 8 H1: 51 H2: 230 cm

LED WARM WHITE A++-A DRIVER INCL.

NAVAN ▪ 9018901

Matt Black Aluminium
LED 6 Watt 230 Volt
530Lm 3000K IP20
D: 6 H: 150 cm

LED WARM WHITE A++-A DRIVER INCL.

NAVAN ▪ 9018902

Satin Nickel & Black Aluminium
LED 6 Watt 230 Volt
530Lm 3000K IP20
D: 6 H: 150 cm

LED WARM WHITE A++-A DRIVER INCL.

GIONO ▪ 9601012



Sandy Black Aluminium
& Acrylic
LED 12x3 Watt 230 Volt
2280Lm 3000K IP20
D: 50 H1: 51 H2: 230 cm

LED WARM WHITE A++-A DRIVER INCL.

NAVAN ▪ 9018903

Brass & Black Aluminium
LED 6 Watt 230 Volt
530Lm 3000K IP20
D: 6 H: 150 cm

LED WARM WHITE A++-A DRIVER INCL.



Rotating & Adjustable

LUCCELO . 9190130

Sandy Black Aluminium
& Acrylic
LED 30 Watt 230 Volt
1500Lm 3000K IP20
L: 16 W: 16 H: 400 cm

LED A++-A DRIVER INCL.

Rotating & Adjustable

LUCCELO . 9190110

Sandy Black Aluminium
& Acrylic
LED 10 Watt 230 Volt
500Lm 3000K IP20
L: 16 W: 16 H: 400 cm

LED A++-A DRIVER INCL.

FRAN ▪ 9118106

Sandy Black Aluminium
& Acrylic
Adjustable Switch On/Off
LED 6 Watt 230 Volt
528Lm 3000K IP20
D_1: 10 D_2: 9 H: 400 cm

FRAN ▪ 9118635



Sandy Black Aluminium
& Acrylic
Adjustable Switch On/Off
LED 30 Watt 230 Volt
2180Lm 3000K IP20
D_1: 15 D_2: 9 H: 400 cm

Adjustable



AMADEO ▪ 8223602

Black Aluminium & Acrylic
Adjustable
Switch On/Off
LED Edison 6 Watt 230 Volt
528Lm 3000K IP20
L: 12 W: 12 H: 12 cm

Adjustable



AMADEO ▪ 8223601

White Aluminium & Acrylic
Adjustable
Switch On/Off
LED Edison 6 Watt 230 Volt
528Lm 3000K IP20
L: 12 W: 12 H: 12 cm



Rotating & Adjustable



Rotating & Adjustable

MARCE . 9028813

Gold Aluminium
Clear Glass
LED 15 Watt 230 Volt
750Lm 3000K IP20
D: 12 W: 14.5 H: 400 cm

LED A++-A DRIVER INCL.

MARCE . 9028811

Gold Aluminium
Clear Glass
LED 5 Watt 230 Volt
250Lm 3000K IP20
D: 12 W: 14.5 H: 400 cm

LED A++-A DRIVER INCL.

MARCE . 9060111

Gold Aluminium
Clear Glass
LED 5 Watt 230 Volt
250Lm 3000K IP20
D: 12 W: 14.5 H: 17.5 cm

LED A++-A DRIVER INCL.

SPOTS





GON ▪ 9105201

Sandy White Metal
LED 1x5 Watt 230 Volt
400Lm 3000K IP20
L: 11 H: 9 cm

GON ▪ 9105101

Sandy Black Metal
LED 1x5 Watt 230 Volt
400Lm 3000K IP20
L: 11 H: 9 cm

GON ▪ 9105202

Sandy White Metal
LED 2x5 Watt 230 Volt
800Lm 3000K IP20
L: 25 W: 11 H: 9 cm

GON ▪ 9105102

Sandy Black Metal
LED 2x5 Watt 230 Volt
800Lm 3000K IP20
L: 25 W: 11 H: 9 cm

GON ▪ 9105203

Sandy White Metal
LED 4x5 Watt 230 Volt
1600Lm 3000K IP20
L: 25 H: 9 cm

GON ▪ 9105103

Sandy Black Metal
LED 4x5 Watt 230 Volt
1600Lm 3000K IP20
L: 25 H: 9 cm

TOD | 9011311



Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 5.7 H1: 9 H2: 13 cm

TOD | 9011312



Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 5.7 H1: 9 H2: 13 cm

TOD | 9012281



Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 22 H1: 9 H2: 12.7 cm

TOD | 9012282



Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 22 H1: 9 H2: 12.7 cm

TOD | 9012291



Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 5.7 H_1: 9 H_2: 12.7 cm

TOD | 9012301



Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 5.7 H_1: 9 H_2: 12.7 cm

TOD | 9012292



Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 6 H_1: 11 H_2: 29 cm

TOD | 9012302



Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 6 H_1: 11 H_2: 29 cm

INUS | **9460971**

Black Aluminium
& Gold Aluminium Stick
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
L: 27 H: 12.7 cm



INUS | **9460972**

Black Aluminium
& Gold Aluminium Stick
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.7 H: 13 cm

NOSA | **9450881**

Sandy White Aluminium
LED GU10 1x10 230 Volt
IP20 Bulb Excluded
D: 5.6 W: 8 H: 18 cm

NOSA | **9450882**

Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.6 W: 8 H: 18 cm

Adjustable

BERNARDO | 7409002

Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 6 H1: 11 H2: 29 cm

Adjustable

BERNARDO | 7409001

Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 6 H1: 11 H2: 29 cm

Rotating & Adjustable

BERNARDO | 7404601



Sandy Black Aluminium
LED COB 1x10 Watt Cree
1140Lm 3000K IP20
CRI 90 Adjustable
Philips Driver
D: 5 H1: 14 H2: 28 cm

Rotating & Adjustable

BERNARDO | 7404602



Sandy White Aluminium
LED COB 1x10 Watt Cree
1140Lm 3000K IP20
CRI 90 Adjustable
Philips Driver
D: 5 H1: 14 H2: 28 cm

Rotating & Adjustable

MINIAIR | 9720101



Sandy White Aluminium
LED COB 1x10 Watt Cree
900Lm 3000K IP20
CRI 90 Adjustable
Eaglerise Driver
D: 6.3 H: 17 cm

Rotating & Adjustable

MINIAIR | 9720102



Sandy Black Aluminium
LED COB 1x10 Watt Cree
900Lm 3000K IP20
CRI 90 Adjustable
Eaglerise Driver
D: 6.3 H: 17 cm

Rotating & Adjustable

UMBERTO | 7410401

Sandy Black Aluminium
Adjustable
Switch On/Off
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 15 cm

Rotating & Adjustable

UMBERTO | 7410402

Sandy White Aluminium
Adjustable
Switch On/Off
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6 H: 15 cm

Rotating & Adjustable

NET | 9011922

Sandy Black Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.7 H1: 9 H2: 10.5 cm

Rotating & Adjustable

NET | 9011921

Sandy White Aluminium
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.7 H1: 9 H2: 10.5 cm

Adjustable

WAN | 9184311

Sandy White Aluminium
Adjustable
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.6 H: 15 cm

Adjustable

WAN | 9184312

Sandy Black Aluminium
Adjustable
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 5.6 H: 15 cm

Rotating & Adjustable

DEXTER | 821602

Sandy White Aluminium
Adjustable
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6.2 H: 15 cm

Rotating & Adjustable

DEXTER | 821601

Sandy Black Aluminium
Adjustable
LED GU10 1x10 Watt 230 Volt
IP20 Bulb Excluded
D: 6.2 H: 15 cm

Rotating
& Adjustable

ANTI
GLARE
NETWORK

CLIP | 9030201

Sandy White Aluminium
LED Philips 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
D: 8 W: 3.4 H: 11 cm

Rotating
& Adjustable

CLIP | 9030202

Sandy Black Aluminium
LED Philips 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
D: 8 W: 3.4 H: 11 cm



Rotating & Adjustable

LAREDO | 8140521

Sandy White Aluminium
LED Samsung 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
L: 11 W: 9 H: 11 cm

Rotating & Adjustable

LAREDO | 8140522

Chrome Aluminium
LED Samsung 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
L: 11 W: 9 H: 11 cm

Rotating
& Adjustable

CLIP | 9030203

Satin Brass Aluminium
LED Philips 3 Watt
Adjustable Switch On/Off
190Lm 3000K IP20
D: 8 W: 3.4 H: 11 cm

GYPSUM & CONCRETE SPOT LIGHTS

CRONUS | 9084071

White Gypsum
LED 10 Watt 230 Volt
927Lm 3000K IP20 CRI>80
L: 16 W: 8 H: 18 cm

LED WARM WHITE A++-A DRIVER INCL.

CRONUS | 9084081



White Gypsum
LED 12 Watt 230 Volt
1121Lm 3000K IP20 CRI>80
L: 20.5 W: 11 H: 22 cm

LED WARM WHITE A++-A DRIVER INCL.

NEPTUNE | 9831051

Gray Concrete
LED 6 Watt 230 Volt CRI>90
Eaglerise 160Lm 3000K IP20
D: 11 W: 9.6 H: 7.5 cm

LED WARM WHITE A++-A DRIVER INCL.

NEPTUNE | 9831050

White Gypsum & Opal Glass
LED 6 Watt 230 Volt CRI>90
Eaglerise 160Lm 3000K IP20
D: 11 W: 9.6 H: 7.5 cm

LED WARM WHITE A++-A DRIVER INCL.

ZURIA | **9577012**

10
14

Gray Concrete
& Opal Glass
LED G9 1x5 Watt 230 Volt
IP20 Bulb Excluded
D: 10 H: 14 cm

ZURIA | **9577013**

10
14

White Gypsum
& Opal Glass
LED G9 1x5 Watt 230 Volt
IP20 Bulb Excluded
D: 10 H: 14 cm

ZEIRO | **9704191**

10
19.5
10

Gray Concrete
& Opal Glass
LED G9 1x5 Watt 230 Volt
IP20 Bulb Excluded
D: 10 H: 120 cm

ZEIRO | **9704192**

10
19.5
10

White Gypsum
& Opal Glass
LED G9 1x5 Watt 230 Volt
IP20 Bulb Excluded
D: 10 H: 120 cm

SANDRO | **9168544**

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 10 W: 12.5 H: 15 cm

SANDRO | **9164923**

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 10 W: 12.5 H: 15 cm

SANDRO | **9166821**

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 11.5 W: 10.7 H: 24 cm

SANDRO | **9168303**



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 15 W: 13 H: 12.8 cm

SANDRO | **7200601**



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 15 W: 13 H: 12.8 cm

SANDRO | **41688001**

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 15 W: 7 H:15 cm

SANDRO | **41667801**

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 12.5 W: 7 H: 12.5 cm



SANDRO | **61623401**

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 11.5 W: 11.5 H: 11.5 cm

SANDRO | **9164041**

White Gypsum
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 9.5 W: 9 H: 24.5 cm

OTELLO | **41688601**

White Gypsum
GU10 2x35 Watt 230 Volt
IP20 Bulb Excluded
D: 7 W: 10 H: 25 cm

OTELLO | **41688602**

White Gypsum
GU10 2x35 Watt 230 Volt
IP20 Bulb Excluded
D: 7 W: 10 H: 25 cm

SANDRO | **9168562**

White Gypsum & Glass
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
D: 11 W: 7 H: 18 cm

OTELLO | **51684201**

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 8 W: 13 H: 30 cm

SANDRO | **516276**

White Gypsum
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 28 H: 14 cm

BULB EXCL. A++-E

ICARUS | **9082171**



White Gypsum
LED 4 Watt 230 Volt
416Lm 3000K IP20 CRI 80
D: 16 W: 8 H: 6 cm

LED WARM WHITE A++-A DRIVER INCL.

SANDRO | **41637801**

White Gypsum & Glass
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 32 W: 17 H: 12 cm

BULB EXCL. A++-E

OTELLO | **7201601**



White Gypsum
E27 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 30 W: 17 H: 12 cm

BULB EXCL. A++-E

RENATA | 51686001



White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 32 W: 14 H: 5.5 cm

SANDRO | 9162445

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 30 W: 10 H: 7.5 cm

RENATA | 61642201



White Gypsum
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 27.5 W: 9.5 H: 5.5 cm

OTELLO | 9166041



White Gypsum & Glass
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 22 W: 9.5 H: 7 cm

OTELLO | 7200401

White Gypsum
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 18 W: 10 H: 9 cm

OTELLO | 61702401



White Gypsum
E14 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 30 W: 9.5 H: 14 cm

OTELLO | 7240202



White Gypsum & Glass
E14 2x40 Watt 230 Volt
IP20 Bulb Excluded
L: 36 W: 9.5 H: 7 cm

NEVIO | **51852801**

White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
L: 7 W: 7 H: 17 cm

NEVIO | **4192401**

White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 7 W: 7 H: 11 cm

ORAZIO | **51854001**

White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 7 H: 17 cm

ORAZIO | **61853202**



White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D1: 16.8 D2: 6.8 H: 13 cm

ORAZIO | **61853601**

White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
D: 7 H: 11 cm





BONA | **41880201**



White Gypsum & Glass
E27 2x25 Watt 230 Volt
IP20 Bulb Excluded
D: 30 H: 6 cm

BELINA | **41860201**



White Gypsum & Glass
E27 2x25 Watt 230 Volt
IP20 Bulb Excluded
L: 25 W: 25 H: 8.5 cm



BONA | **41880401**

White Gypsum & Glass
E27 3x25 Watt 230 Volt
IP20 Bulb Excluded
D: 51 H: 7 cm

BELINA | **41860401**



White Gypsum & Glass
E27 3x25 Watt 230 Volt
IP20 Bulb Excluded
L: 45 W: 45 H: 8 cm

SINTRA | **9168241**

Gray Concrete
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 13 H: 15 cm

SINTRA | **9168242**

Gray Concrete
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 13 W: 13 H: 15 cm

CADMO | **61625401**

Gray Concrete
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 11.5 W: 11.5 H: 11.5 cm

ZERINO | **9170202**

Gray Concrete
G9 1x40 Watt 230 Volt
IP20 Bulb Excluded
L: 18 W: 10 H: 9 cm

CRATE | **9091631**

White Gypsum
GU10 1x13 Watt 230 Volt
IP20 Bulb Excluded
D: 12 H: 6 cm
Cut Out: 12.3 cm

9261	9262	9263	9264
Black	Silver	Bronze	Gold

CRATE | **9090621**

White Gypsum
GU10 1x13 Watt 230 Volt
IP20 Bulb Excluded
D: 12 H: 6 cm
Cut Out: 12.3 cm

9161	9162	9163	9164
Black	Silver	Bronze	Gold

Adjustable Brackets



TOBIA | 9879101

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 5.5 cm
Cut Out: 12.5 x 12.5 cm

Adjustable Brackets



TOBIA | 9879102

White Gypsum & Glass
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 5.5 cm
Cut Out: 12.5 x 12.5 cm

Adjustable Brackets

TOBIA | 41825801

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 6 cm
Cut Out: 12.5 x 12.5 cm

Adjustable Brackets

new

TOBIA | 9879110

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 8 W: 8 H: 5.2 cm
Cut Out: 8.5 x 8.5 cm

Adjustable Brackets

COSIMO | 9879109

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 8 W: 8 H: 5.2 cm
Cut Out: 8.5 x 8.5 cm

Adjustable Brackets

COSIMO | 7100461

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 8 W: 8 H: 6 cm
Cut Out: 8.5 x 8.5 cm

Adjustable Brackets



TOBIA | 9879113

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 9.5 W: 9.5 H: 5 cm
Cut Out: 9 x 9 cm

Adjustable Brackets



TOBIA | 9879112

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 9.5 W: 9.5 H: 5 cm
Cut Out: 9 x 9 cm



TOBIA | 9879107



White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 10 W: 10 H: 2.5 cm
Cut Out: 10.5 x 10.5 cm

Adjustable Brackets

TOBIA | 41844401

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 10 W: 10 H: 3 cm
Cut Out: 10.5 x 10.5 cm

Adjustable Brackets

TOBIA | 9879104



White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 4.5 cm
Cut Out: 12.5 x 12.5 cm

Adjustable Brackets

TOBIA | 51826201



White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
L: 12 W: 12 H: 4.5 cm
Cut Out: 12.5 x 12.5 cm

Adjustable Brackets

TOBIA | 61853201

White Gypsum
Adjustable Brackets
GU10 2x35 Watt 230 Volt
IP20 Bulb Excluded
L: 21.4 W: 11.7 H: 6 cm
Cut Out: 21.7 x 12 cm

COSIMO | 61844801

White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 20.5 W: 20.5 H: 6 cm
Cut Out: 20.7 x 20.7 cm

Adjustable Brackets

COSIMO | 9879103



White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 13 H: 4.5 cm
Cut Out: 13.5 cm

Adjustable Brackets

COSIMO | 41826001

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 13 H: 5 cm
Cut Out: 13.5 cm

Adjustable Brackets

COSIMO | 9879105



White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 12 H: 4.3 cm
Cut Out: 12.5 cm

Adjustable Brackets

COSIMO | 51826202



White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 13 H: 4.5 cm
Cut Out: 13.5 cm

Adjustable Brackets

TOBIA | 9879111

White Gypsum
Adjustable Brackets
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D: 9.2 H: 5.2 cm
Cut Out: 8.8 cm

Adjustable Brackets

NEIVA | 620017

White Aluminium & Gypsum
Adjustable Brackets
GU10 1x35 Watt
D: 14 H: 4.1 cm
Cut Out: 14.3 cm

COSIMO | 9879108



White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D:10.3 H: 3 cm
Cut Out: 10.8 cm

COSIMO | 41844402



White Gypsum
GU10 1x35 Watt 230 Volt
IP20 Bulb Excluded
D:10 H: 3 cm
Cut Out: 10.5 cm

Adjustable Brackets

Rotating

VITALE | 51850801



White Gypsum
Adjustable Brackets
AR111 1x100 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
L: 21 W: 21 D: 6.7 cm
Cut Out: 21.5 x 21.5 cm

Adjustable Brackets

Rotating

VITALE | 51851001



White Gypsum
Adjustable Brackets
AR111 1x100 Watt 230 Volt
IP20 Bulb Excluded
Adjustable
D: 21 W:21 H: 6.7 cm
Cut Out: 21.5 x 21.5 cm

Adjustable Brackets

VITALE | 41849601



White Gypsum
Adjustable Brackets
AR111 1x50 Watt 230 Volt
IP 20 Bulb Excluded
L: 20 W: 20 H: 8.5 cm
Cut Out: 20.5 x 20.5 cm

Adjustable Brackets

VITALE | 41849401



White Gypsum
Adjustable Brackets
AR111 1x50 Watt 230 Volt
IP 20 Bulb Excluded
L: 20 W: 20 H: 8.5 cm
Cut Out: 20.5 cm

STEP LIGHTS



Adjustable Brackets

CIROCCO | 9879106



White Gypsum
LED 1 Watt CREE 3000K IP20
Waiberlon Driver Included
L: 10 W: 4.75 H: 10 cm
Cut Out: 10.3 x 10.3 cm

Adjustable Brackets

CIROCCO | 61886001



White Gypsum
LED 1 Watt CREE 3000K IP20
L: 10 W: 4.9 H: 10 cm
Cut Out: 10.3 x 10.3 cm

DRIVER | 9889134

Driver 2 Watt Waiberlon
Input: 220-240V AC 50/60Hz
Output: 3-4 VDC
500mA Not Dimmable



Adjustable Brackets

CIROCCO | 9188626

White Gypsum
LED 1 Watt CREE 3000K IP20
L: 12 W: 5.5 H: 18 cm
Cut Out: 12.3 x 18.3 cm

Adjustable Brackets

CIROCCO | 9602615



White Gypsum
GU10 1x50 Watt 230 Volt
IP20 Bulb Excluded
L: 21 W: 7.8 H: 25 cm
Cut Out: 21.3 x 25.3 cm

CIROCCO | 5600601

White Gypsum
MR11 GU4 1x20 Watt
230 Volt IP20
Bulb Excluded
L: 11 W: 5.5 H: 24.5 cm
Cut Out: 11.3 x 24.8 cm

24.5 / 11

7600601

White Gypsum
LED 1 Watt 3000K IP20
Driver Excluded
L: 11 W: 5.5 H: 24.5 cm
Cut Out: 11.3 x 24.8 cm

CIROCCO | 66018101

White Gypsum
MR11 GU4 1x20 Watt
L: 8 W: 4.8 H: 17 cm
Cut Out: 8.3 x 17.3 cm

17 / 8

EURONA | 9879390

White Gypsum
MR11 GU4 1x20 Watt
230 Volt IP20
Bulb Excluded
L: 10.8 W: 5.3 H: 24.5 cm
Cut Out: 11 x 24.7 cm

24.5 / 10.8

EURONA | 9879391

White Gypsum
LED 1 Watt 3000K IP20
Waiberlon Driver Included
L: 10.8 W: 5.3 H: 24.5 cm
Cut Out: 11.1 x 24.8 cm

24.5 / 10.8

CIROCCO | 9600217

White Gypsum
LED 1 Watt 3000K IP20
Driver Excluded
L: 14.2 W: 4.5 H: 17 cm
Cut Out: 14.5 x 17.3 cm

17 / 14.2

CIROCCO | 6600801

White Gypsum
LED 1 Watt 3000K IP20
Driver Excluded
L: 14.2 W: 4.5 H: 17 cm
Cut Out: 14.5 x 17.3 cm

3 / 4 / 17 / 14.2

EURONA | 9879388

White Gypsum
MR11 GU4 1x20 Watt
230 Volt IP20
Bulb Excluded
L: 8 W: 4.8 H: 16.5 cm
Cut Out: 8.2 x 16.7 cm

16.5 / 8

EURONA | 9879389

White Gypsum
LED 1 Watt 3000K IP20
Waiberlon Driver Included
L: 8 W: 4.8 H: 16.5 cm
Cut Out: 8.2 x 16.7 cm

16.5 / 8

DRIVER | 9889134

Driver 2 Watt Waiberlon
Input: 220-240V AC 50/60Hz
Output: 3-4 VDC
500mA Not Dimmable





LED PANEL

PANEL | **90630003** · 6W · 3000K

PANEL | **61840002** · 18W · 4000K

PANEL | **61840001** · 18W · 4000K
61840003 · 18W · 6500K

PANEL | **61840004** · 18W · 6500K

LED SAMSUNG CHIP

Photo	Code	Material	Watt	Volt	LED Chip	Lumen	Dimension(cm)	Cut Out(cm)	Kelvin	Protection	Adj.	CRI	Driver Included
	90630003	White Aluminium & Acrylic	6W	220-240	Samsung	430Lm	D:12 H:2.5	12.3x12.3	3000K	IP20	X	>80	√
	61840001	White Aluminium & Acrylic	18W	220-240	Samsung	1430Lm	D:22.7 H:3.5	25.8x25.8	4000K	IP20	X	>80	√
	61840003	White Aluminium & Acrylic	18W	220-240	Samsung	1560Lm	D:22.7 H:3.5	25.8x25.8	6500K	IP20	X	>80	√
	61840002	White Aluminium & Acrylic	18W	220-240	Samsung	1430Lm	L:22.7 W:22.7 H:3.5	25.8x25.8	4000K	IP20	X	>80	√
	61840004	White Aluminium & Acrylic	18W	220-240	Samsung	1560Lm	L:22.7 W:22.7 H:3.5	25.8x25.8	6500K	IP20	X	>80	√

LED SAMSUNG CHIP

SURFACE | **90630001** · 6W · 3000K

SURFACE | **62430001** · 24W · 3000K

SURFACE | **61830001** · 18W · 3000K
81840001 · 18W · 4000K

SURFACE | **61830002** · 18W · 3000K
81840002 · 18W · 4000K

Photo	Code	Material	Watt	Volt	LED Chip	Lumen	Dimension(cm)	Kelvin	Protection	Adj.	CRI	Driver Included
	61830001	White Aluminium & Acrylic	18W	220-240V	Samsung	1300Lm	D:22.7 H:3.5	3000K	IP20	X	>80	√
	81840001	White Aluminium & Acrylic	18W	220-240V	Samsung	1430Lm	D:22.7 H:3.5	4000K	IP20	X	>80	√
	62430001	White Aluminium & Acrylic	24W	220-240V	Samsung	1740Lm	D:30 H:3.8	3000K	IP20	X	>80	√
	82440001	White Aluminium & Acrylic	24W	220-240V	Samsung	1850Lm	D:30 H:3.8	4000K	IP20	X	>80	√
	61830002	White Aluminium & Acrylic	18W	220-240V	Samsung	1300Lm	L:22.7 W:22.7 H:3.5	3000K	IP20	X	>80	√
	81840002	White Aluminium & Acrylic	18W	220-240V	Samsung	1430Lm	L:22.7 W:22.7 H:3.5	4000K	IP20	X	>80	√

LOOK WHAT THE CAT DRAGGED IN.

CRI 70+

AREA OF APPLICATION
Offices and shops for average use

CRI 80+

AREA OF APPLICATION
Private homes, offices, and sales areas

CRI 90+

AREA OF APPLICATION
Museums, galleries, exquisite dining, and exclusive products in stores

EEI BUTTONS

A++-E The luminaire is comatible with bulbs of all energy classes.

A++-A Included highly efficient LED boards (cannot be replaced by the end consumer)

LIGHT COLOUR

NEUTRAL WHITE Neutral White

WARM WHITE Warm White

COOL WHITE Cool White

FUNCTIONS & COMFORT

Dimmable

Not Dimmable

Cut out

DRIVER & BULBS

DRIVER INCL. Driver Included

BULB EXCL. Bulb Excluded

BULB INCL. Bulb Included

LED

Lamp E14

Lamp E27

Lamp G9

Lamp GU10

IP PROTECTION

IP20 Protection rating IP20

IP32 Protection rating IP32

IP44 Protection rating IP44

IP54 Protection rating IP54

IP65 Protection rating IP65

IP67 Protection rating IP67

SWITCHES & SENSORES

on/off This luminaire can be switched on and off by touching the specially designed

A
144 ANZIO
144 AUSTIN
109 AZUL

B
102 BANG
20 BAR
182 BELINA
72 BELLUNO
142 BERNARDO
82 BLADE
182 BONA
30 BOX
106 BRAD
138 BRANDO
84 BREE
26. 33 BUXTON 01.02.03

C
110.168 CADMO
30 CAP
49 CARE
116.118.119 CID
188.192.193 CIROCCO
150 CLIP
22 COCKTAIL
134 CONCETTA
30 CONNECTOR
20 CONO
156.158.160 COSIMO
30 COVER

D
94 DESERT
146 DEXTER
54 DIDO

E
54.58 END CAP
112 ENZO
38 ESTE
190 EURONA

F
148 FLEX

G
55 GAGA
80 GEMA
52 GENT
132 GIA
164 GIACOMO
80 GIO
122 GOZZANO
12 GRAMMI 01-02
22 GRU

H
111 HAP
74.110 HONEYCOMB

J
40 JAZZ
96 JUNO

K
44.45 KARMA
30.54 KIT

L
150 LAREDO
76.78 LAZIO
34 LOOP 01.02
109 LUZ

M
148 MADISON
74 MAGGY
126 MARUPE
80.115 MEA
142 MINIAIR
22 MINIMAL
108 MIO

N
42 NAP
101 NATAL
156 NEIVA
184 NEVIO
108 NUIN

O
145 ODIN
44.45 OIKO
78 OLBIA
184 ORAZIO
128 OSLO
176.178.180 OTELLO
114 OTTAVIA

P
196 PANEL
100 PASSAGGIO
132 PERO
14 PLUS
30 POWER CONNECTOR
14 PUZZLE

Q
28.29 Q-CONNECTOR

R
114 RAENA
176.180 RENATA
124 RENDE
90 RIC
38 RIETI

S
172-180 SANDRO
30.54 SCREW
76.85 SELENE
34 SIGN
171 SINTRA
90 SIRI
30 SMART DEVICE
92 SOREL
198 SURFACE
92 SWAN

T
20 TAG
40 TEK
86.88 TINY
154.156.158 TOBIA
62.64.66 TRACK
33 TREE 01.02

U
90 UGO
136 ULTRATHIN
58 UMA
146 UMBERTO
140.141 UNIVERSAL

V
28.29 V-CONNECTOR
20 VERSUS
162 VITALE

W
146 WAN
49 WIRELESS SWITCH

Z
14 ZED
114 ZELMIRA
54 ZERINO
170 ZERINO
95 ZETAN

code	page
6001	080
6001	115
6202	116
6203	116
6204	118
6205	118
6206	119
6207	119
6208	116
6209	116
62000	115
62002	140
62004	141
62006	080
62007	080
62008	080
62014	116
62015	116
62016	118
62017	118
62018	114
62019	114
62200	114
62201	114
62202	114
62221	114
64001	080
64001	115
72002	140
72004	141
94001	080
516276	172
620010	080
620014	080
620015	080
620017	156
642401	090
642402	090
642403	109
642404	109
642601	090
642602	090

code	page
642603	109
642604	109
643601	090
711006	144
711008	144
732001	115
820001	122
820002	122
820202	124
820203	124
820602	124
820603	124
821601	146
821602	146
834801	112
834802	112
834863	126
834864	126
834865	126
834866	126
834869	132
834870	132
910161	145
910162	145
4192401	184
5600601	188
6206801	108
6600801	188
6800201	101
6800202	101
7100461	156
7100481	154
7200401	178
7200601	175
7201201	112
7201202	112
7201401	112
7201402	112
7201601	176
7206201	108
7206202	108
7240202	180

code	page
7404601	142
7404602	142
7409001	142
7409002	142
7409601	138
7409602	138
7409603	138
7409604	138
7410401	146
7410402	146
7600601	188
7770401	066
7770402	066
7770405	066
7770406	066
7770407	064
7770408	064
7770409	064
7770410	064
7770411	068
7770412	068
7770413	068
7770414	068
7770416	068
7770417	068
7770441	080
7770442	096
7770443	096
7770444	096
7770445	096
7770630	068
7770631	068
7770632	068
7770633	068
7770634	068
7770635	068
8000502	076
8000503	076
8001402	078
8008801	062
8008802	062
8014909	072

code	page
8014910	072
8016905	072
8016906	072
8016909	078
8018509	078
8019109	072
8019310	072
8033409	078
8035601	088
8038401	102
8038801	102
8039001	102
8044809	076
8044909	076
8058001	100
8059409	078
8090801	100
8125801	088
8128201	148
8128202	148
8140521	150
8140522	150
8252001	026
8252002	026
8252003	030
8252004	038
8252005	038
8252006	038
8252007	038
8252008	042
8252009	042
8252010	040
8252011	028
8252012	029
8252013	029
8252014	028
8252015	030
8252016	030
8252017	030
8252018	042
8252019	030
8252020	030

code	page
8252021	030
8252022	049
8252023	049
8252024	049
8252025	038
8252026	038
8252027	038
8252028	038
8252029	042
8252030	040
8252031	040
8252032	040
8252034	033
8252035	033
8252036	033
8252037	030
8252038	030
8252039	042
8254401	052
8254402	052
8254403	052
8254404	052
8254406	054
8254407	054
8254408	055
8254409	055
8254411	054
8254412	038
8254413	038
8254414	038
8254415	038
8254416	038
8254417	038
8254418	038
8254419	038
8254420	055
8254421	055
8254422	058
8254423	058
8254424	058
8254425	054
8254426	058

code	page
8254427	058
8254428	058
8254429	052
8254430	052
8254431	052
8254432	052
8254433	055
8254434	055
8254441	054
8254442	054
8254443	054
8254444	054
8254445	058
8770411	064
8770412	064
8770413	064
8770414	064
8925201	034
8925202	034
8925204	034
8925216	042
8925220	042
9000351	106
9000352	106
9001704	144
9001705	144
9001706	144
9001707	144
9011103	030
9012662	040
9012671	045
9012672	044
9012673	042
9012674	045
9012675	044
9012676	040
9012677	030
9017391	106
9017392	106
9017402	106
9017403	106
9017812	088

code	page
9019212	102
9019213	102
9020170	086
9020171	072
9020172	085
9020173	092
9020174	092
9020175	094
9020176	092
9025201	040
9030201	150
9030202	150
9030203	150
9031616	100
9045418	100
9045514	100
9050920	092
9052014	085
9052015	085
9052016	069
9052017	069
9052030	042
9054441	054
9054443	054
9065023	092
9065121	092
9071021	076
9071022	076
9072815	094
9075916	094
9076117	094
9080201	086
9080202	086
9090281	020
9090282	020
9090283	022
9090284	022
9090285	020
9090286	020
9090288	022
9090289	022
9090290	022

code	page
9090291	022
9090292	020
9090293	020
9161947	170
9161968	170
9161989	170
9162021	168
9162121	168
9162122	168
9162141	168
9162142	168
9162164	170
9162204	170
9164041	178
9164923	174
9162445	179
9166041	180
9166821	175
9168241	171
9168242	171
9168303	175
9168544	174
9168562	178
9170202	170
9174151	111
9174152	111
9174511	122
9174512	122
9175513	124
9175514	124
9180561	020
9180562	020
9180563	012
9180564	012
9180565	014
9180566	014
9180567	014
9180568	014
9180569	014
9184021	136
9184022	136
9184023	136

code	page
9184024	136
9184311	146
9184312	146
9184371	128
9184372	128
9184373	128
9184374	128
9184375	132
9184376	132
9188626	193
9232111	084
9232112	084
9232113	084
9232114	084
9232115	082
9232116	082
9232117	082
9232118	082
9232119	082
9232120	082
9232121	095
9232122	095
9232126	092
9232127	092
9252015	030
9600217	188
9602615	193
9700301	074
9700302	074
9700303	074
9700304	074
9700305	074
9700306	074
9700307	074
9701001	110
9701002	110
9701101	062
9701102	062
9701611	148
9701613	148
9707701	110
9712001	062

code	page
9712002	062
9712101	110
9712103	069
9712104	069
9712105	069
9712106	069
9712107	069
9712108	069
9712102	110
9713003	074
9715100	074
9720101	142
9720102	142
9879101	154
9879102	154
9879103	160
9879104	158
9879105	160
9879106	192
9879107	158
9879108	160
9879109	156
9879110	154
9879111	156
9879112	156
9879113	156
9879381	174
9879382	174
9879383	174
9879388	190
9879389	190
9879390	190
9879391	190
9879392	192
9879394	172
41637801	172
41667801	172
41688001	172
41688601	178
41688602	178
41825801	154
41825802	154

code	page
41826001	160
41844401	158
41844402	160
41849401	162
41849601	162
41860201	182
41860401	182
41880201	182
41880401	182
51684201	178
51686001	176
51826201	158
51826202	160
51850801	162
51851001	162
51852801	184
51854001	184
51855201	164
51855202	164
51855401	164
51855402	164
51886001	192
61623401	172
61625401	168
61642201	180
61702401	176
61830001	198
61830002	198
61840001	196
61840002	196
61840003	196
61840004	196
61844801	158
61853201	158
61853202	184
61853601	184
61886001	192
62430001	198
62430002	198
66018101	188
74014601	134
74014602	134

code	page
74014603	134
74014604	134
81840001	198
81840002	198
82440001	198
82440002	198
8254410 B	054
8254410 W	054

PHOTOMETRICS

TECHNICAL INFO









GU10

TRIMLESS

1. The installation must be done in strict accordance with the instruction.
2. Please don't install the lighting in easily damaged, deformed, unsteady ceiling.
3. Please make sure you have cut off the power supply before install, changing or clearing the lamp.
4. Please make sure there is no component loose.



THINK

DIFFERENT